

Lignocellulosic Biomass as a Renewable Source

Subjects: [Environmental Sciences](#) | [Biochemical Research Methods](#) | [Engineering, Environmental](#)

Contributor: Liliana Llatance-Guevara , Nelly Esther Flores , Germán Omar Barrionuevo , José Luis Mullo Casillas , Nelly Esther Flores Tapia

Lignocellulosic biomass is the primary structural component of plant matter and is mostly inedible, generally referring to organic materials such as wood, grass, and agricultural crop residues. Biomass is a plentiful and carbon-neutral renewable energy source that may be used to create platform chemicals and fuels, especially considering that up to 75% of initial energy can be converted into biofuels.

biomass

lignocellulose

photocatalyst photooxidation

1. Introduction

Biomass is a plentiful and carbon-neutral renewable energy source that may be used to create platform chemicals and fuels, especially considering that up to 75% of initial energy can be converted into biofuels. Lignocellulosic biomass comprises lignin, cellulose, and hemicellulose; lignin is almost 30% of the organic carbon in the biosphere. However, this lignin is regarded as waste material in several industries, for example, during paper TA and agricultural production, leaving significant amounts of biomass that contaminates the planet ^[1]. By 2035, bioenergy could provide 10% of the world's primary energy, according to the International Energy Agency (IEA), and biofuels may potentially replace up to 27% of global transportation fuel by 2050 ^[2]. According to Granone et al. ^[2] around 100 billion tons of biomass are produced worldwide each year, which makes it an available resource for obtaining biofuels ^[3] and chemical products with high added value ^{[4][5][6]}.

Hydrocarbon compounds obtained from biomass have been used as intermediate molecules to produce chemical compounds and fuels. Biomass components (cellulose and lignin) have significant applications in the manufacture of various bio-based materials for solar energy, energy conversion, and storage devices ^{[7][8][9][10][11]}; it is especially true about lignin, and lignin derivatives. However, lignocellulose is more challenging to transform than municipal and other industrial organic wastes. Biomass's advantage is not being edible, avoiding the depletion of food sources to obtain commodity chemicals or fuels ^[12]. Lignocellulose is very recalcitrant; thus, it is necessary to break down this component into little fractions to facilitate its conversion into valuable products, such as sugars, alcohols, phenols, furan derivatives, levulinic acid and γ -valerolactone, gluconic acid, 2,5-Furandicarboxylic acid, and more ^{[13][14][15]} ^[16] or direct use as lignin nanoparticles that are useful for biomedical applications ^[17]. Some processes applied to lignocellulose transformation are gasification, pyrolysis ^[18], and hydrolysis, which all require high pressure and temperature fragmentation steps. Besides, the conversion and selectivity percentages reached are low, which a challenge to making this process profitable with a high yield in conversion and selectivity of degradation reactions

[19]. The conservation of resources and high energy cost necessitate testing new processes requiring milder reaction conditions, such as biochemical and catalytic methods [20][21]. Heterogeneous photocatalysis emerges as a clean and very selective technology to obtain specific products from biomass. Titanium dioxide is the star catalyst used for biomass transformation because it is widely available, inexpensive, nontoxic, chemically, and physiologically inert, and stable when exposed to solar light. However, it has a band gap of 3.2 eV and can only absorb in the U.V. light spectrum, decreasing solar light energy conversion efficiency [22]. Titanium dioxide can produce several components under varying reaction conditions, making this catalyst a base for developing new modified catalysts [22][23]. To address the apparent disadvantages of titanium dioxide, several studies have investigated how to increase the Titanium oxide (TiO₂) performance during the conversion of biomass derivatives into additional products by doping it with different metals or macromolecules [24][25][26], and even using this catalyst as the base for developing new heterojunctions [27][28]. Studies have replaced TiO₂ by other catalysts, such as graphite carbon nitride (g-C₃N₄), to improve selectivity and conversion [29][30][31][32][33][34] and they are also interesting to review in order to have more options to transform biomass into useful products.

For these reasons, the photocatalytic process for the selective conversion of biomass derivatives is visualized as a sustainable and innovative technology because it is simple and low-cost. Moreover, the solar energy used in the process is abundant. It is one of the most economical alternative energy resources, which is transformed into chemical energy with the help of photocatalysts [35][36][37]. In this sense, photocatalysis of biomass reduces fossil fuel consumption, which minimizes environmental problems [38][39].

2. Biomass

Lignocellulosic biomass is the primary structural component of plant matter and is mostly inedible, generally referring to organic materials such as wood, grass, and agricultural crop residues [40][41]. The principal lignocellulosic biomass components are: lignin (20–30% w/w), cellulose (35–50% w/w) and hemicellulose (20–30% w/w) [40][41]. Regarding the structure of lignocellulosic biomass, the external cell of the biomass, which provides rigidity to the material, is rich in lignin [42][43]. It is a macromolecular polyaromatic with a high oxygen content [44][45]. On the other hand, cellulose is found inside lignin and forms hemicellulose-bound shells with a random structure. It is a stable crystalline biopolymer made of glycoside units. These units are insoluble in most solvents and difficult to hydrolyze [46]. Hemicellulose has an amorphous structure of pentose sugars such as xylose and arabinose, and hexose carbohydrates such as glucose, mannose, and galactose, so it is easier to hydrolyze than cellulose [10][46].

Although processing complex lignocellulosic materials is one of the main obstacles to commercial-scale biofuels and renewable chemicals, stimulating biofuel production has economic, environmental, and societal benefits. Different types of photocatalysts and reactors have been studied to decompose and process lignocellulosic biomass (or its components) [47][48].

Bio-oil is obtained from the lignocellulosic biomass conversion through thermal, catalytic, or both processes combined. The resulting bio-oil comprises oxygenated monomers such as cresols and guaiacols [6][49]. However,

due to its high oxygen content, bio-oil is unstable and has a low energy content, and requires additional treatment to be used industrially ^[50]. Consequently, the transformation of platform molecules from lignocellulosic biomass (starting materials or building blocks to produce chemical products) has been identified as critical in converting biomass into fuels and chemical compounds ^[51]. The goal is to replace petrochemical compounds with renewable and sustainable compounds progressively. Moreover, the derivatization of compounds from biomass is crucial in recovering chemical products.

Some of the factors responsible for the attractiveness of biomass as a renewable source for conversion to chemical products are climate change and reduction in greenhouse gases ^[52], the need to search for renewable carbon sources as an alternative to fossil sources ^[52], the possibility to optimize the process of obtaining energy and chemical products ^[53], and finally, increasing public trust in the chemical business.

Selective oxidation of derivatives of lignocellulosic biomass is a promising process for obtaining chemical products in a sustainable way ^[54]. The biggest challenge is to make this process profitable with a high conversion yield and selectivity of degradation reactions. However, producing these chemicals requires high temperatures and high pressures, which results in increased energy consumption ^[55]. Furthermore, the conversion and selectivity percentages are low ^{[43][44][56]}. For this reason, the photocatalytic process for the selective conversion of biomass derivatives is viewed as a sustainable and innovative technology. Because it is simple and low-cost, solar energy used in the process is abundant and is one of the cheapest alternative energy resources; photocatalytically, this can be transformed into chemical energy.

References

1. Li, S.H.; Liu, S.; Colmenares, J.C.; Xu, Y.J. A Sustainable Approach for Lignin Valorization by Heterogeneous Photocatalysis. *Green Chem.* 2016, 18, 594–607.
2. Granone, L.I.; Sieland, F.; Zheng, N.; Dillert, R.; Bahnemann, D.W. Photocatalytic Conversion of Biomass into Valuable Products: A Meaningful Approach? *Green Chem.* 2018, 20, 1169–1192.
3. Gallezot, P. Conversion of Biomass to Selected Chemical Products. *Chem. Soc. Rev.* 2012, 41, 1538–1558.
4. Sheldon, R.A. Green and Sustainable Manufacture of Chemicals from Biomass: State of the Art. *Green Chem.* 2014, 16, 950–963.
5. Colmenares, J.C.; Luque, R. Heterogeneous Photocatalytic Nanomaterials: Prospects and Challenges in Selective Transformations of Biomass-Derived Compounds. *Chem. Soc. Rev.* 2014, 43, 765–778.
6. Jing, Y.; Guo, Y.; Xia, Q.; Liu, X.; Wang, Y. Catalytic Production of Value-Added Chemicals and Liquid Fuels from Lignocellulosic Biomass. *Chem* 2019, 5, 2520–2546.

7. Lan, J.; Lin, J.; Chen, Z.; Yin, G. Transformation of 5-Hydroxymethylfurfural (HMF) to Maleic Anhydride by Aerobic Oxidation with Heteropolyacid Catalysts. *ACS Catal.* 2015, 5, 2035–2041.
8. Clarizia, L.; Apuzzo, J.; Di Somma, I.; Marotta, R.; Andreozzi, R. Selective Photo-Oxidation of Ethanol to Acetaldehyde and Acetic Acid in Water in Presence of TiO₂ and Cupric Ions under U.V.–Simulated Solar Radiation. *Chem. Eng. J.* 2019, 361, 1524–1534.
9. Payormhorm, J.; Chuangchote, S.; Kiatkittipong, K.; Chiarakorn, S.; Laosiripojana, N. Xylitol and Gluconic Acid Productions via Photocatalytic-Glucose Conversion Using TiO₂ Fabricated by Surfactant-Assisted Techniques: Effects of Structural and Textural Properties. *Mater. Chem. Phys.* 2017, 196, 29–36.
10. Wu, X.; Fan, X.; Xie, S.; Lin, J.; Cheng, J.; Zhang, Q.; Chen, L.; Wang, Y. Solar Energy-Driven Lignin-First Approach to Full Utilization of Lignocellulosic Biomass under Mild Conditions. *Nat. Catal.* 2018, 1, 772–780.
11. Liu, X.; Duan, X.; Wei, W.; Wang, S.; Ni, B.J. Photocatalytic Conversion of Lignocellulosic Biomass to Valuable Products. *Green Chem.* 2019, 21, 4266–4289.
12. Singhvi, M.S.; Gokhale, D.V. Lignocellulosic Biomass: Hurdles and Challenges in Its Valorization. *Appl. Microbiol. Biotechnol.* 2019, 103, 9305–9320.
13. Scott, E.; Peter, F.; Sanders, J. Biomass in the Manufacture of Industrial Products—the Use of Proteins and Amino Acids. *Appl. Microbiol. Biotechnol.* 2007, 75, 751–762.
14. Girisuta, B.; Heeres, H.J. Levulinic Acid from Biomass: Synthesis and Applications. In *Production of Platform Chemicals from Sustainable Resources*; Springer: Berlin/Heidelberg, Germany, 2017; pp. 143–169.
15. Tang, X.; Zeng, X.; Li, Z.; Hu, L.; Sun, Y.; Liu, S.; Lei, T.; Lin, L. Production of γ -Valerolactone from Lignocellulosic Biomass for Sustainable Fuels and Chemicals Supply. *Renew. Sustain. Energy Rev.* 2014, 40, 608–620.
16. Zhou, H.; Xu, H.; Wang, X.; Liu, Y. Convergent Production of 2,5-Furandicarboxylic Acid from Biomass and CO₂. *Green Chem.* 2019, 21, 2923–2927.
17. Verdini, F.; Gaudino, E.C.; Canova, E.; Tabasso, S.; Behbahani, P.J.; Cravotto, G. Lignin as a Natural Carrier for the Efficient Delivery of Bioactive Compounds: From Waste to Health. *Molecules* 2022, 27, 3598.
18. Wang, S.; Dai, G.; Yang, H.; Luo, Z. Lignocellulosic Biomass Pyrolysis Mechanism: A State-of-the-Art Review. *Prog. Energy Combust. Sci.* 2017, 62, 33–86.
19. Chai, L.; Hou, X.; Cui, X.; Li, H.; Zhang, N.; Zhang, H.; Chen, C.; Wang, Y.; Deng, T. 5-Hydroxymethylfurfural Oxidation to Maleic Acid by O₂ over Graphene Oxide Supported Vanadium: Solvent Effects and Reaction Mechanism. *Chem. Eng. J.* 2020, 388, 124187.

20. Ahorsu, R.; Medina, F.; Constantí, M. Significance and Challenges of Biomass as a Suitable Feedstock for Bioenergy and Bio-chemical Production: A Review. *Energies* 2018, 11, 3366.
21. Bellardita, M.; Loddò, V.; Palmisano, L. Formation of High Added Value Chemicals by Photocatalytic Treatment of Biomass. *Mini-Rev. Org. Chem.* 2020, 17, 884–901.
22. Fonseca-Cervantes, O.R.; Pérez-Larios, A.; Romero Arellano, V.H.; Sulbaran-Rangel, B.; González, C.A.G. Effects in Band Gap for Photocatalysis in TiO₂ Support by Adding Gold and Ruthenium. *Processes* 2020, 8, 1032.
23. Wu, X.; Chang, Y.; Lin, S. Titanium Radical Redox Catalysis: Recent Innovations in Catalysts, Reactions, and Modes of Activation. *Chem* 2022, 8, 1805–1821.
24. Patnaik, S.; Sahoo, D.P.; Parida, K.M. Bimetallic Co-Effect of Au-Pd Alloyed Nanoparticles on Mesoporous Silica Modified g-C₃N₄ for Single and Simultaneous Photocatalytic Oxidation of Phenol and Reduction of Hexavalent Chromium. *J. Colloid Interface Sci.* 2020, 560, 519–535.
25. Chen, K.; Shen, T.; Lu, Y.; Hu, Y.; Wang, J.; Zhang, J.; Wang, D. Engineering Titanium Oxide-Based Support for Electrocatalysis. *J. Energy Chem.* 2022, 67, 168–183.
26. Wu, X.; Li, J.; Xie, S.; Duan, P.; Zhang, H.; Feng, J.; Zhang, Q.; Cheng, J.; Wang, Y. Selectivity Control in Photocatalytic Valorization of Biomass-Derived Platform Compounds by Surface Engineering of Titanium Oxide. *Chem* 2020, 6, 3038–3053.
27. Zhao, H.; Li, C.F.; Liu, L.Y.; Palma, B.; Hu, Z.Y.; Renneckar, S.; Larter, S.; Li, Y.; Kibria, M.G.; Hu, J.; et al. N-p Heterojunction of TiO₂-NiO Core-Shell Structure for Efficient Hydrogen Generation and Lignin Photoreforming. *J. Colloid Interface Sci.* 2021, 585, 694–704.
28. Segovia-Guzmán, M.O.; Román-Aguirre, M.; Verde-Gomez, J.Y.; Collins-Martínez, V.H.; Zaragoza-Galán, G.; Ramos-Sánchez, V.H. Green Cu₂O/TiO₂ Heterojunction for Glycerol Photoreforming. *Catal. Today* 2020, 349, 88–97.
29. Li, Y.; Yin, Q.; Zeng, Y.; Liu, Z. Hollow Spherical Biomass Derived-Carbon Dotted with SnS₂/g-C₃N₄ Z-Scheme Heterojunction for Efficient CO₂ Photoreduction into CO. *Chem. Eng. J.* 2022, 438, 135652.
30. Yang, Q.; Wang, T.; Han, F.; Zheng, Z.; Xing, B.; Li, B. Bimetal-Modified g-C₃N₄ Photocatalyst for Promoting Hydrogen Production Coupled with Selective Oxidation of Biomass Derivative. *J. Alloys Compd.* 2022, 897, 163177.
31. Zhu, Y.; Zhang, Y.; Cheng, L.; Ismael, M.; Feng, Z.; Wu, Y. Novel Application of G-C₃N₄/NaNbO₃ Composite for Photocatalytic Selective Oxidation of Biomass-Derived HMF to FFCA under Visible Light Irradiation. *Adv. Powder Technol.* 2020, 31, 1148–1159.
32. Zhang, H.; Feng, Z.; Zhu, Y.; Wu, Y.; Wu, T. Photocatalytic Selective Oxidation of Biomass-Derived 5-Hydroxymethylfurfural to 2,5-Diformylfuran on WO₃/g-C₃N₄ Composite under

- Irradiation of Visible Light. *J. Photochem. Photobiol. A Chem.* 2019, 371, 1–9.
33. Patnaik, S.; Sahoo, D.P.; Parida, K. Recent Advances in Anion Doped G-C₃N₄ Photocatalysts: A Review. *Carbon N. Y.* 2021, 172, 682–711.
 34. Cai, B.; Zhang, Y.; Feng, J.; Huang, C.; Ma, T.; Pan, H. Highly Efficient G-C₃N₄ Supported Ruthenium Catalysts for the Catalytic Transfer Hydrogenation of Levulinic Acid to Liquid Fuel γ -Valerolactone. *Renew. Energy* 2021, 177, 652–662.
 35. Payormhorm, J.; Idem, R. Synthesis of C-Doped TiO₂ by Sol-Microwave Method for Photocatalytic Conversion of Glycerol to Value-Added Chemicals under Visible Light. *Appl. Catal. A Gen.* 2020, 590, 117362.
 36. Yoon, T.P.; Ischay, M.A.; Du, J. Visible Light Photocatalysis as a Greener Approach to Photochemical Synthesis. *Nat. Chem.* 2010, 2, 527–532.
 37. Wu, X.; Luo, N.; Xie, S.; Zhang, H.; Zhang, Q.; Wang, F.; Wang, Y. Photocatalytic Transformations of Lignocellulosic Biomass into Chemicals. *Chem. Soc. Rev.* 2020, 49, 6198–6223.
 38. Yan, K.; Li, H. State of the Art and Perspectives in Catalytic Conversion Mechanism of Biomass to Bio-aromatics. *Energy Fuels* 2021, 35, 45–62.
 39. Heng, Z.W.; Chong, W.C.; Pang, Y.L.; Koo, C.H. An Overview of the Recent Advances of Carbon Quantum Dots/Metal Oxides in the Application of Heterogeneous Photocatalysis in Photodegradation of Pollutants towards Visible-Light and Solar Energy Exploitation. *J. Environ. Chem. Eng.* 2021, 9, 105199.
 40. Yousuf, A.; Pirozzi, D.; Sannino, F. Fundamentals of Lignocellulosic Biomass. *Lignocellul. Biomass Liq. Biofuels* 2020, 1–15.
 41. Colmenares, J.C.; Magdziarz, A. Room Temperature Versatile Conversion of Biomass-Derived Compounds by Means of Supported TiO₂ Photocatalysts. *J. Mol. Catal. A Chem.* 2013, 366, 156–162.
 42. Nguyen, J.D.; Matsuura, B.S.; Stephenson, C.R.J. A Photochemical Strategy for Lignin Degradation at Room Temperature. *J. Am. Chem. Soc.* 2014, 136, 1218–1221.
 43. Zhang, Y.; Naebe, M. Lignin: A Review on Structure, Properties, and Applications as a Light-Colored UV Absorber. *ACS Sustain. Chem. Eng.* 2021, 9, 1427–1442.
 44. Sannigrahi, P.; Pu, Y.; Ragauskas, A. Cellulosic Biorefineries-Unleashing Lignin Opportunities. *Curr. Opin. Environ. Sustain.* 2010, 2, 383–393.
 45. Xu, C.; Arancon, R.A.D.; Labidi, J.; Luque, R. Lignin Depolymerisation Strategies: Towards Valuable Chemicals and Fuels. *Chem. Soc. Rev.* 2014, 43, 7485–7500.

46. Onokwai, A.O.; Ajisegiri, E.S.A.; Okokpujie, I.P.; Ibikunle, R.A.; Oki, M.; Dirisu, J.O. Characterization of Lignocellulose Biomass Based on Proximate, Ultimate, Structural Composition, and Thermal Analysis. *Mater. Today Proc.* 2022, 65, 2156–2162.
47. Monir, M.U.; Abd Aziz, A.; Kristanti, R.A.; Yousuf, A. Gasification of Lignocellulosic Biomass to Produce Syngas in a 50 kW Downdraft Reactor. *Biomass Bioenerg.* 2018, 119, 335–345.
48. Lee, C.S.; Conradie, A.V.; Lester, E. Review of Supercritical Water Gasification with Lignocellulosic Real Biomass as the Feedstocks: Process Parameters, Biomass Composition, Catalyst Development, Reactor Design and Its Challenges. *Chem. Eng. J.* 2021, 415, 128837.
49. Cai, J.; Rahman, M.M.; Zhang, S.; Sarker, M.; Zhang, X.; Zhang, Y.; Yu, X.; Fini, E.H. Review on Aging of Bio-Oil from Biomass Pyrolysis and Strategy to Slowing Aging. *Energy Fuels* 2021, 35, 11665–11692.
50. Blanco, E.; Sepulveda, C.; Cruces, K.; García-Fierro, J.L.; Ghampson, I.T.; Escalona, N. Conversion of Guaiacol over Metal Carbides Supported on Activated Carbon Catalysts. *Catal. Today* 2020, 356, 376–383.
51. Kohli, K.; Prajapati, R.; Sharma, B.K. Bio-Based Chemicals from Renewable Biomass for Integrated Biorefineries. *Energies* 2019, 12, 233.
52. Ma, B.; Wang, Y.; Guo, X.; Tong, X.; Liu, C.; Wang, Y.; Guo, X. Photocatalytic Synthesis of 2,5-Diformylfuran from 5-Hydroxymethylfurfural or Fructose over Bimetallic Au-Ru Nanoparticles Supported on Reduced Graphene Oxides. *Appl. Catal. A Gen.* 2018, 552, 70–76.
53. Lozano, F.J.; Lozano, R. Assessing the Potential Sustainability Benefits of Agricultural Residues: Biomass Conversion to Syngas for Energy Generation or to Chemicals Production. *J. Clean. Prod.* 2018, 172, 4162–4169.
54. Wang, M.; Ma, J.; Liu, H.; Luo, N.; Zhao, Z.; Wang, F. Sustainable Productions of Organic Acids and Their Derivatives from Biomass via Selective Oxidative Cleavage of C-C Bond. *ACS Catal.* 2018, 8, 2129–2165.
55. Yoganandham, S.T.; Sathyamoorthy, G.; Renuka, R.R. Emerging Extraction Techniques: Hydrothermal Processing. *Sustain. Seaweed Technol.* 2020, 191–205.
56. Li, X.; Shi, J.L.; Hao, H.; Lang, X. Visible Light-Induced Selective Oxidation of Alcohols with Air by Dye-Sensitized TiO₂ Photocatalysis. *Appl. Catal. B Environ.* 2018, 232, 260–267.

Retrieved from <https://encyclopedia.pub/entry/history/show/69274>