Non-Intrusive Load Monitoring

Subjects: Engineering, Electrical & Electronic | Energy & Fuels

Contributor: Hasan Rafiq , Xiaohan Shi , Hengxu Zhang , Huimin Li , Manesh Kumar Ochani

Non-intrusive load monitoring (NILM) is a process of estimating operational states and power consumption of individual appliances, which if implemented in real-time, can provide actionable feedback in terms of energy usage and personalized recommendations to consumers. Intelligent disaggregation algorithms such as deep neural networks can fulfill this objective if they possess high estimation accuracy and lowest generalization error. In order to achieve these two goals, this paper presents a disaggregation algorithm based on a deep recurrent neural network using multi-feature input space and post-processing. First, the mutual information method was used to select electrical parameters that had the most influence on the power consumption of each target appliance. Second, selected steady-state parameters based multi-feature input space (MFS) was used to train the 4-layered bidirectional long short-term memory (LSTM) model for each target appliance. Finally, a post-processing technique was used at the disaggregation stage to eliminate irrelevant predicted sequences, enhancing the classification and estimation accuracy of the algorithm. A comprehensive evaluation was conducted on 1-Hz sampled UKDALE and ECO datasets in a noised scenario with seen and unseen test cases. Performance evaluation showed that the MFS-LSTM algorithm is computationally efficient, scalable, and possesses better estimation accuracy in a noised scenario, and generalized to unseen loads as compared to benchmark algorithms. Presented results proved that the proposed algorithm fulfills practical application requirements and can be deployed in real-time.

non-intrusive load monitoring

deep recurrent neural network

feature space

LSTM

energy disaggregation

1. Testing in Seen Scenario (Unseen Data from UKDALE House-2 and ECO House-1,2,5)

1.1. Results with the UKDALE Dataset

Seen scenario refers to test data, which was unseen during training. We tested individual appliance models of the kettle, microwave, dishwasher, fridge, washing machine, rice cooker, electric oven, and television on last week's data from two houses of the UKDALE dataset. Submeter data of six appliances were taken from house-2 of the UKDALE dataset, whereas the electric oven and television data were obtained from house-5 of the UKDALE dataset. Last week's data was unused during the training which makes it unseen data during training. Trained MFS-LSTM models for each target appliance were tested using a noised aggregated signal as input and the algorithm's task was to predict a clean disaggregated signal for each target appliance. Figure 1 shows the disaggregation results of some of the target appliances. Visual inspection of Figure 1 shows that our proposed

MFS-LSTM algorithm successfully predicted activations and energy consumption sequences of all target appliances in a given period. The proposed algorithm also predicted some irrelevant activations, which were successfully eliminated using our post-processing technique. Elimination of irrelevant activations improved precision and reduced extra predicted energy, which in turn improved classification and power estimation results of all target appliances. Numerical results of eight target appliances of UKDALE in a seen scenario are presented in Table 1. With the help of the post-processing technique, overall F1 scores (average score of all target appliances) improved from 0.688 to 0.976 (30% improvement) and MAE reduced from 23.541 watts to 8.999 watts on the UKDALE dataset. Similarly, the estimation accuracy improved from 0.714 to 0.959. Although, a significant improvement in F1-scores and MAE was observed with the use of the post-processing technique, the SAE and EA results have slightly decreased for the kettle, microwave, and dishwasher as compared to the results without post-processing. The reasons for the decrease in estimation accuracy and increase in signal aggregate error is due to the overall decrease in predicted energy after eliminating irrelevant activations.



Figure 1. Seen Scenario—Disaggregation results of some target appliances from the UKDALE dataset with and without post-processing.

Table 1. Performance evaluation of the proposed algorithm in a seen scenario based on the UKDALE datasets.

House #	Appliances	Wit	hout Post-	Proces	sing	With Post-Processing			
House #	Appliances	F1	MAE (W)	SAE	EA	F1	MAE (W)	SAE	EA
1	Kettle	0.658	2.162	0.179	0.911	0.995	1.837	0.217	0.891
1	Fridge	0.497	13.980	0.138	0.919	0.997	5.679	0.347	0.826
5	Microwave	0.535	65.090	0.028	0.986	0.719	21.450	0.515	0.743
2	Dishwasher	0.559	13.076	0.094	0.953	0.749	5.877	0.419	0.790

House #	Appliances	Wit	hout Post-	Proces	sing	With Post-Processing			
HOUSE #	Appliances	F1	MAE (W)	SAE	EA	F1	MAE (W)	SAE	EA
1	Washing Machine	0.322	65.720	1.010	0.492	0.795	18.870	0.655	0.673
2	Electric Stove	0.886	3.519	0.623	0.688	0.981	0.240	0.005	0.997
2	Television	0.976	0.976	0.018	0.991	0.995	0.497	0.012	0.994
	Overall	0.633	23.503	0.298	0.848	0.890	7.778	0.310	0.845

2. Results with the ECO Dataset

The disaggregation results of seven appliances are shown in Table 2. These results were calculated using 1-month data which was unseen during training. Not all the appliances were present in all six houses of the ECO dataset. Kettle, fridge, and washing machine data were obtained from house-1, whereas dishwasher, electric stove, and television data were retrieved from house-2 of the ECO dataset. Similarly, microwave data were obtained from house-5 of the ECO dataset. Type-2 appliances such as the dishwasher and washing machine are very hard to classify because of various operational cycles present during their operation. With our proposed MFS-LSTM integrated with post-processing, type-2 appliances have successfully been classified and their power consumption estimation resembles ground-truth consumption according to Figure 2.



Figure 2. Seen Scenario: Disaggregation results of all target appliances from the ECO dataset

Table 2. Performance evaluation of the proposed algorithm in a seen scenario based on the ECO datasets.

House #	Appliances	Wi	thout Post-	Proces	sing	With Post-Processing			
		F1	MAE (W)	SAE	EA	F1	MAE (W)	SAE	EA
2	Kettle	0.961	3.906	0.004	0.998	0.981	2.353	0.043	0.978

House #	Appliances	Wi	thout Post	-Proces	sing	W	ith Post-P	rocessi	ng
HOUSE #	Appliances	F1	MAE (W)	SAE	EA	F1	MAE (W)	SAE	EA
2	Fridge	0.838	13.667	0.170	0.915	0.995	4.039	0.121	0.939
2	Microwave	0.721	7.285	0.276	0.862	0.869	5.402	0.437	0.781
2	Dishwasher	0.745	25.736	0.024	0.988	0.891	12.346	0.288	0.856
2	Washing Machine	0.189	30.990	0.686	-0.09	0.701	5.400	0.641	0.679
2	Rice Cooker	0.299	8.900	0.699	-0.161	0.781	1.115	0.378	0.811
5	Electric Oven	0.550	68.611	0.448	0.594	0.736	28.911	0.013	0.993
5	Television	0.512	5.695	0.219	0.890	0.879	3.428	0.649	0.675
	Overall	0.688	23.541	0.361	0.714	0.976	8.999	0.367	0.959

Although our algorithm was able to classify all target appliance activations, the presence of irrelevant activations in Figure 6 (left) indicates that the deep LSTM model learned some features of non-target appliances during training. This can happen due to the similar looking activation profiles of type-1 and type-2 appliances. This effect was eliminated with the use of the post-processing technique whose advantage can easily be realized with the results shown in Table 1 and Table 2 for a seen scenario.

3. Testing in an Unseen Scenario (Unseen Data from UKDALE House-5)

The generalization capability of our network was tested using unseen data during training. Data used for testing the algorithms was completely unseen for the trained model. In this test case, we used entire house-5 data from the UKDALE dataset for disaggregation and made sure that the testing period contains activations from all target appliances. The UKDALE dataset contains 1-sec and 6-sec sampled mains and sub-metered data, therefore, we up-sampled ground truth data to 1-sec for comparison.

Performance evaluation results of the proposed algorithm with and without post-processing in the unseen scenario are presented in Table 3. In the unseen scenario, the post-processed MFS-LSTM algorithm achieved an overall F1-score of 0.746, which was 54% better than without post-processing. Similarly, MAE reduced from 26.90W to 10.33W, SAE reduced from 0.782 to 0.438, and estimation accuracy (EA) improved from 0.609 to 0.781 (28% improvement). When MAE, SAE, and EA scores of the unseen test case were compared with the seen scenario then a visible difference in overall results was observed. One obvious reason for this difference was the different power consumption patterns of house-5 appliances; also, %-NR was higher in house-5 (72%) as compared to the house-2 noise ratio, which was 19%. However, overall results prove that the proposed algorithm can estimate the power consumption of target appliances from the seen house but can also identify appliances from a completely unseen house with unseen appliance activations.

House #	Annlianaaa	Wit	hout Post-	Proces	sing	With Post-Processing			
HOUSE #	Appliances	F1	MAE (W)	SAE	EA	F1	MAE (W)	SAE	EA
5	Kettle	0.701	14.973	0.685	0.657	0.965	1.966	0.058	0.971
5	Fridge	0.732	27.863	0.270	0.865	0.872	19.608	0.467	0.766
5	Microwave	0.242	0.546	0.504	0.748	0.317	0.392	0.828	0.586
5	Dishwasher	0.554	35.129	0.273	0.863	0.809	15.275	0.323	0.838
5	Washing Machine	0.189	30.990	2.18	-0.09	0.765	14.422	0.512	0.744
	Overall	0.484	21.900	0.782	0.609	0.746	10.333	0.438	0.781

Table 3. Performance evaluation of the proposed algorithm in an unseen scenario based on the UKDALE dataset.

4. Energy Contributions by Target Appliances

Apart from individual appliance evaluation, it is also necessary to analyze total energy contributions from each target appliance. In this way, we can understand the overall performance of the algorithms when acting as a part of the NILM system. This information is helpful to analyze algorithm performance on estimating power consumption of composite appliances for a given period and how it is closely related to actual aggregated power consumption.

Figure 3 shows energy contributions from all target appliances in both seen and unseen test cases from the UKDALE and ECO datasets. The first thing to notice from Figure 3 is the amount of estimated power consumption, which is less than actual power consumption in both datasets. This happened because of the elimination of irrelevant activations which caused extra predicted energy. Another useful insight is the difference between the amount of estimated power consumption and actual consumption for type-2 appliances (dishwasher, washing machine, electric oven), which is relatively higher than the type-1 appliances difference. This could have happened due to multiple operational states of type-2 appliances which are very hard to identify as well as their power consumption is also very difficult to estimate by the DNN models. Energy contributions for all target appliances of the ECO dataset (Figure 1) are higher as compared to UKDALE appliances. This is due to the time span during which energy consumption by individual appliances was computed. For the UKDALE dataset, 1-week test data was used for evaluation. Whereas for the ECO dataset, one-month data was used for evaluation. Detailed results for energy consumption evaluation in terms of noise-ratio, percentage of disaggregated energy, and estimation accuracy are shown in Table 4.



Figure 3. Energy contributions by individual appliances from (**a**) UKDALE House-2, (**b**) UKDALE House-5, (**c**) ECO House-1 and 2.

Table 4. Details of energy contributions by target appliances in UKDALE and ECO datasets.

Metrics	UKDALE H-2	UKDALE H-5	ECO H-1	ECO H-2
Noise Ratio (%)	19.34	72.08	83.76	70.51
Actual Disaggregated Energy (%)	80.66	27.92	16.24	29.49
Predicted Energy (%)	63.15	21.57	12.99	24.53
Estimation Accuracy	0.891	0.886	0.900	0.916

As described in Section 3.3, the noise ratio refers to energy contribution by non-target appliances. In our test cases, total energy contributions by all target appliances in said houses were 80.66%, 27.92%, 16.24%, and

79.49% respectively. Based on the results presented in Table 4, our algorithm successfully estimated power consumption of target appliances with an accuracy of 0.891 in UKDALE house-2, 0.886 in UKDALE house-5, 0.900 for ECO house-1, and 0.916 for ECO house-2.

5. Performance Comparison with State-of-the-Art Disaggregation Algorithms

We compared the performance of our proposed MFS-LSTM algorithm with the neural-LSTM ^[1], denoising autoencoder (dAE) algorithm ^[2], CNN based sequence-to-sequence algorithm CNN(S-S) ^[3], and benchmark implementations of the factorial hidden Markov model (FHMM) algorithm, and the combinatorial optimization (CO) algorithm ^[4] from the NILM toolkit ^[5]. We chose these algorithms for comparison for various reasons. First, the neural LSTM, dAE, and CNN(S-S) were also evaluated on the UKDALE dataset. Secondly, these algorithms were validated on individual appliance models as we did. Thirdly, ^{[1][2][3]} also evaluated their approach on both seen and unseen scenarios. Lastly, recent NILM works ^{[6][7][8]} have used these algorithms (CNN(S-S), CNN(S-P), neural-LSTM) to compare their approaches. That is why these three are referred to as benchmark algorithms in the NILM research.

UKDALE house-2 and house-5 data were used to train and test benchmark algorithms for seen and unseen test cases. Four-month data was used for training, whereas 10-day data was used for testing. The min-max scaling method was used to normalize the input data and individual models of five appliances were prepared for comparison. Hardware and software specifications were the same as described in Section 3.2.

Table 5 shows training and testing times for the above-mentioned disaggregation algorithms in terms of length of days. Many factors affect the training time of algorithms, including training samples, trainable parameters, hyperparameters, GPU power, and complexity of the algorithm. Considering these factors, the combinatorial optimization (CO) algorithm has the lowest complexity, thus it is the fastest to execute ^[9]. This can also be observed from the training time of the CO algorithm from Table 5. The FHMM algorithm was the second-fastest followed by the dAE algorithm. Training time results show that the proposed MFS-LSTM algorithm has faster execution time than the neural-LSTM and CNN(S-S) because of the fewer parameters and relatively simple deep RNN architecture.

Algorithms	Training (133 Days)	Testing (10 Days)
CO	11	1.00
FHMM	166	50.63
dAE	300	0.02
Neural-LSTM	1280	0.68

Table 5. Computation time comparison between disaggregation algorithms (in seconds).

Algorithms	Training (133 Days)	Testing (10 Days)
CNN (S-S)	1899	1.19
MFS-LSTM	908	0.65

Figure 4 shows the load disaggregation comparison of the MFS-LSTM with dAE, CNN(S-S), and neural-LSTM algorithms in the seen scenario. Qualitative comparison from Figure 4 shows that the MFS-LSTM algorithm disaggregated all target appliances and proved better as compared to the dAE, neural-LSTM, and CNN(S-S) algorithms in terms of power estimation and states estimation accuracy. Although, all algorithms correctly estimated operational states of target appliances. However, the dAE algorithm showed relatively poor power estimation performance for the disaggregating kettle, fridge, and microwave. The CNN(S-S) performance was better for the disaggregating microwave. However, for all other appliances, its performance seemed to be comparative with the MFS-LSTM algorithm. These findings can be better understood through quantitative scores for all algorithms in terms of the F1 score and estimation accuracy as shown in Table 6.



Figure 4. Comparison of disaggregation algorithms in the seen scenario based on the UKDALE dataset.

Table 6. Performance evaluation of disaggregation algorithms in the seen scenario.

Performance Metrics	Algorithms	Kettle	Fridge	Microwave	Dishwasher	Washing Machine	Overall
F1	СО	0.291	0.493	0.322	0.125	0.067	0.259
	FHMM	0.263	0.442	0.397	0.053	0.112	0.253
	dAE	0.641	0.735	0.786	0.746	0.485	0.679

Performance Metrics	Algorithms	Kettle	Fridge	Microwave	Dishwasher	Washing Machine	Overall
	Neural- LSTM	0.961	0.791	0.774	0.419	0.152	0.619
	CNN(S-S)	0.940	0.912	0.923	0.708	0.759	0.848
	MFS-LSTM	0.981	0.995	0.869	0.891	0.701	0.887
	СО	61.892	53.200	59.141	71.776	121.541	73.510
	FHMM	84.270	67.244	53.472	107.655	147.330	91.994
	dAE	22.913	23.356	9.591	24.193	27.339	21.478
MAE (Watts)	Neural- LSTM	7.324	22.571	7.449	19.465	109.144	33.190
	CNN(S-S)	5.033	13.501	7.004	26.516	8.414	12.094
	MFS-LSTM	2.353	4.039	5.402	12.346	5.400	5.908
	СО	0.438	0.358	0.747	0.472	0.611	0.525
	FHMM	0.463	0.516	0.849	0.594	0.523	0.589
	dAE	0.576	0.108	0.681	0.028	0.217	0.322
SAE	Neural- LSTM	0.114	0.028	0.309	0.711	0.695	0.371
	CNN(S-S)	0.052	0.154	0.368	0.575	0.433	0.316
	MFS-LSTM	0.043	0.121	0.437	0.288	0.641	0.306
	СО	0.926	0.915	0.838	0.581	0.847	0.821
	FHMM	0.902	0.912	0.829	0.543	0.802	0.798
	dAE	0.711	0.946	0.659	0.986	0.723	0.805
EA	Neural- LSTM	0.943	0.940	0.845	0.645	0.614	0.797
	CNN(S-S)	0.972	0.930	0.717	0.723	0.745	0.817
	MFS-LSTM	0.978	0.939	0.781	0.856	0.679	0.847

As shown in Figure 4, the dAE's F1 score was lower for the kettle as compared to all other algorithms. The neural-LSTM performed better in terms of the F1 score except for the dishwasher and washing machine. The CNN(S-S)

performance remained comparative with the MFS-LSTM for all target appliances. The CO and FHMM algorithms showed lower state estimation accuracy compared to all other algorithms. When overall (average score) performance was considered, the MFS-LSTM achieved an overall F1 score of 0.887, which was 5% better than the CNN(S-S), 31% better than the dAE, and 43% better than the neural-LSTM and 200% better than the CO and FHMM algorithms. Considering the MAE scores, the MFS-LSTM achieved the lowest mean absolute error for all target appliances with an overall score of 5.908 watts. Only the CNN(S-S) scores were a bit close to the MFS-LSTM scores, however, the overall MAE score of the MSF-LSTM was two times less than CNN (S-S), almost four times less than the dAE, and six times less than the neural-LSTM.

Considering SAE scores, our algorithm achieved lowest SAE score of 0.043 for kettle, 0.121 for fridge, and 0.288 for dishwasher. MFS-LSTM algorithm's consistent scores for all target appliances ensured an overall SAE score of 0.306, which was very competitive with CNN(S-S), Neural-LSTM and dAE. However, overall score of 0.306 was 71.6% lower than CO, and 92.5% lower than FHMM algorithm. When estimation accuracy scores were considered, then dAE power estimation accuracy was higher for fridge and dishwasher, and lower for microwave and washing machine. EA scores for Neural-LSTM algorithm were lower for multi-state appliances. However, MFS-LSTM algorithm achieved an overall estimation accuracy of 0.847 for being consistent in disaggregating all target appliances with high classification and power estimation accuracy.

Table 7 shows performance evaluation scores for benchmark algorithms in unseen scenario. F1, MAE, SAE, and estimation accuracy scores again proves effectiveness of MFS-LSTM algorithm in unseen scenario compared to benchmark algorithms. Considering F1 score, it can be observed that MFS-LSTM algorithm achieved more than 0.76 score for all target appliances except for microwave. MFS-LSTM achieved an overall score of 0.746, which was 200% better than Neural-LSTM, 27% better than CNN(S-S) and 22% better than dAE algorithm. MAE scores for MFS-LSTM were lower for all target appliances as compared to benchmark algorithms in unseen scenario. Our algorithm achieved an overall score of 10.33 watt, which was six times lower than dAE and CNN(S-S), and seven times lower than Neural-LSTM. Same trend was also observed with SAE scores, in which MFS-LSTM algorithm achieved for all target appliances except for microwave. An overall SAE score of 0.438 for MFS-LSTM algorithm was 38% lower than CNN(S-S), 59% lower than CO, 80% lower than FHMM and 87% lower than Neural-LSTM.

Performance Metrics	Algorithms	Kettle	Fridge	Microwave	Dishwasher	Washing Machine	Overall
F1	СО	0.327	0.382	0.086	0.128	0.124	0.209
	FHMM	0.181	0.539	0.022	0.047	0.101	0.178
	dAE	0.746	0.671	0.432	0.652	0.415	0.583
	Neural- LSTM	0.331	0.364	0.216	0.165	0.113	0.238

Table 7. Performance evaluation of disaggregation algorithms in the unseen scenario.

Performance Metrics	Algorithms	Kettle	Fridge	Microwave	Dishwasher	Washing Machine	Overall
	CNN(S-S)	0.783	0.684	0.226	0.495	0.533	0.544
	MFS-LSTM	0.965	0.872	0.317	0.809	0.765	0.746
	СО	113.457	89.922	77.264	81.131	77.902	87.935
	FHMM	174.744	78.511	183.472	105.626	128.756	134.222
	dAE	64.864	56.785	19.283	164.931	23.958	65.964
MAE (Watts)	Neural- LSTM	89.514	58.562	14.841	106.390	103.654	74.592
	CNN(S-S)	54.244	23.675	21.191	113.447	115.783	65.668
	MFS-LSTM	1.966	19.608	0.392	15.275	14.422	10.333
	СО	0.813	0.374	0.951	0.625	0.715	0.696
	FHMM	0.871	0.569	0.982	0.754	0.763	0.788
	dAE	0.581	0.552	0.867	2.112	0.585	0.939
SAE	Neural- LSTM	1.588	0.573	0.815	0.505	0.614	0.819
	CNN(S-S)	0.523	0.624	0.843	0.339	0.691	0.604
	MFS-LSTM	0.058	0.467	0.828	0.323	0.512	0.438
	СО	0.608	0.633	0.405	0.443	0.431	0.504
	FHMM	0.589	0.551	0.336	0.417	0.584	0.495
	dAE	0.709	0.724	0.566	-0.061	0.375	0.463
EA	Neural- LSTM	0.209	0.713	0.592	0.749	0.540	0.561
	CNN(S-S)	0.581	0.778	0.533	0.417	0.634	0.589
	MFS-LSTM	0.971	0.766	0.586	0.838	0.744	0.781

Estimation accuracy scores were also high for the MFS-LSTM with an overall score of 0.781. One noticeable factor is the difference in scores between the MFS-LSTM and all other algorithms in the unseen scenario. The differences shown prove the superiority of the proposed algorithm in the unseen scenario as well. Considering the noised

aggregate power signal, our multi-feature input space-based approach together with post-processing can disaggregate target appliances with high power estimation accuracy as compared to state-of-the-art algorithms.

In accordance with Table 4 parameters, UKDALE house-2 and house-5 noise ratio was 19.34% and 72.08%, respectively. This implies that total predictable power was 80.66% and 27.92%. In order to estimate the percentage of predicted energy (energy contributions by all target appliances), estimation accuracy scores for all disaggregation algorithms are shown in Table 8. Presented results also highlight the proposed algorithm's superior performance with an estimation accuracy of 0.994 and 0.956 in the seen and unseen test cases, respectively. These results suggest that our proposed algorithm efficiently estimates the power consumption of all target appliances for a given period of time.

Algorithms	Estimation Accuracy (EA)	
	Seen Scenario	Unseen Scenario
CO	0.907	0.544
FHMM	0.813	0.536
dAE	0.888	0.518
Neural-LSTM	0.891	0.289
CNN (S-S)	0.924	0.633
MFS-LSTM	0.964	0.856

Table 9. Evaluation of total energy contributions by target appliances in disaggregation algorithms.

References

- Kelly, J.; Knottenbelt, W. Neural NILM: Deep Neural Networks Applied to Energy Disaggregation. In Proceedings of the ACM International Conference on Embedded Systems for Energy-Efficient Built Environments, Seoul, South Korea, 3–4 November 2015; pp. 55–64.
- Roberto Bonfigli; Andrea Felicetti; Emanuele Principi; Marco Fagiani; Stefano Squartini; Francesco Piazza; Denoising autoencoders for Non-Intrusive Load Monitoring: Improvements and comparative evaluation. *Energy and Buildings* **2018**, *158*, 1461-1474, 10.1016/j.enbuild.2017.11.0 54.
- Zhang, C.; Zhong, M.; Wang, Z.; Goddard, N.; Sutton, C. Sequence-to-Point Learning with Neural Networks for Nonintrusive Load Monitoring. In Proceedings of the Thirty-Second AAAI Conference on Artificial Intelligence, New Orleans, LA, USA, 2–7 February 2018; pp. 1–8.
- 4. Hart, G.W; Nonintrusive Appliance Load Monitoring. Proc. IEEE 1992, 80, 1870–1891.

- Batra, N.; Kelly, J.; Parson, O.; Dutta, H.; Knottenbelt, W.; Rogers, A.; Singh, A.; Srivastava, M. NILMTK: An Open Source Toolkit for Non-Intrusive Load Monitoring Categories and Subject Descriptors. In Proceedings of the International Conference on Future Energy Systems (ACM e-Energy), Cambridge, UK, 11–13 June 2014; pp. 1–4.
- 6. Weicong Kong; Zhao Yang Dong; Bo Wang; Junhua Zhao; Jie Huang; A Practical Solution for Non-Intrusive Type II Load Monitoring Based on Deep Learning and Post-Processing. A Supervised-Learning-Based Strategy for Optimal Demand Response of an HVAC System in a Multi-Zone Office Building 2020, 11, 148-160, 10.1109/tsg.2019.2918330.
- Eduardo Gomes; Lucas Pereira; PB-NILM: Pinball Guided Deep Non-Intrusive Load Monitoring. HyperTube: A Framework for Online Hyperparameter Optimization with Resource Constraints 2020, 8, 48386-48398, 10.1109/access.2020.2978513.
- Min Xia; Wan'An Liu; Ke Wang; Xu Zhang; Yiqing Xu; Non-intrusive load disaggregation based on deep dilated residual network. *Electric Power Systems Research* 2019, *170*, 277-285, 10.1016/j.e psr.2019.01.034.
- 9. Manoj Manivannan; Behzad Najafi; Fabio Rinaldi; Machine Learning-Based Short-Term Prediction of Air-Conditioning Load through Smart Meter Analytics. *Energies* **2017**, *11*, 1905, 10.3390/en101 11905.

Retrieved from https://encyclopedia.pub/entry/history/show/7736