


Fungal Metabolism

Subjects: [Microbiology](#)

Contributor: Jacqueline A. Takahashi , Bianca V. R. Barbosa , Bruna de A. Martins , Christiano P. Guirlanda , Marília A. F. Moura , Jacqueline Takahashi

Fungi metabolism consists on a series of reactions that results in the biosynthesis of a huge number of compounds. These compounds area usually divided into primary and secondary metabolites. Primary metabolism is common to several species and usually produces compounds with the function of assuring fungi growth and development. Secondary metabolism refers to the production of compounds that are not indispensable during fungi development. Secondary metabolites are commonly referred as "natural products" and have been extensively utilized in the pharmaceutical, cosmetics and food industry.

Fungal metabolism is an excellent source of compounds related to the improvement of human health, and a discussion on this application is presented below.



The metabolism of filamentous fungi is capable of producing inumerous secondary metabolites that can used for the development of functional foods, nutraceuticals, and bioactive substances that can be used as medicines. Fungal metabolism is usually fast and the scale up is usually easier than in some other processes.

1. Health and Modern Food Demands

Health concerns have always existed among humans. Although some conditions and diseases cannot be avoided yet, the manifestation of several non-transmissible chronic diseases (NTCD) with high prevalence in patients over 60 years of age such as diabetes, cardiovascular, and neurodegenerative diseases can be delayed by adhering to a healthy lifestyle, which among other factors, is directly correlated to eating habits. The physiological effects associated with the consumption of certain foods are thus becoming very popular. Several types of diets and foods such as the fat-free diet, low-carb diet ^[1], Mediterranean diet ^[2], and soy-based diet ^[3] have been adopted in the quest for healthy aging. Several effects of NTCD have also been postponed through calorie restriction diets in animal models ^[4]. However, prolonged caloric restriction in humans generates undesirable effects; thus, alternative ways of preventing NTCD have been sought through the development of drugs, foods, and/or nutraceuticals that have both health-promoting and anti-aging effects, without causing adverse effects ^[5]. There is an increasing trend to combine the use of nutraceuticals with pharmacotherapy, even among individuals with non-aging-related diseases.

As oxidative stress is among the metabolic factors and pathways most related to cell aging, the consumption of nutraceuticals and functional foods with antioxidant activity has increased. Antioxidants can benefit the human body by directly or indirectly neutralizing reactive oxygen species (ROS), modulating metabolic pathways and gene expression, and activating mechanisms of cellular stress and autophagy that delay aging through pathways unrelated to ROS ^[6]. The nutraceutical market has already reached market values up to USD 117 billion ^[6]. Nutraceuticals can be classified into several categories based on the level of innovation and area of application (Table 1) ^{[7][8]}. Another trend associated with health improvement and NTCD prevention is that of consuming natural foods or foods containing natural, rather than synthetic, additives such as natural flavoring agents, acidulants, and colorants. Several people also prefer vegetarian and vegan diets, which involve restrictions in food and additives of animal origin to different extents; such diets are mainly motivated by the environmental impacts of livestock farming and animal welfare and have prompted studies on the possible effects of these diets on health ^[9] and increased the market demand for new vegetarian and vegan food products. A comprehensive review of the various aspects of fungal biotechnology and industrial applications was recently published by Meyer et al. ^[10].

Table 1. Examples of food additives and nutraceuticals from fungi.

Category	Active Component	Bioactivity	Fungal Source	References
Nutrient	Vitamin C (55)	Antioxidant	<i>Dictyophora indusiata</i>	^[11]
Secondary Metabolites	Resveratrol	Antioxidant	<i>Pleurotus ostreatus</i>	^[12]
	Agmatine (28)	Neurological benefits	<i>Aspergillus oryzae</i>	^[13]

Category	Active Component	Bioactivity	Fungal Source	References
ω-6 Polyunsaturated fatty acid	γ-linolenic acid	Anti-inflammatory	<i>Mucor circinelloides</i>	[14]
	Arachidonic acid	Development of the nervous central system and enhancement of immune response	<i>Mortierella alpina</i>	[15]
Probiotic	Whole cell	Increase of beneficial bacteria population in gastrointestinal tract	<i>Saccharomyces boulardii</i>	[16]
Nutraceutical Enzymes	Fibrino(geno)lytic enzymes	Antithrombotic	<i>Penicillium</i> sp.	[17]
			<i>Rhizopus microsporus</i>	[18]
	Lipase (Lipopan F)	Decrease glycemic response	<i>Rhizopus oryzae</i>	[19]
Fortified Nutraceuticals	Folate in fermented maize-based porridge		<i>Saccharomyces cerevisiae</i>	[20]

The consumption of fungi as food mainly involves the consumption of mushrooms (Ascomycota and Basidiomycota phyla), which are enjoyed worldwide, sometimes as delicatessen or gourmet products. However, the role of fungi in human and animal health extends much further than the recognized health benefits of mushrooms [21]. Many fungal species are commercially available as supplements or nutraceuticals, and the fungal metabolites produced by these organisms including many non-Basidiomycota species as functional foods have multiple pharmacological activities. Examples of fungal species used as functional foods include many species of microscopic filamentous fungi that are easily cultivated under ex situ scalable conditions such as some well-known *Penicillium*, *Aspergillus*, and *Fusarium* species. However, lesser known species such as *Ashbya gossypii* also play an important role in the production of food additives such as riboflavin (vitamin B2) (1) (Figure 1) [22]. Other important fungal products associated with health improvement are enzymes such as β-galactosidase, which hydrolyzes lactose from dairy foods, is produced by filamentous fungi such as *Trichoderma* sp., and is helpful for lactose-intolerant individuals [23].




Figure 1. Chemical structures of some fungal-derived food additives (1–4, 22, 51–55).

2. Natural Food Additives from Fungi

Prompted by the growing evidence for the association between natural compound intake and health, there is a demand for the replacement of synthetic food additives with natural products. Fungal metabolites feature many properties that have been explored for such replacement.

Fungi provide several food additives and technology adjuvants such as organic acids, colorants, and fatty acids including some ω-3 and ω-6 class fatty acids, which are essential for human metabolism. Citric acid (2) and fumaric acid (3) (Figure 1), metabolites of *Aspergillus niger* and *Rhizopus oryzae*, respectively, are outstanding food additives that are industrially produced. Citric acid (2) and gluconic acid (4) (Figure 1) are fungal products with the highest commercial-scale production [24].

Citric acid (**2**) has a number of applications as an antioxidant, preservative, acidulant, pH control agent, and flavor regulation agent, with market numbers predicted to reach USD 3.6 billion in 2020 [24].

The harmful effects of synthetic food colorants on human health such as attention-deficit/hyperactivity disorder, asthma and allergies, cancer, and neurological disorders have accelerated the search for natural substitutes. The use of the yellow coloring compounds tartrazine, quinoline, and sunset as well as the red coloring compound amaranth [25] has been regulated and supervised by the World Health Organization. In addition, sustainability issues have contributed to the decreased acceptability of non-biodegradable synthetic colorants that are difficult to remove from effluents, causing toxic effects on plants, bacteria, algae, fishes, and crustaceans [26]. Fungal pigments and dyes have emerged as alternatives to these synthetic food additives [27].

Food dyes are coloring materials soluble in food substrates, while food pigments are insoluble in food and need to be carried by vehicles that bind to the food instead [28]. Food colorants are pigments or dyes approved for use as food additives [29] (FDA, 2017). A wide spectrum of natural colors can be obtained from metabolites of fungi of different genera such as *Eurotium*, *Fusarium*, *Monascus*, and *Penicillium*, isolated from marine and terrestrial environments and extracted by techniques considered environmentally friendly including those employing ultrasound, pressurized liquid, microwaves, and pulsed electric field [30]. The fungal metabolites have a wide color range, which can be represented by carotenoids such as lycopene (red) (**5**), β -carotene (yellow-orange) (**6**), and astaxanthin (pink-red) (**7**); azafilones such as monascorubrin (orange) (**8**) and ankaflavin (yellow) (**9**); and the quinone derivatives alizarin (purple-red) (**10**) and bikaverin (red) (**11**) (Figure 2). Arpink Red (**12**) (Figure 2), an anthraquinone produced by *Penicillium oxalicum*, has been approved by the Codex Alimentarius for use as a food colorant in meat products, dairy, confectionery, ice cream, and alcoholic and non-alcoholic beverages [31][32]. Naftoquinone hydrosoluble metabolites (purple color) were produced by a soil-originated strain of *Fusarium oxysporum* using a simple culture medium containing glucose, ammonium sulfate, and salts [33]. Crystalline neoechinulin A (**13**) (ivory color), neoechinulin B (**14**), and cladosporin (**15**) (all having a yellow color) (Figure 2) are described as metabolites of *Eurotium amstelodami*, *Eurotium herbariorum*, and *Eurotium rubrum* isolated from outdoor and indoor samples in Canada and grown in medium containing sucrose, yeast extract, and salts [34].

Figure 2. Chemical structures of some colored fungal secondary metabolites (5–20).

| 3. Conclusions

Fungi and their metabolites have important industrial applications in high-value-added products and have potential for the development of nutraceuticals that can contribute to the prevention of NCD and improve health, especially in terms of human aging. In addition, fungi are suitable in the production of natural food additives such as colorants and stabilizers that have lower health risks than synthetic food additives, and bioactive metabolites for pharmacological use such as enzymes, statins, and antitumor agents. Fungal antioxidants have applications in both food preservation and the combat of oxidative stress in the human body, with positive outcomes for several diseases such as cancer. The use of metabolic engineering techniques has facilitated the overcoming of some obstacles to explore the pharmacological potential of fungi, even those producing toxic substances such as some species of the genera *Monascus*, *Aspergillus*, and *Fusarium*. Modern approaches have been successfully utilized to evaluate the interference of additives derived from fungi with the organoleptic properties and quality of food. Strategies currently available for scaling up metabolite production include direct genetic alteration with tools such as CRISPR-Cas9 and gene recombination. Research on the use of agro-industrial byproducts for sustainable fungal fermentation has shed light on its remarkable economic importance to the production of natural additives, food, drugs, and nutraceuticals. Further *in vivo* antioxidant activity studies of fungal metabolites are still scarce; however, new insights are required to expand the use of metabolites from filamentous fungi to improve human health in the 21st century.

References

1. Fabien Pifferi; Fabienne Aujard; Caloric restriction, longevity and aging: Recent contributions from human and non-human primate studies. *Progress in Neuro-Psychopharmacology and Biological Psychiatry* **2019**, 95, 109702, 10.1016/j.pnpbp.2019.109702.
2. Anna Aiello; Giulia Accardi; Calogero Caruso; Giuseppina Candore; Effects of nutraceuticals of Mediterranean diet on aging and longevity. *The Mediterranean Diet* **2019**, 1, 547-553, 10.1016/b978-0-12-818649-7.00047-3.
3. Zuoyong Zhang; Shudong He; Xiaodong Cao; Yongkang Ye; Liu Yang; Junhui Wang; Haiyan Liu; Hanju Sun; Potential prebiotic activities of soybean peptides Maillard reaction products on modulating gut microbiota to alleviate aging-related disorders in D-galactose-induced ICR mice. *Journal of Functional Foods* **2020**, 65, 103729, 10.1016/j.jff.2019.103729.
4. Edda Cava; Luigi Fontana; Will calorie restriction work in humans?. *Aging* **2013**, 5, 507-514, 10.18632/aging.100581.
5. Jan Martel; David M. Ojcius; Yun-Fei Ko; Chih-Jung Chang; John D. Young; Antiaging effects of bioactive molecules isolated from plants and fungi. *Medicinal Research Reviews* **2019**, 39, 1515-1552, 10.1002/med.21559.
6. Arpita Roy; Arpita Roy; Vedant Sachdeva; Current Prospects of Nutraceuticals: A Review. *Current Pharmaceutical Biotechnology* **2020**, 21, 884-896, 10.2174/1389201021666200130113441.
7. Ruchi, Sharma; Role of nutraceuticals in health care: A review. *International Journal of Green Pharmacy* **2017**, 11, S385-S394.
8. Padmavathi, D; A general review on "nutraceuticals": Its golden health impact over human community. *International Journal of Food Science and Nutrition* **2018**, 14, 214-217.
9. Aleksandra Tomova; Igor Bukovsky; Emilie Rembert; Willy Yonas; Jihad Alwarith; Neal D. Barnard; Hana Kahleova; The Effects of Vegetarian and Vegan Diets on Gut Microbiota. *Frontiers in Nutrition* **2019**, 6, 47, 10.3389/fnut.2019.00047.
10. Vera Meyer; Evelina Basenko; Johan Philipp Benz; Gerhard H. Braus; Mark Caddick; Michael Csukai; Ronald P De Vries; Drew Endy; Jens C. Frisvad; Nina Gunde-Cimerman; et al. Thomas Haarmann Yitzhak Hadar Kim Hansen Robert I. Johnson Nancy P. Keller Nada Kraševc Uffe H. Mortensen Rolando Perez Arthur F. J. Ram Eric Record Phil Ross V. Shapaval Charlotte Steiniger Hans Van Den Brink Jolanda Van Munster Oded Yarden Han A. B. Wösten Growing a circular economy with fungal biotechnology: a white paper. *Fungal Biology and Biotechnology* **2020**, 7, 1-23, 10.1186/s40694-020-00095-z.
11. Dan Liu; Yu-Qing Chen; Xiao-Wei Xiao; Ru-Ting Zhong; Cheng-Feng Yang; Bin Liu; Chao Zhao; Nutrient Properties and Nuclear Magnetic Resonance-Based Metabonomic Analysis of Macrofungi. *Foods* **2019**, 8, 397, 10.3390/foods8090397.
12. Georgios Koutrotsios; Nick Kalogeropoulos; Pantelis Stathopoulos; Andriana C. Kaliora; Georgios I. Zervakis; Bioactive compounds and antioxidant activity exhibit high intraspecific variability in *Pleurotus ostreatus* mushrooms and correlate well with cultivation performance parameters. *World Journal of Microbiology and Biotechnology* **2017**, 33, 655, 10.1007/s11274-017-2262-1.
13. Naoki Akasaka; Shinsuke Fujiwara; The therapeutic and nutraceutical potential of agmatine, and its enhanced production using *Aspergillus oryzae*. *Amino Acids* **2019**, 52, 181-197, 10.1007/s00726-019-02720-7.
14. Lauryn G. Chan; Fernanda F.G. Dias; Andrew Saarni; Joshua Cohen; David E. Block; Ameer Y. Taha; Juliana Maria Leite Nobrega De Moura Bell; Scaling up the Bioconversion of Cheese Whey Permeate into Fungal Oil by *Mucor circinelloides*. *Journal of the American Oil Chemists' Society* **2020**, 97, 703-716, 10.1002/aocs.12372.
15. Luis Daniel Goyzueta M.; Antonio Irineudo Magalhães; Zhenhua Ruan; Júlio Cesar De Carvalho; Carlos Ricardo Soccol; M. Luis Daniel Goyzueta; Industrial production, patent landscape, and market trends of arachidonic acid-rich oil of *Mortierella alpina*. *Biotechnology Research and Innovation* **2018**, 3, 103-119, 10.1016/j.biori.2019.02.002.
16. Anand, Santosh, Singh, Kumar Siddhart, Aggarwal, Dipesh . Microbial Cell Factories; Sharma, Deepansh, Sasaran, Baljeet Sing, Eds.; CRC Press: Boca Raton, FL, USA, 2018; pp. 125-141.

17. Lillian Maria Baggio; Luciano Aparecido Panagio; Fabiana Guillen Moreira Gasparin; Daniele Sartori; Maria Antonia Pedrine Colabone Celligoi; Cristiani Baldo; Production of fibrinogenolytic and fibrinolytic enzymes by a strain of *Penicillium* sp. isolated from contaminated soil with industrial effluent. *Acta Scientiarum. Health Sciences* **2019**, *41*, 40606, 10.4025/actascihealthsci.v41i1.40606.
18. Shuli Zhang; Yingdong Wang; Nan Zhang; Zhe Sun; Yan Shi; Xingnan Cao; Haikuan Wang; Purification and Characterization of a Fibrinolytic Enzyme from *Rhizopus microsporus* var. *tuberosus*. *Food Technology and Biotechnology* **2014**, *53*, 243-248, 10.17113/ftb.53.02.15.3874.
19. Zhiguang Huang; Charles Stephen Brennan; Haotian Zheng; Maneesha S. Mohan; Letitia Stipkovits; Wenjun Liu; D. Kulasiri; Wenqiang Guan; Hui Zhao; Jianfu Liu; et al. The effects of fungal lipase-treated milk lipids on bread making. *LWT - Food Science and Technology* **2020**, *128*, 109455, 10.1016/j.lwt.2020.109455.
20. Sofia B. Hjortmo; Andreas M. Hellström; Thomas A. Andlid; Andreas M. Hellström; Production of folates by yeasts in Tanzanian fermented togwa. *FEMS Yeast Research* **2008**, *8*, 781-787, 10.1111/j.1567-1364.2008.00398.x.
21. Kumari, Kanchan; Mushrooms as source of dietary fiber and its medicinal value: A review article. *Journal of Pharmacognosy and Phytochemistry* **2020**, *9*, 2075-2078.
22. Tatsuya Kato; Junya Azegami; Ami Yokomori; Hideo Dohra; Hesham A El Enshasy; Enoch Y. Park; Genomic analysis of a riboflavin-overproducing *Ashbya gossypii* mutant isolated by disparity mutagenesis. *BMC Genomics* **2020**, *21*, 319.
23. Jesus, Luiz Felipe de Moraes Costa de. Produção de β -Galactosidase Por Fungos Filamentosos: Screening, Purificação e Caracterização Bioquímica. Master's Thesis, UNESP, São Paulo, Brazil, 2020
24. Marina Venturini Copetti; Fungi as industrial producers of food ingredients. *Current Opinion in Food Science* **2019**, *25*, 52-56, 10.1016/j.cofs.2019.02.006.
25. Dikshit, Rashmi, Tallapragada, Padmavathi. Natural and Artificial Flavoring Agents and Food Dyes; Elsevier: London, UK, 2018; pp. 83-111.
26. Angelika Tkaczyk; Kamila Mitrowska; Andrzej Posyniak; Synthetic organic dyes as contaminants of the aquatic environment and their implications for ecosystems: A review. *Science of The Total Environment* **2020**, *717*, 137222, 10.1016/j.scitotenv.2020.137222.
27. Chidambaram Kulandaisamy Venil; Velmurugan Palanivel; Laurent Dufossé; Ponnuswamy Renuka Devi; Arumugam Veera Ravi; Fungal Pigments: Potential Coloring Compounds for Wide Ranging Applications in Textile Dyeing. *Journal of Fungi* **2020**, *6*, 68, 10.3390/jof6020068.
28. American Chemical Society. Dyes, Pigments and Inks. 2020. <https://www.acs.org/content/acs/en/careers/college-to-career/chemistry-careers/dyes-pigments-ink.html>
29. U.S. Food and Drug Administration. Color Additives History. 2017. <https://www.fda.gov/industry/color-additives/color-additives-history#:~:text=A%20color%20additive%2C%20as%20defined,or%20to%20the%20human%20body.&text=One%20of%20the%20U.S.%>
30. Rishu Kalra; Xavier A. Conlan; Mayurika Goel; Fungi as a Potential Source of Pigments: Harnessing Filamentous Fungi. *Frontiers in Chemistry* **2020**, *8*, 369, 10.3389/fchem.2020.00369.
31. Dufosse, Laurent; Microbial production of food grade pigments. *Food Technology and Biotechnology* **2006**, *44*, 313-312.
32. Tanuka Sen; Colin J. Barrow; Sunil K. Deshmukh; Microbial Pigments in the Food Industry—Challenges and the Way Forward. *Frontiers in Nutrition* **2019**, *6*, 7, 10.3389/fnut.2019.00007.
33. Juliana Lebeau; Thomas Petit; Patricia Clerc; Laurent Dufossé; Yanis Caro; Isolation of two novel purple naphthoquinone pigments concomitant with the bioactive red bikaverin and derivatives thereof produced by *Fusarium oxysporum*. *Biotechnology Progress* **2018**, *35*, e2738, 10.1002/btpr.2738.
34. Gregory J. Slack; Eva Puniani; Jens Christian Frisvad; Robert A. Samson; J.D. Miller; Secondary metabolites from *Eurotium* species, *Aspergillus calidoustus* and *A. insuetus* common in Canadian homes with a review of their chemistry and biological activities. *Mycological Research* **2009**, *113*, 480-490, 10.1016/j.mycres.2008.12.002.

Retrieved from <https://encyclopedia.pub/entry/history/show/10404>