

Applications of LoRaWAN

Subjects: Computer Science, Hardware & Architecture

Contributor: Vicky Bonilla , Brandon Campoverde , Sang Guun Yoo

LoRaWAN is a communication protocol designed especially for Internet of Things (IoT) applications that offers benefits such as long-distance connection and low power consumption. Due to the characteristics of LoRaWAN, this technology has gained great popularity in various IoT applications, such as environmental monitoring, smart agriculture, and applications in the areas of health and mobility, among others.

LoRaWAN

sensors

applications

LoRaWAN devices

1. Introduction

LoRaWAN finds applications in diverse fields such as smart cities, industrial monitoring, agriculture, smart buildings, asset tracking, and environmental monitoring. In smart cities, it enables the efficient management of resources like lighting, waste, parking, and environmental conditions. In industrial settings, LoRaWAN enables remote monitoring of equipment, predictive maintenance, and supply-chain optimization. In agriculture, it facilitates soil and irrigation monitoring, crop management, and livestock tracking. In smart buildings, LoRaWAN is utilized for energy management, security systems, and occupancy sensing. Asset tracking across industries and environmental monitoring of air and water quality are additional areas where LoRaWAN plays a crucial role.

2. Agriculture

Agriculture is a sector of special importance due to the food demands of the growing population. In this context, different works have been developed to monitor various aspects that are required for agriculture, ranging from soil quality to crop monitoring. In [1], a remote crop monitoring system was developed using cost-effective sensors that measure parameters such as pH, temperature, and humidity; in this work, the gathered data are sent to a The Things Network (TTN) server. In [2], a prototype based on LoRaWAN was proposed that allows measuring the humidity, temperature, and electrical conductivity of the soil.

On the other hand, in [3], the importance of security in the field of agriculture was emphasized by implementing a hardware secure module (HSM). This module made it possible to manage the secret keys in a secure way.

In [4], the use of wireless underground sensor networks (WUSNs) was proposed, which provide coverage of a 7 km radius with a depth of up to 50 cm. The results indicate that WUSNs are not scalable if message-delivery-confirmation packets are required. When the nodes were buried 50 cm, the coverage distance was up to 160 m. Additionally, in [5], an air-quality monitoring system was implemented. In this work, nine gateways were placed in

six different locations; it was shown that a packet reception could be obtained from 72.4% of the messages sent. The implementation of 100 air monitoring devices and four additional gateways is proposed to test the scalability of this system.

3. Environmental Monitoring

Environmental monitoring is the most frequent application of LoRaWAN among the previous works analyzed in this paper. Among these applications, it can be seen that the measurement of ultraviolet (UV) rays, the monitoring of air quality, and the monitoring of water stand out.

In [6], a monitoring system was created to assist in the prevention of diseases caused by solar radiation through Twitter alerts using LoRaWAN technology and ThingSpeak software. In [7], the UV-radiation measurement procedure was also performed using an ESP32 controller. In [8], commercial sensors were used to implement the measurement of ultraviolet radiation with an optimization of energy that allows them to work up to 14 days; communication was also optimized for distances greater than 0.7 km. In [9], the design of a device based on UV optical sensors that allows determining the existing radiation index was presented; ultraviolet radiation index (UVI) levels were displayed through a graphical user interface in real time, which also allowed generating a report in a .csv file. The study was carried out in the central patio of two educational units.

In another work, the authors created an air-quality measurement system taking into account parameters such as CO₂, NO₂, PM (particle matter) levels, temperature, and humidity [10]. This was achieved using sensors and a communications module. The used sensors were inexpensive and required extensive calibration given the interactions of temperature and humidity. In [11], low-cost air-quality sensors were used, such as those for measuring the level of particles, SO₂, NO₂, CO, O₃, and CO₂; in this system, the sensors send the data directly to an application through the LoRaWAN network, and the collected data are presented through an interface that allows to see the evolution of the measured parameters through graphs with a granularity of day, week, or month. The results of the work confirmed that LoRaWAN is appropriate for this type of monitoring solution. On the other hand, in [12], an IoT system was proposed for monitoring environmental parameters such as temperature, air pressure, humidity, noise, and air quality; the collected data are sent to a cloud server that saves and displays the measurement data. On the other hand, in [13], two stages of an air-quality monitoring system were established to facilitate the environmental changes in the regional air condition and early warning system. First, the air-quality sensors from Arduino and LoRa were integrated; the sensor nodes were then deployed on a university campus. Another work is the one presented in [14]; in this work, the authors proposed a monitoring system for moisture in the wood of buildings with cultural significance. The sensing solution was composed of a LoRaWAN communication device and a cloud application that allows remote visualization and control of the building's nodes. The results showed that the proposed system can be applied inside buildings, despite obstacles such as thick walls and complex architectural structures. In [15], an environmental monitoring solution with parameters such as temperature, humidity, barometric pressure, and ambient light was proposed. The nodes were attached to a vehicle that shows the behavior in motion. The gateway was connected to the servers which deliver the gathered data to the end users.

In [16], WaterGrid-Sense is used, which is an intelligent interface platform; this platform has an integrated LoRa module that uses class A LoRaWAN protocol and has two sensor slots: one for a pressure sensor and the other for a pulse sensor. This intelligent platform was used for the management of a real-time intelligent water system, which was implemented at the Council for Scientific and Industrial Research (CSIR) campus. Another work is [17], in which a device was created to help monitor water quality in real time and identify abnormalities through a phone application. The device was created with the purpose of helping fish farmers; the device has different water sensors such as pH, water level, temperature, dissolved oxygen, total dissolved solids, oxidation, and turbidity sensors. The anomalies detected by the sensors activate different actuators such as the aerator, water filter, peristaltic pump, water pump, fish feeder, and heater to solve the problem. On the other hand, in [18], a comparison of LoRaWAN, Sig-Fox, and NB-IoT technologies is made; for this, a smart water grid is simulated using the NS-3 simulator. In this work, several problems in the water infrastructure were detected through the use of sensors; an example of these problems was the pipe leaks. With the results of the simulation, the conclusion was reached that NB-IoT has better scalability compared to the other two technologies.

4. Mobility

Mobility is another area that benefits from LoRaWAN technology. Applications range from motion-sensor data communication to driving assistance using the movement detection of animals and people.

In [19], a project was developed in which it was planned to monitor garbage trucks in real time. To monitor them, four devices were used: two commercial and two assembled ones.

In [20], a LoRaWAN-based tracking system was implemented for the vehicle fleet of the municipality of Kozani, Greece. An experimental study was carried out with the objective of comparing the LoRaWAN network developed using two GPS trackers: an industrial solution and a customer solution. For this, a comparison is made between two types of sensors, RAK7200 and TTGO-TBeam, in terms of the number of packets and signal strength. The result shows the benefits of using external antennas; the most effective was the RAK7200 sensor with a 3dBi external antenna.

In [21], a service based on the use of parking sensors buried in the asphalt is presented to be able to detect if there is a vehicle at a certain distance above the sensor. The sensors were placed in two different geographical areas. In the first zone, 45 sensors were placed at a range of 250 and 385 m, while in the second, 24 sensors were placed at a distance between 25 and 60 m. The first scenario showed higher packet losses due to the distance from the gateways and the different obstacles presented in the way.

In [22], a road-condition monitoring system was proposed. For this, mobile sensors connected to a LoRaWAN network were used. The accelerometer and GPS of a smartphone were also used to measure vibrations in order to know the road conditions. The results allowed obtaining the classification of potholes, speed breaks, and damaged or patched streets. In [23], a solution for detecting and recognizing animal or people movement on the roadside to prevent accidents was proposed. This solution was focused on autonomous vehicles. LoRaWAN mesh technology

was used to provide the data transmission of the remote networks and the main station, and the data were analyzed in a microcloud infrastructure.

5. Health

Health is another area in which LoRAWAN technology is frequently applied. In [24], the use of LoRaWAN is proposed to monitor the health of workers and maintain efficiency during their work activity, analyzing working environment factors such as temperature, light, CO₂ concentration, pressure, etc. On the other hand, in [25], a theoretical model is proposed to create a wireless monitoring device, which sends electrocardiogram and other data by applying machine-to-machine communication. Further, in [26], the creation of a device that monitors physical activity in elderly people is proposed, integrating an IMU (inertial measurement unit) to the sensors. Also, in [27], the implementation of an alert system for mine workers is proposed, taking into account the data obtained from smoke sensors and using respiratory and cardiac data. The study presented in [28] deals with a solution based on IoT devices and the deployment of several LoRaWAN gateways to geolocate vulnerable people, in which the location can be obtained at a range of 40 to 60 m.

References

1. Suwaid, M.M.; Habaebi, M.H.; Khan, S. Embedded LoRaWAN for Agricultural Sensing Applications. In Proceedings of the 2019 IEEE 6th International Conference on Engineering Technologies and Applied Sciences (ICETAS), Kuala Lumpur, Malaysia, 20–21 December 2019; pp. 1–5.
2. Torre-Neto, A.; Rodrigues Cotrim, J.; Henrique Kleinschmidt, J.; Kamienski, C.; Cezar Visoli, M. Enhancing Soil Measurements with a Multi-Depth Sensor for IoT-based Smart Irrigation. In Proceedings of the 2020 IEEE International Workshop on Metrology for Agriculture and Forestry (MetroAgriFor), Trento, Italy, 4–6 November 2020; pp. 78–82.
3. Kloibhofer, R.; Kristen, E.; Davoli, L. LoRaWAN with HSM as a Security Improvement for Agriculture Applications. In Computer Safety, Reliability, and Security. SAFECOMP 2020 Workshops; Springer: Cham, Switzerland, 2020; pp. 176–188.
4. Wu, S.; Austin, A.; Ivoghlian, A.; Bisht, A.; Wang, K. Long range wide area network for agricultural wireless underground sensor networks. *J. Ambient. Intell. Humaniz. Comput.* 2020, 14, 4903–4919.
5. Wu, S.; Wang, K.; Ivoghlian, A.; Salcic, Z.; Austin, A.; Zhou, X. LWS: A LoRaWAN wireless underground sensor network simulator for agriculture applications. In Proceedings of the 2019 IEEE SmartWorld, Ubiquitous Intelligence & Computing, Advanced & Trusted Computing, Scalable Computing & Communications, Cloud & Big Data Computing, Internet of People and

Smart City Innovation (SmartWorld/SCALCOM/UIC/ATC/CBDCom/IOP/SCI), Leicester, UK, 19–23 August 2019; pp. 475–482.

6. Barreto, R.; Souto, E.; Leite, J.C. IoT System for Ultraviolet Ray Index Monitoring. *Int. J. Innov. Educ. Res.* 2019, 7, 409–420.
7. Pramono, N.A.; Sofyan, F.I.; Purwandani, B.A.; Ghaisyani, O. Application of ESP32 as a Media for Learning Ozone Damage in the Form of IoT-Based Ultraviolet Index Readers. *J. Disruptive Learn. Innov. (JODLI)* 2020, 4, 22–29.
8. Serrano, A.; Abril-Gago, J.; García-Orellana, C. Development of a Low-Cost Device for Measuring Ultraviolet Solar Radiation. *Front. Environ. Sci.* 2022, 9, 737875.
9. Buele, J.; Chango, F.; Chango, M.D.L.Á.; Santamaría, M.; Varela-Aldás, J. System for Monitoring and Warning of the Ultraviolet Radiation Index: A Study Case in Ecuador Elementary Schools. In *Computational Science and Its Applications—ICCSA 2020*; Springer: Cham, Switzerland, 2020; Volume 12254, pp. 846–861.
10. Glass, T.; Ali, S.; Parr, B.; Potgieter, J.; Alam, F. IoT Enabled Low Cost Air Quality Sensor. In *Proceedings of the 2020 IEEE Sensors Applications Symposium (SAS)*, Kuala Lumpur, Malaysia, 9–11 March 2020; pp. 1–6.
11. Simo, A.; Dzitac, S.; Dzitac, I.; Frigura-Illiasa, M.; Frigura-Illiasa, F.M. Air quality assessment system based on self-driven drone and LoRaWAN network. *Comput. Commun.* 2021, 175, 13–24.
12. Wang, Y.; Huang, Y.; Song, C. A New Smart Sensing System Using LoRaWAN for Environmental Monitoring. In *Proceedings of the 2019 Computing, Communications and IoT Applications (ComComAp)*, Shenzhen, China, 26–28 October 2019; pp. 347–351.
13. Kristiani, E.; Yang, C.-T.; Huang, C.-Y.; Ko, P.-C. The Implementation of an Edge Computing Architecture with LoRaWAN for Air Quality Monitoring Applications. In *Wireless Internet. WiCON 2019*; Springer: Cham, Switzerland, 2020; Volume 317, pp. 210–219.
14. Saban, M.; Casans-Berga, S.; Garcia-Gil, R.; Navarro-Anton, E.; Aghzout, O.; Rosado-Munoz, A. Sensing Wood Moisture in Heritage and Wooden Buildings: A New Sensing Unit with an Integrated LoRa-Based Monitoring System. *IEEE Internet Things J.* 2022, 9, 25409–25423.
15. Barillaro, S.; Anand, D.; Gopstein, A.; Barillaro, J. A Demonstration of Low Power Wide Area Networking for City-Scale Monitoring Applications. In *Ad-Hoc, Mobile, and Wireless Networks. ADHOC-NOW 2019*; Palattella, M., Scanzio, S., Coleri Ergen, S., Eds.; Springer: Cham, Switzerland, 2019; pp. 608–618.
16. Khutsoane, O.; Isong, B.; Gasela, N.; Abu-Mahfouz, A. WaterGrid-Sense: A LoRa-Based Sensor Node for Industrial IoT Applications. *IEEE Sens. J.* 2020, 20, 2722–2729.

17. Tolentino, L.K.; Chua, E.J.; Añover, J.R.; Cabrera, C.; Hizon, C.A.; Mallari, J.G.; Mamenta, J.; Quijano, J.F.; Virrey, G.; Madrigal, G.A.; et al. IoT-Based Automated Water Monitoring and Correcting Modular Device via LoRaWAN for Aquaculture. *Int. J. Comput. Digit. Syst.* 2021, 10, 533–544.
18. Lalle, Y.; Fourati, L.C.; Fourati, M.; Barraca, J.P. A Comparative Study of LoRaWAN, SigFox, and NB-IoT for Smart Water Grid. In Proceedings of the 2019 Global Information Infrastructure and Networking Symposium (GIIS), Paris, France, 18–20 December 2019; pp. 1–6.
19. Tavares de Camargo, E.; Spanhol, F.A.; Castro e Souza, Á.R. Deployment of a LoRaWAN network and evaluation of tracking devices in the context of smart cities. *J. Internet Serv. Appl.* 2021, 12, 8.
20. Karantoumanis, E.; Krallis, X.; Ploskas, N. An experimental evaluation of sensors on a LoRaWAN-based GPS tracking system. In Proceedings of the 25th Pan-Hellenic Conference on Informatics (PCI 2021), Volos, Greece, 26–28 November 2021; pp. 224–228.
21. Santana, J.R.; Sotres, P.; Pérez, J.; Sánchez, L.; Lanza, J.; Muñoz, L. LoRaWAN-based Smart Parking Service: Deployment and Performance Evaluation. In Proceedings of the 19th ACM International Symposium on Performance Evaluation of Wireless Ad Hoc, Sensor, & Ubiquitous Networks (PE-WASUN'22), Montreal, QC, Canada, 24–28 October 2022; pp. 107–114.
22. Seid, S.; Zennaro, M.; Libse, M.; Pietrosemoli, E. Mobile Crowdsensing Based Road Surface Monitoring Using Smartphone Vibration Sensor and Lorawan. In Proceedings of the 1st Workshop on Experiences with the Design and Implementation of Frugal Smart Objects (FRUGALTHINGS'20), London, UK, 21 September 2020; pp. 36–41.
23. Artem, V.; Al-Sveiti, M.; Elgendi, I.; Kovtunenko, A.; Muthanna, A. Detection and Recognition of Moving Biological Objects for Autonomous Vehicles Using Intelligent Edge Computing/LoRaWAN Mesh System. In Proceedings of the 20th International Conference on Next Generation Teletraffic and Wired/Wireless Advanced Networks and Systems, NEW2AN 2020 and 13th Conference on the Internet of Things and Smart Spaces, ruSMART 2020, Petersburg, Russia, 26–28 August 2020; Springer: Cham, Switzerland, 2020; pp. 3–15.
24. Kopaniev, M.; Rybak, O.; Zhivkov, A. Sensors Wireless Communication for Working Conditions Monitoring Based on LoRaWAN Protocol. In Proceedings of the 2019 International Conference on Information and Telecommunication Technologies and Radio Electronics (UkrMiCo), Odessa, Ukraine, 9–13 September 2019; pp. 1–4.
25. Panagi, G.; Katzis, K. Towards 3-Lead Electrocardiogram Monitoring over LoRa: A Conceptual Design. In Proceedings of the 2020 IEEE International Conference on Communications Workshops (ICC Workshops), Dublin, Ireland, 7–11 June 2020; pp. 1–5.
26. Plaza, S.L.; Villadangos Carrizo, J.; Garcia Dominguez, J.J.; Jimenez Martin, A.; Gomez, D.G. FrailWear: A Wearable IoT Device for Daily Activity Monitoring of Elderly Patients. In Proceedings

of the 2020 XXXV Conference on Design of Circuits and Integrated Systems (DCIS), Segovia, Spain, 18–20 November 2020; pp. 1–6.

27. Porselvi, T.; Sai Ganesh, C.; Janaki, B.; Priyadarshini, K.; Shajitha Begam, S. IoT Based Coal Mine Safety and Health Monitoring System using LoRaWAN. In Proceedings of the 2021 3rd International Conference on Signal Processing and Communication (ICPSC), Coimbatore, India, 13–14 May 2021; pp. 49–53.

28. Bouras, C.; Gkamas, A.; Kokkinos, V.; Papachristos, N. IoT Geolocation Performance Using LoRaWAN. In Advanced Information Networking and Applications; Springer: Cham, Switzerland, 2020; Volume 1151, pp. 229–239.

Retrieved from <https://encyclopedia.pub/entry/history/show/114015>