Reintroduction Projects of the Przewalski's Horse

Subjects: Biodiversity Conservation

Contributor: Mardan Aghabey Turghan, Zhigang Jiang, Zhongze Niu

Przewalski's horse (*Equus ferus przewalskii*), also known as Przewalski's wild horse, the Asian wild horse, Mongolian wild horse, Takhi or Junggar Horses, is classified by the IUCN as Extinct in the Wild (EW) as no Przewalski's horse has been seen in the wild since 1969, despite efforts to find them in Mongolia or China. The wild horse has been successfully saved from extinction by captive breeding projects outside the historic range. Although multiple studies were conducted, the main problems such as loss of founder genes, inbreeding depression, hybridization with domestic horses, high morbidity and mortality, and a lack of reliable prevention strategies and treatment limitations of these problems are still unresolved and require further scientific effort.

Keywords: Przewalski's horse; extinct; captive breeding; reintroduction

1. Introduction

Przewalski's horse (*Equus ferus przewalskii*), also known as Przewalski's wild horse, the Asian wild horse, Mongolian wild horse, Takhi or Junggar Horses, is classified by the IUCN as Extinct in the Wild (EW) as no Przewalski's horse has been seen in the wild since 1969, despite efforts to find them in Mongolia or China [1][2][3][4][5][6][7]. Among the seven extant equid species, the Przewalski's horse is the only true wild horse in the world [4][8][9][10][11][12][13]. As a species the Przewalski's horse has been successfully saved from extinction by breeding in captivity [14][15][16][17][18][19] based on a carefully managed founder population [20][21][22]. All Przewalski's horses alive today are descendants of only 12 wild-caught horses and possibly up to four domesticated individuals [6][7][21][22][23][24][25]. These founders reproduced successfully through captive and reintroduction programs worldwide, and as of 2014 there was an estimated free-ranging population of over 1988 Przewalski's horses [26][27]. At present, 2500 Przewalski's horses live in about 112 breeding centers and zoos around the world [6][28]. Reintroduction projects of the species started in 1985 and 1992 in China and Mongolia respectively with a goal to return the horses to their former habitat from captive breeding stock [4][6][25][29][30][31].

2. Reintroduction Projects of the Przewalski's Horse

Reintroduction projects in China and Mongolia were proved to be successful in the restoration of the Przewalski horses which disappeared from their former habitats [18]. Semi-reserves were created by the European Conservation Project for preparation for returning wild horse to their original habitat [4][6][29][30][32][33][34][35][37]. The Hustai National Park in Mongolia has established which is large enough to maintain groups of Przewalski horses throughout all seasons of the year without any supplemental provisioning. As far as possible, those wild horses are kept totally isolated from external influences, except for necessary interventions such as veterinary care [6][37]. All the reintroduction projects begin with an adaption period in semi-reserves [38]. As early as the 1980s, Przewalski's horses have been released into large enclosed (semi) reserves in Canada, The Netherlands, Germany, France, Holland, England, Hungary, Ukraine, Uzbekistan and China as a pre-adaption phase before their release to the wild [10][18][39]. By 1990, at least four projects in China and Mongolia have reached the stage of adaptation at the release site [4][10][19]. However, there was a poor coordination of these different reintroduction projects [6].

2.1. Reintroduction Projects in Mongolia

Reintroduction project of the Przewalski's horses into Mongolia was initiated by an expert consolation in 1986 [4][6][19]. Two sites were selected for the reintroduction of Przewalski's horses to the wild in their former range in Mongolia: Takhin Tal (45.3219° N, 93.3905° E), in the Gobi Strictly Protected Area, an International Biosphere Reserve in the south western part of Mongolia where Przewalski's horses were last seen in the wild; and Hustain Nuruu National Park, a smaller protected area north of the centre of Mongolia, about 130 km west of Ulaan Baatar [4][19]. The two projects were initiated and supported by different organizations: the former was initiated by the Ministry of Nature and Environment of Mongolia and supported by the Christian Oswald Foundation, Germany and the Mongolian government, subsequently being run by the International Takhi Group with the support of various international sponsors. In 1999 the International Takhi Group

(ITG) was established to continue and extend this project in accordance with the IUCN reintroduction guidelines $\frac{[40][41][42]}{[45]}$. The latter was mainly initiated and supported by the Dutch Ministry of Development Aid $\frac{[4][6][33][43][44][45]}{[45]}$.

The reintroduction site of Przewalski's horses in Takhin Tal is a typical semi desert area located in the western part of the Gobi National Park [4][6][19][41]. Five adult Przewalski's horses including two males and three females were transported from Ukraine in 1992, and released to the wild after a period of adaptation in enclosures, from which the first foal was born in 1992. Another transportation of eight individuals from Ukraine was taken place in 1993 [6]. Sixty horses in ten groups were transported, and 25 foals had been born by the new millennium, of which 14 survived [4][6][29]. In June 2000, seven foals had been born in the free-ranging harem group [41][42][44].

The reintroduction of Przewalski's horse in Hustain Nuruu is set within the context of the broader goals of the restoration and protection of biodiversity within the reserve [4][16][44][45][46]. In June 1992, first group of 16 captive born Przewalski's horses were transported to the Hustai National Park, where they were held in adaptation enclosures in view of a possible future reintroduction [45]. A second group of 16 Przewalski's horses was sent in July 1994 to the same site [4][6][47]. In total, 89 Przewalski's horses were transported to the park in the next eight years [40][41][42][43][48][49]. In 1997 the first harem group was released from the adaptation enclosures, and in 1999 the first foals were successfully raised in the wild [47][48]. The total number of the wild horses in the Hustai National Park reached 122 individuals belonging to nine groups by the new millennium, and became an important vehicle for national park development [42][49].

In 2004, 12 captive-born and carefully-selected horses were brought to Khomii Tal, buffer zone of Khar Us Nuur National Park, where they are being held in adaptation enclosures for possible future reintroduction. A second group of horses was shipped in the following year [6][33].

The return of the Przewalski's horses to their native steppes of Mongolia is proven to be successful as the species population has grown steadily in these semi-reserves [17][42][50]. The IUCN Red List of Threatened Species Working Group downgraded the Przewalski's horse to the status of Endangered in 2011, mainly based on the status of wild horses in Mongolia, for free ranging Przewalski's horses roaming these sites has reached approximately 350 [29][30]. Today, the number of Przewalski's horses in the wild in Mongolia has already exceeded 900 [28][51].

2.2. Reintroduction Projects in China

The current populations of the Przewalski's horses in China are distributed in three different localities. Among them, the population bred in the wild horse breeding center in Xinjiang Provence is the largest. The other two are the Wuwei–Dunhuang population in Gansu Provence and Beijing–Anxi population in Beijing City respectively [6][7][30][52][53].

2.2.1. The Xinjiang Population

The reintroduction projects in China has been carried out since 1985, immediately after a conservation action plan for the restoring re-wild population of the Przewalski's horses was proposed by the Chinese government [4][6][7][30][32]. From 1985 to 2005, 14 males and 10 females captive Przewalski's horses in five groups from captive facilities in Germany, the United Kingdom, and the United States were transferred to the wild horse breeding center which was established in the semi-desert region of the Junggar Basin in Xinjaing. [6][20][30]. In 2006, a group of six Przewalski's horses was brought to the center with the aim of improving genetic diversity of the captive individuals [6]. The first foal was born in 1988. Between 1988 and 2013, 339 foals were born and 285 survived at the Centre [32]. In the following year, 11 males and 16 females Przewalski's horses were released to the wild as a beginning of the restoration program of the species within its former ranges in China [6][30]. Thirteen more groups of Przewalski's horses have been released since 2013 [6].

In total 89 captive-born Przewalski's horses (32 males and 57 females) were transported to the Mt. Kalamaili Wild Ungulate Nature Reserve between August 2001 and December 2013 [6]. The first foal was born in 2003 in Mt. Kalamaili Wild Ungulate Nature Reserve by the group released in 2001, and by 2013, a total of 107 foals had been born, of which 88 survived their first year. In 2013, the total population of the released Przewalski's horses reached 127 individuals divided into 16 groups (13 breeding and 3 bachelor groups) [6][29][32][54]. A preliminary success of restoring the wild population of the Przewalski's horses has been achieved [30][32][53][54]. The numbers of captive and free-ranging populations in Xinjiang has reached 413 by the end of 2018, but the Przewalski's horse in China is still listed as Extinct in the Wild because their wild populations still depend on supplemental feeding for their winter survival [6][30][53].

2.2.2. The Wuwei-Dunhuang Population

The distribution sites of the Wuwei–Dunhuang population includes the Wuwei Endangered Animal Breeding Centre and the Dunhuang West Lake Nature Reserve [6]. Since 1990, 18 Przewalski's horses were brought to the Wuwei Endangered

Animal Breeding Centre from the US and Germany as a part of the reintroduction project initiated by the former Ministry of Forestry of the Peoples Republic of China $\frac{[6][52]}{1}$. Two releases of wild horses were carried out on 25 September 2010 and 06 September 2012 respectively. Seven and 21 wild horses bred in captivity at the center were kept in enclosures of the west lake national nature reserve to allow them to adapt to the local environment, then they were released. Sixteen foals were born by the re-wildering horses $\frac{[6]}{1}$. By the end of 2018, the Wuwei–Dunhuang population increased to 60 as 41 foals were produced. However, the horses were driven into the paddocks to allow for supplemental feeding to increase winter survival, and to reduce competition with domestic horses of local herdsmen $\frac{[6][52]}{1}$.

2.2.3. The Beijing-Anxi Population

The distribution sites of the Beijing–Anxi population includes the David's Deer Park in Beijing City and the extreme-arid desert national nature reserve in Anxi County, Gansu Provence $^{[4][6]}$. Ten Przewalski's horses brought to the reserve from the United Kingdom in 1985 were kept in the David's Deer Park for a better acclimatization. In 1997, seven males and three females were translocated to the reserve, which is one of their original areas $^{[6]}$, the David's Deer Park retained two Przewalski's horses in the park. By 2018, the number of wild horses in the park increased to five $^{[6]}$, but decreased to one in 2021.

In 1999, the first foal was born in the translocated population in the reserve, and the 2nd, 3rd and 4th generations were born in 2004, 2008 and 2012 respectively. All the individuals introduced in 1997 bred and died before 2012. The number current population of the Beijing–Anxi Przewalski's horses has reached 23, which still depend on supplemental feeding as the other reintroduced populations do [6].

References

- 1. Groves, C.P. The taxonomy, distribution and adaptations of recent equids. In Equids in the Ancient World; Meadow, R.H., Uepermann, H.P., Eds.; Dr Ludwig Reichert Verlag: Wiesbaden, Germany, 1986; Volume 421, pp. 11–65.
- 2. Groves, C. Morphology, Habitat and Taxonomy. In Przewalski's Horse: The History and Biology of an Endangered Species; Boyd, L., Houpt, D.A., Eds.; State University of New York Press: Albany, NY, USA, 1994; pp. 39–60.
- 3. Poliakov, I.S. Przewalski's horse (Equus przewalskii n. sp.). Isvestia Rus. Geogr. Obs. -Va St Petersburg 1881, 17, 1–20.
- 4. Wakefield, S.; Knowles, J.; Zimmermann, W.; Van Dierendonck, M.C. Status and action plan for the Przewalski's horse (Equus ferus przewalskii). In Equids: Zebras, Asses and Horses; Moehlman, P., Ed.; IUCN/SSC Equid Specialist Group; IUCN Publications Services Unit: Cambridge, UK, 2002; pp. 82–92.
- 5. Paige, W. The Remarkable Comeback of Przewalski's Horse. In Smithsonian Magazine; Smithsonian Institution: Washington, DC, USA, 2016.
- 6. Jiang, Z.G.; Zong, H. Rentroduction of the Przewalsk's horse in China: Status Quo and Outlook. Nat. Conserv. Res. 2019, 4 (Suppl. S2), 15–22.
- 7. Lu, V.; Xu, F.; Turghan, M.A. Przewalski's Horses (Equus ferus przewalskii) Responses to Unmanned Aerial Vehicles Flights under Semireserve Conditions: Conservation Implication. Int. J. Zool. 2021, 2021, 6687505.
- 8. Sokolov, V.E.; Orlov, V.N. The Przewalski horse and restoration to its natural habitat in Mongolia. In Animal Production and Health Division; FAO: Rome, Italy, 1986; pp. 77–88. ISBN 92-5-102441-3.
- 9. Sokolov, V.E.; Amarsanaa, G.; Paklina, M.W.; Posdnjakowa, M.K.; Ratschkowskaja, E.I.; Chotoluu, N. Das Letzte Przewalskipferd areal und seine Geobotanische Characteristik. In International Symposium on the Preservation of the Przewalski Horse; Seifert, S., Ed.; Zoologischer Garten Leipzig: Leipzig, Germany, 1992; pp. 213–218.
- 10. Bouman, D.T.; Bouman, J.G. The history of Przewalski's Horse. In Przewalski's Horse: The History and Biology of an Endangered Species; Boyd, L., Houpt, D.A., Eds.; State University of New York Press: Albany, NY, USA, 1994; pp. 5–38.
- 11. Souris, A.C.; Kaczensky, P.; Julliard, R.; Walzer, C. Time budget, behavioral synchrony and body score development of a newly released przewalski's horse group Equus ferus przewalskii, in the Great Gobi b Strictly Protected Area in SW Mongolia. Appl. Anim. Behav. Sci. 2007, 107, 307–321.
- 12. Goto, H.; Ryder, O.A.; Fisher, A.R.; Schultz, B.; Pond, S.L.K.; Nekrutenko, A.; Makova, K.D. A massively parallel sequencing approach uncovers ancient origins and high genetic variability of endangered Przewalski's horses. Genome Biol. Evol. 2011, 3, 1096–1106.

- 13. Orlando, L.; Ginolhac, A.; Zhang, G.; Froese, D.; Albrechtsen, A.; Stiller, M.; Schubert, M.; Cappellini, E.; Petersen, B.; Moltke, I. Recalibrating Equus evolution using the genome sequence of an early Middle Pleistocene horse. Nature 2013, 499, 74–78.
- 14. Bouman, J.; Bouman, I.; Groeneveld, A. (Eds.) Semi-reserves for Przewalski's horse. In Breeding Przewalski Horses in Captivity for Release into the Wild; Foundation for the Preservation and Protection of the Przewalski Horse: Rotterdam, The Netherlands, 1982; pp. 221–240.
- 15. Ryder, O.A. Genetic studies of Przewalski's horses and their impact on conservation. In Przewalski's Horse: The History and Biology of an Endangered Species; Boyd, L., Houpt, K.A., Eds.; The State University of New York Press: Albany, NY, USA, 1994; pp. 75–92.
- 16. Volf, J. The studbook. In Przewalski's Horse: The History and Biology of an Endangered Species; Boyd, L.E., Houpt, K.A., Eds.; State University of New York Press: Albany, NY, USA, 1994; p. 313.
- 17. Wallis de Vries, M.F.; Manibazar, N.; Wgerlham, S. The vegetation of the forest steppe region of Hustain Nuruu, Mongolia. Vegetatio 1996, 122, 11l–127.
- 18. Van Dierendonck, M.C.; Wallis De Vries, H.; Schilder, M.B.H. An analysis of dominance, its behavioural parameters and possible determinants in a herd of Icelandic horses in captivity. Neth. J. Zool. 1995, 45, 362–385.
- 19. Van Dierendonck, M.C.; Wallis de Vries, M.F. Ungulate reintroductions: Experiences with the Takhi or Pnewalski Horse (Equus ferus przewalskii) in Mongolia. Conserv. Biol. 1996, 10, 728–740.
- 20. Mohr, E. Das Urwildpferd. In Die Neue Brehm-Bucherei. Wittenberg (Lutherstadt): A. Ziemsen Verlag; WittenbergLutherstadt: Halle, Germany, 1959; p. 144. (In German)
- 21. Mohr, E.; Volf, J. Das Urwildpferd. In Die Neue Brehm-Bücherei. A. Ziemsen Verlag; WittenbergLutherstadt: Halle, Germany, 1984; p. 128. (In German)
- 22. Volf, J. Das Urwildpferd. In Die Neue Brehm-Bücherei; Westarp Wissenschaften: Magdeburg, Germany, 1996; Volume 249, p. 147. (In German)
- 23. Bowling, A.T.; Ryder, O.A. Genetic studies of blood markers in Przewalski's horses. J. Hered. 1987, 78, 75–80.
- 24. Boyd, L.E.; Carbonaro, D.A.; Houpt, K.A. The 24-hour time budget of Przewalski horses. Appl. Anim. Behav. Sci. 1988, 21, 5–17.
- 25. Der Sarkissian, C.; Ermini, L.; Schubert, M.; Yang, M.A.; Librado, P.; Fumagalli, M.; Jónsson, H.; Bar-Gal, G.K.; Albrechtsen, A.; Vieira, F.G.; et al. Evolutionary genomics and conservation of the endangered Przewalski's horse. Curr. Biol. 2015, 25, 2577–2583.
- 26. King, S.R.B.; Boyd, L.; Zimmermann, W.; Kendall, B.E. Equus ferus ssp. przewalskii. In The IUCN Red List of Threatened Species; IUCN: Gland, Switzerland, 2015.
- 27. Li, Y.; Zhang, K.; Liu, Y.; Li, K.; Wronski, T. Community composition and diversity of intestinal microbiota in captive and reintroduced przewalski's horse (Equus ferus przewalskii). Front. Microbiol. 2019, 10, 1821.
- 28. Kerekes, V.; Sándor, I.; Nagy, D.; Ozogány, K.; Barta, Z. Trends in demography, genetics, and social structure of Przewalski's horses in the Hortobagy National Park, Hungary over the last 22 years. Glob. Ecol. Conserv. 2021, 25 (Suppl. S2), e01407.
- 29. Walzer, C.; Kaczensky, P.; Zimmermann, W.; Staufer, C. Przewalski's horse reintroduction to Mongolia: Status and outlook. WAZA Mag. 2012, 13, 3–6.
- 30. Xia, C.; Cao, J.; Zhang, H.; Gao, X.; Yang, W.K.; Blank, D. Reintroduction of Przewalski's horse (Equus ferus przewalskii) in Xinjiang, China: The status and experience. Biol. Conserv. 2014, 177, 142–147.
- 31. Bourjade, M. Sociogeny and Manifestation of Individual and Collective Behaviours in Horses. Ph.D. Dissertation, University of Strasbourg, Strasbourg, France, 2007.
- 32. Zhao, T.; Liang, G. On returning to its native place and conservating of the Przewalski horse. In International Symposium on the Preservation of the Przewalski Horse; Seifert, S., Ed.; Zoologischer Garten Leipzig: Leipzig, Germany, 1992; pp. 227–231.
- 33. King, S.R.B. Extinct in the Wild to Endangered: The history of Przewalski's horse (Equus ferus przewalskii) and its future conservation. Mong. J. Biol. Sci. 2005, 3, 37–41.
- 34. Bouman, J. The return of the Takhi. In The Tale of the Przewalski's Horse; Wit, P., Bouoman, I., Eds.; KNNV Publishers: Utrecht, The Netherlands, 2006; pp. 82–161.
- 35. Zimmermann, W. Feasibility study, Site Selection and Development of a Reintroduction Project of the Przewalski's Horse (Equus ferus przewalskii) in the Dzungarian Gobi in Mongolia. Proc. Int. Symp. Neuhaus/Solling, 21–23.4.1998:

- Natural and Man-Made Landscape-History, Models and Perspectives for the Development of European Landscapes with Large Herbivores, Gerken, B., Meyer, C., Eds.; 1999.
- 36. Zimmermann, W. Przewalski's horses on the track to reintroduction -various projects compared. Z. Des Kölner Zoo 2005, 48, 183–209.
- 37. Zimmermann, W. Das Erhaltungszuchtprogramm Przewalskipferd, eine 10-jährige Zusammenarbeit in Europa. In Populationsgenetik im Artenschutz; Schreiber, A., Lehmann, J., Eds.; Landwirtschaftsverlag: Münster, Germany, 1997; pp. 189–200.
- 38. Pereladova, O.B.; Sempéré, A.J.; Soldatova, N.V.; Dutov, V.; Fisenko, G.; Flint, V.E. Przewalski's horse—Adaptation to semi-wild life in desert conditions. Oryx 1999, 1, 12.
- 39. Duncan, P.B. Zebras, Asses and Horses. An Action Plan for the Conservation of Wild Equids; IUCN/SSC Equid Specialist Group: Gland, Switzerland, 1992.
- 40. Kaczensky, P.; Walzer, C. Przewalski Horses, Wolves and Khulans in Mongolia—ITG Research Report 2002; Annual Research Report; International Takhi Group: Salzburg, Austria, 2002; p. 12.
- 41. Kaczensky, P.; Walzer, C. Monitoring of free-ranging Przewalski's horses with satellite telemetry in Takhin Tal. Mong. J. Biol. Sci. 2004, 2, 59–60.
- 42. Kaczensky, P.; Ganbaatar, O.; Wehrden, H.V.; Enksaikhan, N.; Lkhagvasuren, D.; Walzer, C. Przewalski horse reintroduction in the Great Gobi B Strictly Protected area from species to ecosystem conservation. Mong. J. Biol. Sci. 2007, 5, 13–18.
- 43. Boyd, L.; Bandi, N. Reintroduction of takhi to Hustai National Park, Mongolia: Time budget and synchrony of activity pre- and post-release. Appl. Anim. Behav. Sci. 2002, 78, 87–102.
- 44. Germeraad, P. Towards an effective management and strategy of nature reserves in Mongolia. In Seminar on Naturschutz Und Okotourismus in Der Mongolei; World Wildlife Fund: Ulaan Baatar, Mongolia, 1993.
- 45. Germeraad, P.; Van Dierendonck, M.C.; Wallis de Vries, M.F. Standard rapport Hustain Nuruu Steppe Reserve Mongolia. In Directorate for International Co-Operation from the Dutch Ministry of Development Aid; Den Haag The Netherlands/Foundation Reserves Przewalski's Horse (FRPH): Rotterdam, The Netherland, 1993.
- 46. Bouman, I. The Reintroduction of Przewalski Horses in the Hustain Nuruu Mountain Forest Steppe Reserve in Mongolia: An integrated conservation development project. Mededelingen van de Nederlandsche Commissie voor Internationale Natuurbescherming. Commun. Dutch Comm. Int. Nat. Preserv. 1998, 32, 1–50.
- 47. Walzer, C.; Kaczensky, P.; Ganbaatar, O.; Lengger, J.; Enkhsaikhan, N.; Lkhagvasuren, D. Capture and anaesthesia of wild Mongolian equids-the Przewalski's horse (E. ferus przewalskii) and khulan (E. hemionus). Mong. J. Biol. Sci. 2007, 4, 19–28.
- 48. Walzer, C.; Kaczensky, P.; Ganbataar, O.; Enkhsaikhan, N.; Stauffer, C. Coming home: The return of the Przewalski's horse to the Mongolian Gobi. In Building a Future for Wildlife -Zoos and Aquariums Committed to Biodiversity Conservation; Dick Gusset, M., Ed.; World Association of Zoos and Aquariums (WAZA): Gland, Switzerland, 2010; pp. 123–128.
- 49. Bouman, I. Reintroduction of Przewalski's Horses in the Mountain Steppe of Hustain Nuruu in Mongolia; Foundation Reserves Przewalski Horse: Rotterdam, The Netherlands, 1996; p. 7.
- 50. Van Dierendonck, M.C.; Bandi, N.; Batdorj, D.; Dugerlham, S.; Munkhtsog, B. Behavioural observations of reintroduced Takhi or Przewalski horses Equus ferus przewalskii in Mongolia. Appl. Anim. Behav. Sci. 1996, 50, 95–114.
- 51. Huang, H.; Zhang, K.; Zhang, B.; Liu, S.; Chu, H.; Qiu, Y. Analysis on the relationship between winter precipitation and the annual variation of horse stomach fly community in arid desert steppe, northwest china (2007-2019). Integr. Zool. 2022, 17, 128–138.
- 52. Liu, G.; Shafer, A.B.; Zimmermann, W.; Hu, D.; Wang, W.; Chu, H. Evaluating the reintroduction project of Przewalski's horse in China using genetic and pedigree data. Conserv. Biol. 2014, 171, 288–298.
- 53. Hu, D.; Chao, Y.; Zhang, B.; Wang, C.; Qi, Y.; Ente, M.; Zhang, D.; Li, K.; Mok, M.K. Effects of Gasterophilus pecorum infestation on the intestinal microbiota of the rewilded Przewalski's horses in China. PLoS ONE 2021, 16, e0251512.
- 54. Wang, H.; He, Z.Q.; Wang, H.J.; Niu, Y.X. Study on Survival status of reintroduced equus przewalskii in dunhuang west lake national nature reserve. J. Gansu For. Sci. Technol. 2012, 37, 44–46. (In Chinese)