

Transport Environmental Effects of Urban Road Network

Subjects: **Transportation**

Contributor: Warunvit Auttha , Pongrid Klungboonkrong

As both developing and developed countries continue to urbanize, rapid urban growth is anticipated, particularly in low- and middle-income countries. This will inevitably lead to enhancements in economic development, as well as the expansion of production, population, employment, travel demand, and freight transport demand in urban road networks. Transport can potentially lead to multiple social and environmental effects, such as difficulty with access, social severance, pedestrian accident risk, higher noise levels, greater air pollution, global warming, climate change, and other adverse consequences.

sustainability

environmental impacts evaluation

MMM

1. Introduction

As both developing and developed countries continue to urbanize, rapid urban growth is anticipated, particularly in low- and middle-income countries ^[1]. This will inevitably lead to enhancements in economic development, as well as the expansion of production, population, employment, travel demand, and freight transport demand in urban road networks. Transport can potentially lead to multiple social and environmental effects, such as difficulty with access, social severance, pedestrian accident risk, higher noise levels, greater air pollution, global warming, climate change, and other adverse consequences ^[2]. These effects strongly influence the health and well-being of the residents of urban areas ^[3]. To address these problems, a sustainable urban land use and transport planning (SULT) process is essential for ensuring sustainable and livable cities and societies ^[4].

Recently, the UNDP announced 17 sustainable development goals (SDGs) in association with 169 targets to promote a balance among the economic, social, and environmental elements of sustainable development and encourage the execution of important actions in the future ^[5]. Some examples of the targets of the SDGs that are closely related to the social and environmental issues associated with transport are the following: Target 3.6 of SDG 3 aims to reduce the number of global deaths and injuries from road crashes by half; Target 11.6 of SDG 11 proposes diminishing the adverse environmental consequences of cities; Target 13.2 of SDG 13 proposes the incorporation of climate change measures in national policies, strategies, and planning ^[5]. Sustainable urban mobility planning (SUMP) is a new strategic and integrated approach to urban transport planning. It can potentially contribute to sustainable urban mobility goals, such as air quality improvement, better accessibility, road safety improvement, traffic noise mitigation, climate change alleviation, and enhanced quality of life ^{[6][7]}. The implementation of suitable SUMP policy measures can allow the targets associated with these three to be reached.

Medium-sized cities (with less than one million people) in developing countries are residential places for approximately 25% of the global population, and those in Asian and African countries have the fastest rate of urbanization [8]. Such cities have experienced various challenges related to transport, such as adverse environmental consequences and a lack of sufficient resources [8]. Under such circumstances, medium-sized cities in developing countries critically need to appropriately prioritize and evaluate road segments according to the levels of adverse environmental consequences of their transport systems and to allocate limited budgets for the improvement of those road segments. The Central Business District (CBD) road network in Khon Kaen Metropolitan Municipality (KKMM), Khon Kaen City (KKC), Thailand, was selected as the study area. KKC, one of the largest and fastest-growing regional cities, is a medium-sized city in Thailand. With the rapid growth of its travel and freight demand, KKC has suffered from various adverse transport-related problems, such as traffic congestion, road accidents (e.g., pedestrian accident risk), adverse environmental impacts (e.g., PM_{2.5} concentrations and noise levels), inefficient energy consumption, and greenhouse gas (e.g., CO₂) emissions [9]. The comprehension, prioritization, and evaluation of such transport-related environmental consequences are critical for ensuring the development of sustainable and livable cities. Based on direct interviews with decision-makers and administrators, KKMM has rarely performed suitable processes of prioritization and evaluation of all road segments according to the degrees of their separated and combined environmental consequences. An efficient decision support model (DSM) framework is indispensable in the understanding, ranking, and assessment of problematic road segments, identification of the possible causes (transport-related environmental criteria) of the problems with those road segments, and the appropriate allocation of limited budgets for their proper treatment.

The assessment of such adverse environmental effects of transport is difficult and complicated. This is because when the combined environmental effects of several road segments are estimated, multiple criteria must be simultaneously determined, and each road segment commonly experiences different levels of adverse environmental consequences (ranging from psychological effects to direct physical and health impacts) for each criterion [2]. In addition, the residents' perception (and, therefore, their relative weights) of such criteria will be altered with the road class and land use type [10][11]. Furthermore, such complex decision-making processes must normally deal with uncertain and obscure (fuzzy) information and judgments.

Generally, the evaluation of the transport-related environmental effects of each road segment is an unstructured decision-making problem involving multiple (objective and subjective) criteria: dealing with a certain number of alternatives, considering group judgments, and considering uncertain, incomplete, and ambiguous (fuzzy) information. Hence, the multiple-attribute decision-making (MADM) method matches the nature of such an evaluation [12]. Various MADM techniques have been developed, such as the simple additive weight (SAW), analytic hierarchy process (AHP), fuzzy AHP (FAHP), analytic network process (ANP), technique for order preference by similarity to an ideal solution (TOPSIS), fuzzy TOPSIS (FTOPSIS), evaluation based on distance from the average solution (EDAS), and data envelopment analysis (DEA) [12][13]. Each of these methods is unique in terms of its potential applicability, strengths, drawbacks, and limitations.

Keshavarz-Ghorabae [14] conducted a study to evaluate initiatives aimed at reducing air emissions from transportation by using the Stepwise Weight Assessment Ratio Analysis II (SWARA II) technique. Zarandi et al. [15]

utilized the fuzzy analytic network process (FANP) to evaluate the environmental implications of PM_{2.5} concentrations in Tehran, Iran. Borza et al. [16] utilized the analytic hierarchy process (AHP) and technique for order of preference by similarity to the ideal solution (TOPSIS) to conduct a multi-criterion analysis of traffic pollution at various congested intersections in Sibiu, Romania. Broniewicz et al. [17] utilized the Decision-Making Trial and Evaluation Laboratory (DEMATEL), Ratio Estimation in Magnitudes or decibels to Rate Alternatives which are Non-Dominated (REMBRANDT), and VlseKriterijuska Optimizacija I Komoromisno Resenje (VIKOR) methodologies to assess the concerns with the development of sustainable transport in association with the construction of a national road and an expressway in Northeastern Poland. Jovanovic et al. [18] performed an environmental impact assessment (EIA) using several multiple-attribute decision-making (MADM) approaches, including the AHP, AHP Entropy, TOPSIS, VIKOR, and Entropy VIKOR. Only the AHP and AHP Entropy approaches were recommended for future use in EIA. According to this concise literature review, several MADM approaches have recently been utilized in the field of EIA. A comparable pattern is anticipated for the future. The main difficulty lies in selecting the optimal combination of multiple MADM techniques for EIA and decision-making challenges, specifically for medium-sized cities in developing nations.

Recently, the hybrid MADM (HMADM), which combines various simple and beneficial algorithms, was utilized to provide more precise and better outcomes at the expense of greater difficulty and complexity [19]. HMADM was applied to address this decision-making problem. In many HMADM studies [16][20][21], the FAHP was adopted to consider the relative weights of each criterion in a fuzzy environment but not to rank alternatives. The fuzzy scoring method (FSM) [22] can be used to transform linguistic (fuzzy) scores into corresponding numerical (crisp) scores [2][10]. TOPSIS can be applied to determine the composite scores of all alternatives when the relative weights of all criteria and the performance scores of all alternatives in association with each criterion are given. TOPSIS has been successfully applied to various domains and subject matter [23].

Although an efficient decision support model (DSM) framework is needed to rank and assess the multiple criteria of transport-related environmental effects (in a fuzzy environment) of various road segments in the urban road networks of medium-sized cities in developing countries, there is a lack of research that has attempted to perform such an important task by integrating applicable mathematical modeling methods (MMMs) for each environmental criterion with powerful HMADM techniques in a fuzzy environment. Consequently, this aims to fill this gap by setting its main objective as the first proposal of a novel integrated DSM framework based on the combination of five robust MMM models (namely, models for the prediction of the CO concentration (COC), the CO₂ emissions (CO₂Es), the PM_{2.5} concentration (PM_{2.5}C), the noise level (NOLs), and the pedestrian accident risk (PAR)) and a rigorous HMADM technique (which includes the FAHP, FSM, and TOPSIS) to efficiently prioritize and assess each separate criterion and the multiple criteria of transport-related environmental effects in the fuzzy environment of road segments in the urban road network of a medium-sized city (KKC) in a developing country (Thailand). In addition, this DSM framework can be used to identify the possible causes (transport-related environmental criteria) of problems with those road segments and to appropriately allocate limited resources for their suitable remediation.

2. Criteria of Transport-Related Environmental Effects

Road transport is one of the main generators of various environmental effects in urban road networks [24]. Most transport vehicles utilize various fuel sources (e.g., gasoline and diesel), with electric vehicles experiencing only limited adoption [25]. The internal combustion systems of transport vehicles are the primary sources of several types of air pollution [25].

Numerous research articles (Table 1) have previously adopted multiple criteria for assessing the social and environmental effects of road transportation, including greenhouse gas (GHG) emissions, air pollution, noise pollution, and social effects.

Table 1. Urban transport social and environmental effects criteria adopted in various research studies.

Articles	GHG Emissions			Air Pollutions							Noise Pollution		Social Effects				
	CO ₂	CH ₄	N ₂ O	CO	NO _x	NO ₂	SO _x	SO ₂	Ozone	PM ₁₀ or PM _{2.5}	VOCs	NM	VOC	Noise Levels	Road Accidents	Pedestrian Safety	Difficulty of Access
Klungboonkrong and Taylor [10]														✓		✓	✓
Singleton and Twiney [11]														✓		✓	✓
Borza et al. [16]				✓	✓				✓	✓				✓			
Chavez and Sheinbaum [26]	✓	✓	✓	✓	✓							✓					
Reisi et al. [27]														✓	✓		
Bilenko et al. [28]					✓					✓				✓			
Lokys et al. [29]						✓			✓	✓							
Luè and Colorni [30]				✓	✓									✓			
Niaz et al. [31]				✓		✓		✓									
Arroyo et al. [32]						✓			✓	✓				✓			
Saikawa et al. [33]	✓			✓	✓		✓										
Bandeira et al. [34]				✓	✓					✓				✓			
Banerjee et al. [35]				✓		✓		✓		✓							

Articles	GHG Emissions			Air Pollutions							Noise Pollution		Social Effects				
	CO ₂	CH ₄	N ₂ O	CO	NO _x	NO ₂	SO _x	SO ₂	Ozone	PM ₁₀ or PM _{2.5}	VOCs	NM	VOC	Noise Levels	Road Accidents	Pedestrian Safety	Difficulty of Access
Zapata et al. [36]				✓	✓		✓			✓							
Ugbebor and LongJohn [37]	✓			✓		✓		✓		✓				✓			
Pratama et al. [38]	✓ [45] [46] [47]				✓					✓							
Liu et al. [39]	✓			✓	✓					✓	✓					2.5	
Rossi et al. [40]					2.5	✓				✓							
Song et al. [41]														✓		✓	
Widiantono and Samuels [42]			[48]	✓										✓	✓	✓	
Auttha et al. [43]				✓						[49]				✓		✓	
Thonnarong et al. [49] [50] [44]	✓									✓				✓			
[51] Total	5	2	1	12	10	6	2	3	3	12	12	1		13	2	5	2

[53]. In addition, CO can be used as an important indicator of air pollution generated by transport vehicles [49].

Greenhouse gas (GHG) emissions are widely used as critical indicators in the evaluation of the environmental effects of transport [54]. The transport sector is the second largest producer of carbon dioxide (CO₂) in Thailand after the power generation sector. It contributes approximately 26% of energy-related CO₂ emissions [55]. In addition, most CO₂ emissions are generated by road transport (approximately 97% of total CO₂ emissions from the total transport sector) [56]. Thailand ranked second in CO₂ emissions among the Southeast Asian countries [57][58].

Noise pollution is among the most pronounced environmental effects of urban transport [10]. Transport noise can have physical and psychological health consequences [59]. Recent studies [59][60] have revealed that transport noise can adversely affect people’s health in ways ranging from annoyance, communication disruption, and even hearing loss. In 2020, the Pollution Control Department (PCD) [61] reported that the transport noise levels observed in 26 (96%) out of the total of 27 measured locations adjacent to urban road networks in the Bangkok Metropolitan Area (BMA) exceeded the national noise level standard (L_{eq} (24 h) = 70 dB(A) for all land use types). This finding revealed that the transport noise levels in the urban road network in the BMA are some of the most critical transport-related environmental effects in Thailand.

Klungboonkrong and Taylor [10], Singleton and Twiney [11], Song et al. [41], and the WHO [62] noted that pedestrian accident risk is a vital social and environmental issue in urban areas. In 2016, pedestrian fatalities caused by road accidents numbered approximately 1800, making up 8% of the total road fatalities in Thailand [62].

As shown in **Table 1**, the most frequently used criteria for assessing the social and environmental effects of urban road networks, as well as the previously conducted literature review on the significance of several transport-related

environmental effects in Thailand, clearly indicate that five transport-related environmental consequences (CO₂E, PM_{2.5}C, COC, NOL, and PAR) are critically important.

3. HMADM Approach

Based on a comprehensive literature review on the applications of MADM methods to problems with urban transport sustainability, AHP, TOPSIS, and DEA were found to be the most commonly used [63]. According to a comparative analysis of MADM applications in the transport field from 2000 to 2021, AHP, TOPSIS, and Preference Ranking Organization Method for Enrichment Evaluation (PROMETHEE) were found to be the most widely used MADM methods due to their universal nature, transparency, and rigorous algorithms, as well as the existence of applicable software [17]. As the determination of the relative weights of each decision criterion is one of the most vital tasks in the MADM process, the three pairwise comparison-based methods, including AHP, FAHP, and REMBRANDT, are the most pronounced and highly recommended techniques [17].

Numerous empirical investigations have demonstrated the efficacy of the FAHP in addressing a wide range of practical challenges [64][65]. Ooi et al. [64] demonstrated that the FAHP exhibited superior performance in achieving a well-rounded assessment across multiple categories that encompassed safety, health, and environmental considerations. The utilization of the FAHP enables decision-makers to enhance the realism, flexibility, and efficiency of their decision-making processes by considering the existing criteria and alternatives in an uncertain, incomplete, and ambiguous (fuzzy) environment [65]. **Table 2** presents the latest scholarly articles on multicriteria decision-making techniques, with a particular emphasis on environmental criteria. The most prominent multiple-attribute decision-making (MADM) approaches in terms of theoretical and empirical investigations, as identified in a comprehensive analysis of the literature on the criteria of environmental impacts, are the FAHP, AHP, and TOPSIS.

Table 2. The application of HMADM in Sustainable transport and environmental impacts issues.

Author	Location (Year)	MADM Technique	Study Purpose
Klungboonkrong and Taylor [2]	Australia (1999)	AHP, FSM, and SAW	Spatial Intelligent Multi-Criteria Environmental Sensitivity Evaluation Planning Tool (SMESEPT) is utilized to investigate and evaluate the traffic environmental impacts evaluation of the urban road network in Geelong, Victoria, Australia.
Tuzkaya [66]	Turkey (2009)	Fuzzy AHP and PROMETHEE	In Turkey's Marma-Ra Region, an application was submitted to select the most eco-friendly mode of conveyance based on predetermined evaluation criteria.
Shelton and Medina [67]	United States	AHP and TOPSIS	Project priorities by El Paso Metropolitan Planning Organization

Author	Location (Year)	MADM Technique	Study Purpose
	(2010)		
Ruiz-Padillo et al. [68]	Spain (2016)	Weighted sum, AHP, Elimination and Choice Translating Reality (ELECTRE), and TOPSIS	This report provides a variety of viable alternatives for reducing traffic noise on each of the road segments covered by the noise action plans.
Zečević et al. [69]	Serbia (2017)	fuzzy Delphi, fuzzy Delphi based fuzzy ANP (fuzzy DANP), and fuzzy Delphi based fuzzy Višekriterijumska Optimizacija i kompromisno Rešenje (fuzzy DVIKOR)	A framework for the selection of intermodal transport terminal (ITT) location, which would be most appropriate for the various stakeholders
Moslem et al. [70]	Turkey (2019)	Fuzzy AHP and interval AHP	Public bus transport improvement
Awasthi et al. [71]	Canada (2018)	Fuzzy TOPSIS, fuzzy VIKOR and fuzzy Gray Relational Analysis technique (fuzzy GRA)	Evaluation of urban mobility projects in Luxembourg
Hamurcu and Eren [72]	Turkey (2018)	ANP and TOPSIS	The route selection for the planned monorail transport system that is a new system in Ankara
Joo et al. [73]	Korea (2107)	AHP and Four-step simulation analysis	Developed a framework for evaluating the effectiveness of traffic calming measures (TCMs) using multiple criteria.
Borza et al. [16]	Romania (2018)	AHP and TOPSIS	To identify the most polluted and least polluted intersections based on the multiple factors considered.
Akyol et al. [74]	Turkey (2018)	Spatial multicriteria decision analysis (SMCDA) and GIS	This study utilized geographic and urbanization parameters to evaluate the environmental quality of urbanization utilized by SMCDA.
Çalık [75]	China (2019)	Fuzzy AHP and Best-Worst method (BWM)	To identify and prioritize clean air action plans for Turkey, using both imprecise and precise evaluations as a framework.
Raza et al. [76]	Pakistan (2022)	Fuzzy AHP, TOPSIS, VIKOR, and traffic simulation software (AIMSUN)	To identify the optimal solution for a more sustainable transportation system and traffic congestion reduction.

Author	Location (Year)	MADM Technique	Study Purpose
Torkayesh et al. [77]	European Countries (2022)	BWM and Measurement of Alternatives and Ranking according to the Compromise Solution (MARCOS) technique	Construct a cohesive decision model for the evaluation of air quality by considering six distinct air pollutants.
Mesa et al. [78]	Thailand (2023)	AHP and TOPSIS	Utilized to create, rank, and identify policy measure options for sustainable urban land use and transportation development.
Boru ipek [79]	Turkey (2023)	AHP and TOPSIS	Considered to integrate environmental issues in routing for pollution reduction
Aromal and Naseer [80]	India (2023)	Delphi, AHP, and TOPSIS [76]	Prioritizing the improvement of pedestrian facilities in an urban area.
Bhardwaj and Garg [81]	China (2023)	Criteria importance through intercriteria correlation (CRITIC) and TOPSIS	To determine and assess the components of air pollution and its detrimental health effects.

addition, the Fuzzy Set Theory (FST) is a rigorous technique for dealing with uncertain and imprecise information and can be used to convert any linguistic (fuzzy) score into its corresponding numerical (crisp) score [2][22][43][44]. TOPSIS is a widely used and recognized technique that has been successfully applied in order to prioritize transport policy options because it is intuitive, straightforward, and accurate [12][84]. Based on a comprehensive literature review, direct comparisons of the FAHP, FSM, and TOPSIS in terms of their theoretical foundations, advantages, and disadvantages are presented in **Table 3**.

Table 3. Direct comparisons of the FAHP, FSM, and TOPSIS methods.

Methods	Theoretical Foundation	Advantages	Disadvantages	Ref.
FAHP	<ul style="list-style-type: none">• The fuzzy set theory (FST) allows us to take uncertain or incomplete information into account.• As the hierarchical structure is created, all criteria are paired wisely compared, using a ratio scale.• The principle of Eigen vector and Eigen value is adopted to estimate the relative weights of all criteria.	<ul style="list-style-type: none">• The algorithm is accurate and rational.• Pairwise comparison is more accurate than the absolute scoring method.• The consistency of the expert's judgment can be measured directly.• The basic principle is consistent with the human decision-making process.• FAHP can tackle a group decision-making problem.• FAHP can be applied to determine both relative weights of each criterion.• Integration with other	<ul style="list-style-type: none">• Pairwise comparisons can cause the interviewee confusion and misunderstanding.• FAHP is not suitable for the too complicated hierarchy structure when too many criteria are considered.• Judgment inconsistency and rank reversal are possible.	<ul style="list-style-type: none">[12][17][85][86][87][88]

Methods	Theoretical Foundation	Advantages	Disadvantages	Ref.
		MADM techniques is possible.		
FSM	<ul style="list-style-type: none"> • FST can take fuzzy information into consideration. • Based on the left and right utility scoring principle, the total utility scores of each fuzzy number can be efficiently estimated. 	<ul style="list-style-type: none"> • FSM algorithm is precise and rigorous. • The FSM can convert the fuzzy information into numerical (crisp) information. • The use of both left and right utility scores of any fuzzy number to determine its total utility scores is theoretically more accurate and robust. The computational steps of FSM are simple and straightforward. 	<ul style="list-style-type: none"> • The numerical value is relied upon the defined dimensions of its fuzzy numbers. • Identification of appropriate fuzzy numbers is difficult, and requires professional expertise. 	[2] [22] [87]
TOPSIS	<ul style="list-style-type: none"> • Based on the concept of the compromise solution by choosing the best alternative with the shortest Euclidean distance from the positive ideal solution (PIS) and the farthest Euclidean distance from the negative ideal solution (NIS). 	<ul style="list-style-type: none"> • Algorithms are rigorous and logical. • Suitable for decision-making problems having both positive and negative criteria. • Based on the concept of ideal solutions that are reliable. • Computational procedures are straightforward and unchanged with the problem size. • TOPSIS can potentially be combined with other MADM methods. 	<ul style="list-style-type: none"> • TOPSIS does not determine the correlation among criteria. • TOPSIS cannot be applied to quantify the relative weights of all criteria. 	[12] [17] [23] [84] [89]

1. UN DESA. World Urbanization Prospects 2018: Highlights (ST/ESA/SER.A/421). 2019. Available online: <https://population.un.org/wup/Publications/Files/WUP2018-Highlights.pdf> (accessed on 26 August 2022).
2. Klungboonkrong, P.; Taylor, M.A.P. An Integrated Planning Tool for Evaluating Road Environmental Impacts. *Comput. Civ. Infrastruct. Eng.* 1999, 14, 335–345.
3. Talebian, A.; Hossein, H.; Ashkan, G. Sustainable Transportation Policies Identification for a Certain City, Using Experiences of Other Similar Cities around the World Case Study: Isfahan. In *Proceedings of the TRB 2014 Annual Meeting, Washington, DC, USA, 12–16 January 2014*; pp. 12–16.
4. Thondoo, M.; Marquet, O.; Márquez, S.; Nieuwenhuijsen, M.J. Small Cities, Big Needs: Urban Transport Planning in Cities of Developing Countries. *J. Transp. Health* 2020, 19, 100944.

5. United Nations. The Sustainable Development Goals Report 2016; United Nations: New York, NY, USA, 2016; Available online: <https://unstats.un.org/sdgs/report/2016> (accessed on 6 April 2023).
6. Arsenio, E.; Martens, K.; Di Ciommo, F. Sustainable Urban Mobility Plans: Bridging Climate Change and Equity Targets? *Res. Transp. Econ.* 2016, 55, 30–39.
7. ASEAN Secretariat. Guidelines for the Development of Sustainable Urban Mobility Plans in ASEAN Metropolitan Regions Jakarta; ASEAN Secretariat: Jakarta, CGK, Indonesia; Available online: <https://asean.org/wp-content/uploads/2022/01/asean-sump-guidelines-english.pdf> (accessed on 20 April 2023).
8. Pojani, D.; Stead, D. Sustainable Urban Transport in the Developing World: Beyond Megacities. *Sustainability* 2015, 7, 7784–7805.
9. Long, S.; Klungboonkrong, P.; Chindaprasirt, P. Impacts of urban transit system development on modal shift and greenhouse gas (GHG) emission reduction: A Khon Kaen, Thailand case study. *Eng. Appl. Sci. Res.* 2018, 45, 8–16.
10. Klungboonkrong, P.; Taylor, M.A.P. The Experiences in Evaluating the Multicriteria Traffic Environmental Impacts in Urban Road Networks Using SIMESEPT. *WIT Trans. Built Environ.* 2002, 60, 311–322.
11. Singleton, D.J.; Twiney, P.J. Environmental Sensitivity of Arterial Roads. *Pap. Aust. Transp. Res. Forum* 1985, 10, 165–182.
12. Tzeng, G.H.; Huang, J.J. *Multiple Attribute Decision Making: Methods and Applications*; CRC Press: Boca Raton, FL, USA, 2011.
13. Macharis, C.; Bernardini, A. Reviewing the Use of Multi-Criteria Decision Analysis for the Evaluation of Transport Projects: Time for a Multi-Actor Approach. *Transp. Policy* 2015, 37, 177–186.
14. Keshavarz-Ghorabae, M. Using SWARA II for Subjective Evaluation of Transport Emissions Reduction Policies. *Open Transp. J.* 2023, 17, e187444782309190.
15. Zarandi, S.M.; Shahsavani, A.; Nasiri, R.; Pradhan, B. A Hybrid Model of Environmental Impact Assessment of PM_{2.5} Concentration Using Multi-Criteria Decision-Making (MCDM) and Geographical Information System (GIS)—A Case Study. *Arab. J. Geosci.* 2021, 14, 177.
16. Borza, S.; Inta, M.; Serbu, R.; Marza, B. Multi-Criteria Analysis of Pollution Caused by Auto Traffic in a Geographical Area Limited to Applicability for an Eco-Economy Environment. *Sustainability* 2018, 10, 4240.
17. Broniewicz, E.; Ogrodnik, K. A Comparative Evaluation of Multi-Criteria Analysis Methods for Sustainable Transport. *Energies* 2021, 14, 5100.

18. Jovanovic, J.; Shah, H.; Vujovic, A.; Krivokapic, Z. Application of MCDM Methods in Evaluation of Environmental Impacts. *Int. J. Qual. Res.* 2014, 8, 517–532.
19. Mardani, A.; Jusoh, A.; MD Nor, K.; Khalifah, Z.; Zakwan, N.; Valipour, A. Multiple Criteria Decision-Making Techniques and Their Applications—A Review of the Literature from 2000 to 2014. *Econ. Res. Istraživanja* 2015, 28, 516–571.
20. Chang, T.H. Fuzzy VIKOR Method: A Case Study of the Hospital Service Evaluation in Taiwan. *Inf. Sci.* 2014, 271, 196–212.
21. Tyagi, M.; Kumar, P.; Kumar, D. A Hybrid Approach Using AHP-TOPSIS for Analyzing e-SCM Performance. *Procedia Eng.* 2014, 97, 2195–2203.
22. Chen, S.J.; Hwang, C.L. Fuzzy Multiple Attribute Decision Making Methods. In *Fuzzy Multiple Attribute Decision Making: Methods and Applications*; Springer: Berlin/Heidelberg, Germany, 1992; pp. 289–486.
23. Behzadian, M.; Khanmohammadi Otaghsara, S.; Yazdani, M.; Ignatius, J. A State-of the-Art Survey of TOPSIS Applications. *Expert Syst. Appl.* 2012, 39, 13051–13069.
24. Rivero Gutiérrez, L.; De Vicente Oliva, M.A.; Romero-Ania, A. Managing Sustainable Urban Public Transport Systems: An AHP Multicriteria Decision Model. *Sustainability* 2021, 13, 4614.
25. Nikam, J.; Nopsert, C.; Archer, D.; Stockholm Environment Institute. Air Quality in Thailand: Understanding the Regulatory Context; Stockholm Environment Institute: Pathumwan, Bangkok, Thailand. Available online: <https://www.loc.gov/item/2021306632/> (accessed on 23 April 2023).
26. Chavez-Baeza, C.; Sheinbaum-Pardo, C. Sustainable Passenger Road Transport Scenarios to Reduce Fuel Consumption, Air Pollutants and GHG (Greenhouse Gas) Emissions in the Mexico City Metropolitan Area. *Energy* 2014, 66, 624–634.
27. Reisi, M.; Aye, L.; Rajabifard, A.; Ngo, T. Transport Sustainability Index: Melbourne Case Study. *Ecol. Indic.* 2014, 43, 288–296.
28. Bilenko, N.; van Rossem, L.; Brunekreef, B.; Beelen, R.; Eeftens, M.; Hoek, G.; Houthuijs, D.; de Jongste, J.C.; van Kempen, E.; Koppelman, G.H.; et al. Traffic-Related Air Pollution and Noise and Children's Blood Pressure: Results from the PIAMA Birth Cohort Study. *Eur. J. Prev. Cardiol.* 2015, 22, 4–12.
29. Lokys, H.L.; Junk, J.; Krein, A. Making Air Quality Indices Comparable—Assessment of 10 Years of Air Pollutant Levels in Western Europe. *Int. J. Environ. Health Res.* 2015, 25, 52–66.
30. Luè, A.; Colorni, A. Conflict Analysis for Environmental Impact Assessment: A Case Study of a Transportation System in a Tourist Area. *Gr. Decis. Negot.* 2015, 24, 613–632.
31. Niaz, Y. Ambient Air Quality Evaluation: A Comparative Study in China and Pakistan. *Pol. J. Environ. Stud.* 2015, 24, 1723–1732.

32. Arroyo, V.; Díaz, J.; Ortiz, C.; Carmona, R.; Sáez, M.; Linares, C. Short Term Effect of Air Pollution, Noise and Heat Waves on Preterm Births in Madrid (Spain). *Environ. Res.* 2016, 145, 162–168.
33. Saikawa, E.; Kim, H.; Zhong, M.; Avramov, A.; Zhao, Y.; Janssens-Maenhout, G.; Kurokawa, J.; Klimont, Z.; Wagner, F.; Naik, V.; et al. Comparison of Emissions Inventories of Anthropogenic Air Pollutants and Greenhouse Gases in China. *Atmos. Chem. Phys.* 2017, 17, 6393–6421.
34. Bandeira, R.A.M.; D'Agosto, M.A.; Ribeiro, S.K.; Bandeira, A.P.F.; Goes, G.V. A Fuzzy Multi-Criteria Model for Evaluating Sustainable Urban Freight Transportation Operations. *J. Clean. Prod.* 2018, 184, 727–739.
35. Banerjee, P.; Ghose, M.K.; Pradhan, R. AHP-Based Spatial Air Quality Impact Assessment Model of Vehicular Traffic Change Due to Highway Broadening in Sikkim Himalaya. *Ann. GIS* 2018, 24, 287–302.
36. Zapata, C.B.; Yang, C.; Yeh, S.; Ogden, J.; Kleeman, M.J. Estimating Criteria Pollutant Emissions Using the California Regional Multisector Air Quality Emissions (CA-REMARQUE) Model v1.0. *Geosci. Model. Dev.* 2018, 11, 1293–1320.
37. Ugbebor, J.N.; LongJohn, I.P. Impact of vehicular traffic on ambient air quality in selected junctions in Port Harcourt, Nigeria. *Sci. World J.* 2018, 13, 39–43.
38. Pratama, A.R.; Arliansyah, J.; Agustien, M. Analysis of Air Pollution Due to Vehicle Exhaust Emissions on the Road Networks of Beringin Janggut Area. *J. Phys. Conf. Ser.* 2019, 1198, 082030.
39. Liu, Y.; Liao, W.; Li, L.; Huang, Y.; Xu, W.; Zeng, X. Reduction Measures for Air Pollutants and Greenhouse Gas in the Transportation Sector: A Cost-Benefit Analysis. *J. Clean. Prod.* 2019, 207, 1023–1032.
40. Rossi, R.; Ceccato, R.; Gastaldi, M. Effect of Road Traffic on Air Pollution. Experimental Evidence from COVID-19 Lockdown. *Sustainability* 2020, 12, 8984.
41. Song, L.; Black, J.; Dunne, M. Environmental Capacity Based on Pedestrian Delay and Accident Risk. *Road Transp. Res.* 1993, 2, 40–49.
42. Widianono, D.J.; Samuels, S.E. Towards a General Model for the Environmental Capacity of Roads. In *Proceedings of the 9th Road Engineering Association of Asia and Australasia Conference (REAAA)*, Wellington, New Zealand, 3–8 May 1998; Volume 1, pp. 287–292.
43. Auttha, W.; Klungboonkrong, P.; Veerayutsil, P.; Sriamporn, W.; Pramualsakdikul, S. The Multicriteria Traffic Environmental Impact Appraisal in Urban Road Network: A Case Study of Khon Kaen. *UBU Eng. J.* 2020, 14, 90–104.

44. Thonnarong, P.; Klungboonkrong, P.; Sri-Amporn, W.; Pramualsakdikul, S.; Waisurasingha, C. Area-Wide Multicriteria Traffic Environmental Impacts Evaluation: Khon Kaen City Case Study. *KKU Res. J. (Grad. Stud.) Humanit. Soc. Sci.* 2020, 20, 133–146.
45. Crobeddu, B.; Aragao-Santiago, L.; Bui, L.C.; Boland, S.; Baeza Squiban, A. Oxidative Potential of Particulate Matter 2.5 as Predictive Indicator of Cellular Stress. *Environ. Pollut.* 2017, 230, 125–133.
46. Ahmad, M.; Manjantrarat, T.; Rattanawongsa, W.; Muensri, P.; Saenmuangchin, R.; Klamchuen, A.; Aueviriyavit, S.; Sukrak, K.; Kangwansupamonkon, W.; Panyametheekul, S. Chemical Composition, Sources, and Health Risk Assessment of PM_{2.5} and PM₁₀ in Urban Sites of Bangkok, Thailand. *Int. J. Environ. Res. Public Health* 2022, 19, 14281.
47. Gurjar, B.R.; Jain, A.; Sharma, A.; Agarwal, A.; Gupta, P.; Nagpure, A.S.; Lelieveld, J. Human Health Risks in Megacities Due to Air Pollution. *Atmos. Environ.* 2010, 44, 4606–4613.
48. Fold, N.R.; Allison, M.R.; Wood, B.C.; Thao, P.T.B.; Bonnet, S.; Garivait, S.; Kamens, R.; Pengjan, S. An Assessment of Annual Mortality Attributable to Ambient PM_{2.5} in Bangkok, Thailand. *Int. J. Environ. Res. Public Health* 2020, 17, 7298.
49. Angatha, R.K.; Mehar, A. Impact of Traffic on Carbon Monoxide Concentrations Near Urban Road Mid-Blocks. *J. Inst. Eng. Ser. A* 2020, 101, 713–722.
50. Zhu, Y.; Hinds, W.C.; Kim, S.; Shen, S.; Sioutas, C. Study of Ultrafine Particles near a Major Highway with Heavy-Duty Diesel Traffic. *Atmos. Environ.* 2002, 36, 4323–4335.
51. Hassan, H.; Singh, M.P.; Gribben, R.J.; Srivastava, L.M.; Radojevic, M.; Latief, A. Application of a Line Source Air Quality Model to the Study of Traffic Carbon Monoxide in Brunei Darussalam. *ASEAN J. Sci. Technol. Dev.* 2017, 17, 59.
52. Fu, L.; Hao, J.; He, D.; He, K.; Li, P. Assessment of Vehicular Pollution in China. *J. Air Waste Manag. Assoc.* 2001, 51, 658–668.
53. Goyal, S.K.; Ghatge, S.V.; Nema, P.; Tamhane, S.M. Understanding Urban Vehicular Pollution Problem Vis-a-Vis Ambient Air Quality—Case Study of a Megacity (Delhi, India). *Environ. Monit. Assess.* 2006, 119, 557–569.
54. Klungboonkrong, P.; Jaensirisak, S.; Satiennam, T. Potential Performance of Urban Land Use and Transport Strategies in Reducing Greenhouse Gas Emissions: Khon Kaen Case Study, Thailand. *Int. J. Sustain. Transp.* 2017, 11, 36–48.
55. Asasuppakit, P.; Thiengburanathum, P. System dynamics model of CO₂ emissions from urban transportation in Chiang Mai City. *Int. J. GEOMATE* 2020, 18, 209–216.
56. Kerati, K.; Natachai, W.; Praj-Ya, S.; Stefan, B. Monitoring Greenhouse Gas Emissions in Thailand's Transport Sector; ASEAN: Bonn and Eschborn, Germany. Available online:

<https://www.thai-german-cooperation.info/admin/uploads/publication/44528239550f32fe0f9cc75034674e13en.pdf> (accessed on 25 April 2023).

57. Raihan, A.; Muhtasim, D.A.; Farhana, S.; Rahman, M.; Hasan, M.A.U.; Paul, A.; Faruk, O. Dynamic Linkages between Environmental Factors and Carbon Emissions in Thailand. *Environ. Process.* 2023, 10, 5.
58. World Bank. World Development Indicators 2022; World Bank: Washington, DC, USA, 2022; Available online: <https://databank.worldbank.org/source/world-development-indicators> (accessed on 28 April 2023).
59. Ibili, F.; Owolabi, A.O.; Ackaah, W.; Massaquoi, A.B. Statistical Modelling for Urban Roads Traffic Noise Levels. *Sci. Afr.* 2022, 15, e01131.
60. Judith, L.R.; Darlene, R. Highway Traffic Noise. *Acoust. Today* 2016, 12, 38–47.
61. Pollution Control Department (PCD). Noise Monitoring Report 2020; Pollution Control Department: Bangkok, Thailand; Available online: <https://www.pcd.go.th/publication/25841> (accessed on 30 April 2023).
62. World Health Organization. Global Status Report on Road Safety 2018; World Health Organization: Geneva, Switzerland, 2018.
63. Hajduk, S. Multi-Criteria Analysis in the Decision-Making Approach for the Linear Ordering of Urban Transport Based on TOPSIS Technique. *Energies* 2021, 15, 274.
64. Ooi, J.; Promentilla, M.A.B.; Tan, R.R.; Ng, D.K.S.; Chemmangattuvalappil, N.G. Integration of Fuzzy Analytic Hierarchy Process into Multi-Objective Computer Aided Molecular Design. *Comput. Chem. Eng.* 2018, 109, 191–202.
65. Mistarihi, M.Z.; Magableh, G.M. Prioritization of Supply Chain Capabilities Using the FAHP Technique. *Sustainability* 2023, 15, 6308.
66. Tuzkaya, U.R. Evaluating the Environmental Effects of Transportation Modes Using an Integrated Methodology and an Application. *Int. J. Environ. Sci. Technol.* 2009, 6, 277–290.
67. Shelton, J.; Medina, M. Integrated Multiple-Criteria Decision-Making Method to Prioritize Transportation Projects. *Transp. Res. Rec. J. Transp. Res. Board* 2010, 2174, 51–57.
68. Ruiz-Padillo, A.; Ruiz, D.P.; Torija, A.J.; Ramos-Ridao, Á. Selection of Suitable Alternatives to Reduce the Environmental Impact of Road Traffic Noise Using a Fuzzy Multi-Criteria Decision Model. *Environ. Impact Assess. Rev.* 2016, 61, 8–18.
69. Zečević, S.; Tadić, S.; Krstić, M. Intermodal Transport Terminal Location Selection Using a Novel Hybrid MCDM Model. *Int. J. Uncertain. Fuzziness Knowl.-Based Syst.* 2017, 25, 853–876.

70. Moslem, S.; Ghorbanzadeh, O.; Blaschke, T.; Duleba, S. Analysing Stakeholder Consensus for a Sustainable Transport Development Decision by the Fuzzy AHP and Interval AHP. *Sustainability* 2019, 11, 3271.
71. Awasthi, A.; Omrani, H.; Gerber, P. Investigating Ideal-Solution Based Multicriteria Decision Making Techniques for Sustainability Evaluation of Urban Mobility Projects. *Transp. Res. Part A Policy Pract.* 2018, 116, 247–259.
72. Hamurcu, M.; Eren, T. An Application of Multicriteria Decision-Making for the Evaluation of Alternative Monorail Routes. *Mathematics* 2018, 7, 16.
73. Joo, S.; Lee, G.; Oh, C. A Multi-Criteria Analysis Framework Including Environmental and Health Impacts for Evaluating Traffic Calming Measures at the Road Network Level. *Int. J. Sustain. Transp.* 2019, 13, 15–23.
74. Akyol, E.; Alkan, M.; Kaya, A.; Tasdelen, S.; Aydin, A. Environmental Urbanization Assessment Using GIS and Multicriteria Decision Analysis: A Case Study for Denizli (Turkey) Municipal Area. *Adv. Civ. Eng.* 2018, 2018, 6915938.
75. Çalık, A. Comparison of Decision-Making Approaches to Prioritization of Clean Air Action Plans for Sustainable Development. *Environ. Health Eng. Manag.* 2019, 6, 257–268.
76. Raza, A.; Ali, M.U.; Ullah, U.; Fayaz, M.; Alvi, M.J.; Kallu, K.D.; Zafar, A.; Nengroo, S.H. Evaluation of a Sustainable Urban Transportation System in Terms of Traffic Congestion—A Case Study in Taxila, Pakistan. *Sustainability* 2022, 14, 12325.
77. Torkayesh, A.E.; Alizadeh, R.; Soltanisehat, L.; Torkayesh, S.E.; Lund, P.D. A Comparative Assessment of Air Quality across European Countries Using an Integrated Decision Support Model. *Socioecon. Plann. Sci.* 2022, 81, 101198.
78. Mesa, P.; Klungboonkrong, P.; Faiboun, N. Prioritization of Sustainable Urban Land Use and Transport Policy Measures for a Small-Town Area in a Developing Country. *Eng. Appl. Sci. Res.* 2023, 50, 202–212.
79. Boru İpek, A. Multi-Objective Simulation Optimization Integrated with Analytic Hierarchy Process and Technique for Order Preference by Similarity to Ideal Solution for Pollution Routing Problem. *Transp. Res. Rec. J. Transp. Res. Board* 2023, 2677, 1658–1674.
80. Aromal, V.; Naseer, M.A. Decision-Making Framework for Prioritizing the Improvement of Pedestrian Facilities in Urban Areas Using Integrated Delphi, AHP, and TOPSIS Approach. *Transp. Res. Rec. J.* 2023, 2677, 889–906.
81. Bhardwaj, R.; Garg, S. An MCDM Approach to Analytically Identify the Air Pollutants' Impact on Health. *Atmosphere* 2023, 14, 909.

82. Kannan, D.; Khodaverdi, R.; Olfat, L.; Jafarian, A.; Diabat, A. Integrated Fuzzy Multi Criteria Decision Making Method and Multi-Objective Programming Approach for Supplier Selection and Order Allocation in a Green Supply Chain. *J. Clean. Prod.* 2013, 47, 355–367.
83. Ku, C.Y.; Chang, C.T.; Ho, H.P. Global Supplier Selection Using Fuzzy Analytic Hierarchy Process and Fuzzy Goal Programming. *Qual. Quant.* 2010, 44, 623–640.
84. Opricovic, S.; Tzeng, G.H. Compromise Solution by MCDM Methods: A Comparative Analysis of VIKOR and TOPSIS. *Eur. J. Oper. Res.* 2004, 156, 445–455.
85. Saaty, T.L. *The Analytic Hierarchy Process*; McGraw-Hill: New York, NY, USA, 1980.
86. Saaty, T.L. Decision Making with the Analytic Hierarchy Process. *Int. J. Serv. Sci.* 2008, 1, 83.
87. Klungboonkrong, P.; Taylor, M.A.P. A Microcomputer-Based System for Multicriteria Environmental Impacts Evaluation of Urban Road Networks. *Comput. Environ. Urban Syst.* 1998, 22, 425–446.
88. Broniewicz, E.; Ogrodnik, K. Multi-criteria analysis of transport infrastructure projects. *Transp. Res. Part D Transp. Environ.* 2020, 83, 102351.
89. Hamurcu, M.; Eren, T. Strategic Planning Based on Sustainability for Urban Transportation: An Application to Decision-Making. *Sustainability* 2020, 12, 3589.

Retrieved from <https://encyclopedia.pub/entry/history/show/119901>