# **Ecosystem Services Provided by Seaweeds**

Subjects: Biodiversity Conservation

Contributor: João Cotas, Louisa Gomes, Diana Pacheco, Leonel Pereira

The ecosystem services can be divided using two major classification systems, the Millennium Ecosystem Assessment (MEA) and the Common International Classification of Ecosystem Services (CICES). In the MEA system, the ecosystem services are divided into four major service clusters: supporting, provisioning, regulating, and cultural. On the other hand, the CICES system regards the "MEA supporting services" as organism natural function (and not an ecosystem service). Thus, this function is the basis for all the three CICES ecosystem services (provisioning, regulating, and cultural) provided by one organism. These ecosystem services can be analyzed for the type of habitat, fauna or flora. Seaweeds, or marine macroalgae, are one of the key organisms in estuarine and seawater habitats ecosystems, which currently is of extreme importance due to the climate changes and the blue–green economy. Seaweeds and humankind have been interlinked from the beginning, mainly as a food source, fibers, biochemicals, natural medicine, ornamental resources, art inspiration, and esthetic values in several coastal communities. Moreover, currently they are being studied as green carbon, carbon sequestration, and as a possible source for the biomedical and pharmaceutical areas.

Keywords: seaweeds ; ecosystem services ; invasive species ; ecological functions ; seaweed services

# 1. Introduction

Seaweeds or seaweed are macroscopic algae that can grow several meters long (some seaweeds can measure up to 65 m in length). Because seaweed are primary producers, they are at the bottom of the marine food chain  $^{[1][2]}$ . Seaweeds are found in aquatic systems with some salinity levels (above 3 PSU) and with sunlight for photosynthesis to take place; these are the two environmental conditions that govern their ecology  $^{[1][2]}$ . A solid attachment point is crucial, thus seaweeds prefer to live in the coastal zone (waters near the shore) on stony surfaces, although they can also float. Furthermore, seaweeds play an ecological role in aquatic environments, contributing to oxygen generation, providing a nursery habitat for a variety of marine species, and supplying food for a variety of herbivores  $^{[1][2]}$ . They also sustain herbivorous animal communities (invertebrates, such as certain sea urchins and/or gastropods, and vertebrates, such as herbivorous fish) and provide shelter from carnivorous predators. They are a key in the aquatic complex trophic web  $^{[3][4]}$ .

Seaweeds are the key for the development of submerged vegetation habitats in deep-sea, coastal, and estuarine environments, where the only restriction to the growth and establishment of this communities are light and nutrients <sup>[2][5][6]</sup> <sup>[2]</sup>. Thus, it was verified at the Bahamas that there are seaweeds communities at depths of 295 m, although most communities of seaweed are found depths above the 100 m <sup>[B]</sup>. These environments are considered the most productive habitats on the Earth, providing critical ecosystem for the surviving and subsistence of a large range of animals, including commercial organisms <sup>[2][5][6]</sup>. Seaweed provide essential coastal protection, uptake of nutrients, and carbon storage <sup>[2][5]</sup> <sup>[G]</sup>. Furthermore, seaweeds are important for various human activities, as seaweeds are a food source for several human communities, feed for animals, and fertilizer in agriculture <sup>[9][10][11]</sup>. Furthermore, several seaweed compounds are already commercially exploited in human products, such drugs, orthopedics, processed food, and dentistry <sup>[Z][12][13]</sup>.

# 2. Ecosystem Services Provided by Seaweeds

Ecosystem services are "the human gains obtained from ecosystems" according to the Millennium Ecosystem Assessment (MEA). They are divided into four categories: supporting, provisioning, regulating, and cultural services <sup>[14]</sup> <sup>[15]</sup>. Where Common International Classification of Ecosystem Services (CICES) have the supporting services changed for organism functions, and the services are divided into three categories: provisioning, regulating, and cultural services <sup>[16]</sup> <sup>[17]</sup>. Although MEA and CICES are two different ecosystem services classification systems, they are similar on their bases, where the MEA is divided in four categories and CICES is divided in three categories.

Supporting services/function are "those required for the development of all other ecosystem services", thus organism natural function due to be basis of all the services and it is all interlinked at the basis. These organism function/services constitute the foundation for all others, and their benefits to people are indirect or occur over time (per example, primary production and photosynthesis). Furthermore, without these organism functions, all the other ecosystem services do not happen [16].

The advantages derived through the management of ecological processes, such as the regulation of climate, water, and some human illnesses are referred to as regulating services. Provisioning services are "products obtained from ecosystems, such as genetic resources, food and fiber, and fresh water," whereas cultural services are "the non-material

benefits people obtain from ecosystems, such as cognitive development, reflection, recreation, and esthetic experience" [18].

Although seaweeds demonstrate activity in various ecological services (Figure 1), some of them are indirect and others affect the local community strictly, thus they are local ecological services.



**Figure 1.** Schematic presentation of some of seaweed ecological services: (A) sediment formation (supporting services/function); (B) biomass production (provisioning services); (C) photosynthesis and production of oxygen (regulating services); (D) provisioning of habitat (supporting services/function); (E) erosion regulation (supporting services/function); (F) nutrient cycling (supporting services/function).

# 3. Seaweed Ecosystem Services

## 3.1. Seaweed Functions/Supporting Services

There is significant evidence that seaweeds play critical roles in supplying all categories of supporting services. Sediment formation is influenced by seaweeds, mostly seaweed forests. Sediments are formed of particles of both allochthonous and autochthonous origin, with seaweed detritus playing a prominent role in the latter. Seaweeds are the principal source of biological materials in coastal areas. Kelps (large brown seaweeds) limit water velocity, which aids in the trapping of mud and sand in beaches. For these reasons, seaweeds aid in sediment retention and deposition <sup>[19][20][21][22]</sup>. The correlation between wind and storms indicates that climate change will most likely has a significant influence on wave height and other wave characteristics <sup>[23]</sup>. Floods and coastal erosion are severe threats to coastal communities, with occurrences that require the implementation of long-term solutions to the problem <sup>[24]</sup>. By providing coastal protection, vegetated coastal habitats may assist to alleviate the effects of sea-level rise and the concomitant increase in wave activity <sup>[25]</sup>. Furthermore, vegetated coastal habitats have a high capacity for producing carbonates and other materials that aid in sediment accumulation, beach nutrition, and the formation of dunes on land <sup>[26][27]</sup>, preventing coastal erosion.

Photosynthesis and primary production by seaweeds provide wide indirect advantages to humans. Photosynthesis and primary production of seaweeds, for example, feed aquatic food webs in a variety of environments. Seaweeds environments are very productive, producing 1.5 and 1.05 g C m<sup>-2</sup> h<sup>-1</sup> (median values) by photosynthesis, respectively <sup>[28]</sup>. On a worldwide scale, seaweeds habitats (such as kelp forests and seaweed beds) are the most widespread and productive coastal ecosystems, and are one of the principal photosynthesis organisms in planet Earth <sup>[29][30][31]</sup>. Much of this carbon is used to support the food web in coastal habitats, with grazers consuming on average 34% of seaweed production <sup>[28]</sup>. Seaweeds, on the other hand, are more nutritious (compared with other seaweeds) and hence vulnerable to more grazing, particularly in temperate climates, while their tropical counterparts tend to contain more anti-herbivory chemicals <sup>[32]</sup>.

Photosynthesis also contributes to another important supporting service: production of atmospheric oxygen. Seaweeds belong to the aquatic photosynthetic group (this group is composed of seaweeds, marine plants, and phytoplankton) responsible for 50–80% of the oxygen production on Earth.

Oxygen is required for decomposing microbes to metabolize toxins and organic pollutants <sup>[33][34]</sup>, and it is a critical component in nitrogen, phosphorus, sulfur, and iron cycling <sup>[35]</sup>. Thus, seaweed photosynthesis helps in effective nutrient cycling. Production of oxygen by seaweed is also vital for fish, particularly those more sensitive species <sup>[36]</sup>, and so seaweeds may have an indirect impact on human usage of this resource.

Seaweeds participate in the water cycle as a result of two mechanisms. Seaweeds can be exposed by different tides and if there is a low tide, they can be emerged from the aquatic habitat and being exposed to air, provoking water losses. The opposite occurs when seaweed are submerged, when they reduce water losses to the environment. The magnitude of these processes interferes with the water cycle and may have a crucial influence in water balance in specific ecosystems.

The provisioning of habitat can be considered one of the most important ESs provided by seaweeds because a variety of other ecological services depend on this service. Seaweeds are vital for maintaining the food chain's equilibrium and for ecological functions such as nursery, recruitment, and protection regions for many aquatic species <sup>[37][38]</sup>. Natural macroalgal niches perform an important ecological function in marine environments <sup>[37][38]</sup> (**Figure 2**), and as a result, are a significant component in economic exploration and environmental conservation of the oceans and seas.



Figure 2. Ecological niche with seaweeds and other marine organisms.

## 3.2. Regulating Services

Unlike supporting services, regulating services provide advantages that are more directly tied to human benefits; however, they are not always clearly recognized such as the climate regulation provided by seaweeds.

Highly prolific seaweed species may contribute significantly to the yearly biological reduction in  $CO_2$  and the global carbon cycle <sup>[39]</sup>. However, in order to comprehend the scope of this decrease, researchers must first estimate the amount and rate at which fixed carbon is recycled <sup>[40]</sup>. Even though marine seaweed communities comprise a very tiny portion of the coastal region (approximately 33%, 3,5 mill km<sup>2</sup>), these habitats are an important component of climatic change adaptation and mitigation strategy <sup>[41]</sup>. Thus, seaweed are responsible for the uptake of 173 million tons of carbon per year, making seaweed a vital player in the global carbon cycle <sup>[30]</sup>. Seaweed are carried to the deep ocean by drifting and sinking after being pulled away from the substrate <sup>[30]</sup>. Fresh *Sargassum* were discovered in the intestines of abyssal isopods (a kind of marine crustacean) residing on the bottom at 6.475 m depth, indicating the transfer of seaweed to the deep waters. Organic material is considered gone from the carbon cycle when it falls below 1.000 m <sup>[30]</sup>. Seaweed also mitigates acidification, deoxygenation, and other marine effects of global warming, which endanger sea biodiversity and the source of food and livelihood for hundreds of millions of people <sup>[42]</sup>. Thus, the promotion of sustainable seaweed cultivation can promote this service even more. Seaweed cultivation can assist to prevent ocean acidification and deoxygenation <sup>[43]</sup>.

Erosion regulation is also linked to seaweed colonization. Seaweeds prevent erosion and sediment trapping, aiding in the maintenance of saltwater environments' shorelines (**Figure 3**). Shore erosion is reduced because seaweeds act as physical barriers that minimize wave energy  $\frac{[21][44]}{T}$ . This is also observed in estuarine seaweeds that trap sediment in the river margins  $\frac{[21]}{T}$ .



Figure 3. Seaweed beds on aquatic habitat reducing the wave effect in coastal shore, trapping the sedimentation and reducing coastal erosion.

#### 3.3. Provisioning Services

The most immediately recognized services are the direct usage of seaweeds products as food, textiles, medications, and decorations (provisioning services). These provisioning services are provided by four distinct sources. Seaweed aquaculture in the supply chain is used more in the provisioning service (**Figure 4**). The second supply source is related with seaweeds taken directly from nature, the biomass of which is used for a variety of uses by local populations <sup>[9]</sup>. A third source is the biomass of seaweed, which grows abundantly in nature, and in this instance, harvesting and using their biomass represents a solution to a problem (which occurs with invasive species, for example) <sup>[45]</sup>.



Figure 4. Seaweed juvenile cultivation for aquaculture upscaling.

#### 3.4. Cultural Services

Seaweeds are also present in various cultural services. They are present in various traditions, per example, Asian countries, the Celts, and the Romans used seaweed as food, feed, and fertilizer [46][47]. Mattress fillings, roof construction, wall insulation, knife handles, musical instruments, contraceptive devices, infant teethers, hygrometers, firecrackers, fishing lines, baskets, dolls, jugs, jewelry, and buttons are some more unusual traditional seaweed applications [48]. As a result, it is demonstrated as inevitable that seaweeds and humans have had a plethora of intertwined connections on evolutionary timelines as well as in recent millennia and centuries all the way into the Anthropocene. It is no surprise that

seaweeds have invaded and acted as a savior for humanity all over the world in various times of dire need and crisis. Indeed, they have been used as a last option in times of hunger, wars, disease outbreaks, nuclear catastrophes, or as components of preserving the fabric of societal stability. In certain regions of the world, the tradition of utilizing seaweeds as a valued food has survived to the current day <sup>[49][50][51]</sup>.

### References

- Pfister, C.A.; Altabet, M.A.; Weigel, B. Kelp beds and their local effects on seawater chemistry, productivity, and microbial communities. Ecology 2019, 100, e02798.
- 2. García-Poza, S.; Pacheco, D.; Cotas, J.; Marques, J.C.; Pereira, L.; Gonçalves, A.M.M. Marine macroalgae as a feasible and complete resource to address and promote Sustainable Development Goals (SDGs). Integr. Environ. Assess. Manag. 2022, 18, 1148–1161.
- Butt, K.R.; Méline, C.; Pérès, G. Marine macroalgae as food for earthworms: Growth and selection experiments across ecotypes. Environ. Sci. Pollut. Res. 2020, 27, 33493–33499.
- 4. Randall, J.; Johnson, C.R.; Ross, J.; Hermand, J.-P. Acoustic investigation of the primary production of an Australian temperate macroalgal (Ecklonia radiata) system. J. Exp. Mar. Biol. Ecol. 2020, 524, 151309.
- 5. Hay, K.H.; Hays, G.; Orth, R. Critical evaluation of the nursery role hypothesis for seagrass meadows. Mar. Ecol. Prog. Ser. 2003, 253, 123–136.
- Lefcheck, J.S.; Hughes, B.B.; Johnson, A.; Pfirrmann, B.W.; Rasher, D.B.; Smyth, A.R.; Williams, B.L.; Beck, M.; Orth, R. Are coastal habitats important nurseries? A meta-analysis. Conserv. Lett. 2019, 12, e12645.
- García-Poza, S.; Cotas, J.; Morais, T.; Pacheco, D.; Pereira, L.; Marques, J.C.; Gonçalves, A.M.M. Global Trade of Seaweed Foods. In Sustainable Global Resources of Seaweeds Volume 2; Springer International Publishing: Cham, Switzerland, 2022; pp. 325–337.
- Fredericq, S. The Wonderful World of Seaweeds. Available online: https://oceanexplorer.noaa.gov/explorations/03mex/background/seaweeds/seaweeds.html#:~:text=Because%20seaweeds%20are%20pho (accessed on 14 August 2022).
- García-Poza, S.; Leandro, A.; Cotas, C.; Cotas, J.; Marques, J.C.; Pereira, L.; Gonçalves, A.M.M. The Evolution Road of Seaweed Aquaculture: Cultivation Technologies and the Industry 4.0. Int. J. Environ. Res. Public Health 2020, 17, 6528.
- Pardilhó, S.; Cotas, J.; Gonçalves, A.M.M.; Dias, J.M.; Pereira, L. Seaweeds Used in Wastewater Treatment: Steps to Industrial Commercialization. In Phycology-Based Approaches for Wastewater Treatment and Resource Recovery; CRC Press: Boca Raton, FL, USA, 2021; pp. 247–262.
- 11. Morais, T.; Inácio, A.; Coutinho, T.; Ministro, M.; Cotas, J.; Pereira, L.; Bahcevandziev, K. Seaweed Potential in the Animal Feed: A Review. J. Mar. Sci. Eng. 2020, 8, 559.
- 12. Pereira, L.; Cotas, J. Introductory Chapter: Alginates—A General Overview. In Alginates—Recent Uses of This Natural Polymer; IntechOpen: London, UK, 2020.
- 13. Cotas, J.; Leandro, A.; Monteiro, P.; Pacheco, D.; Figueirinha, A.; Gonçalves, A.M.M.; Da Silva, G.J.; Pereira, L. Seaweed Phenolics: From Extraction to Applications. Mar. Drugs 2020, 18, 384.
- 14. Watson, R.T.; Rosswall, T.; Steiner, A.; Töpfer, K.; Arico, S.; Bridgewater, P. Ecosystems and Human Well-Being; Island Press: Washington, DC, USA, 2003; ISBN 1559634022.
- 15. Carpenter, S.R.; DeFries, R.; Dietz, T.; Mooney, H.A.; Polasky, S.; Reid, W.V.; Scholes, R.J. Millennium Ecosystem Assessment: Research Needs. Science 2006, 314, 257–258.
- Gomes, E.; Inácio, M.; Bogdzevič, K.; Kalinauskas, M.; Karnauskaitė, D.; Pereira, P. Future land-use changes and its impacts on terrestrial ecosystem services: A review. Sci. Total Environ. 2021, 781, 146716.
- 17. Haines-Young, R.; Potschin-Young, M. Revision of the Common International Classification for Ecosystem Services (CICES V5.1): A Policy Brief. One Ecosyst. 2018, 3, e27108.
- 18. Thomaz, S.M. Ecosystem services provided by freshwater macrophytes. Hydrobiologia 2021, 1–21.
- 19. Garden, C.J.; Smith, A.M. Voyages of seaweeds: The role of macroalgae in sediment transport. Sediment. Geol. 2015, 318, 1–9.
- 20. Morris, R.L.; Graham, T.D.J.; Kelvin, J.; Ghisalberti, M.; Swearer, S. Kelp beds as coastal protection: Wave attenuation of Ecklonia radiata in a shallow coastal bay. Ann. Bot. 2019, 125, 235–246.
- Smith, S. Climatic Factors—Wild seaweed harvesting: Strategic environmental assessment—Environmental report— Gov.scot. In Wild Seaweed Harvesting: Strategic Environmental Assessment—Environmental Report; Scottish Government: Edinburgh, UK, 2016; ISBN 9781786526229.
- Airoldi, L.; Ballesteros, E.; Buonuomo, R.; van Belzen, J.; Bouma, T.; Cebrian, E.; de Clerk, O.; Engelen, A.; Ferrario, F.; Fraschetti, S.; et al. Marine forests at risk: Solutions to halt the loss and promote the recovery of Mediterranean canopy-forming seaweeds. In Proceedings of the 5th Mediterranean Symposium on Marine Vegetation, Portorož,

Slovenia, 27–28 October 2014; Labgar, H., Bouafif, C., Ouerghi, A., Eds.; United Nations Environment Programme, Mediterranean Action Plan, Regional Activity Center for Specially Protected Areas: Portoroz, Slovenia, 2014; pp. 27– 28.

- Field, C.B.; Barros, V.; Stocker, T.F.; Dahe, Q.; Jon Dokken, D.; Ebi, K.L.; Mastrandrea, M.D.; Mach, K.J.; Plattner, G.K.; Allen, S.K.; et al. Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation; Cambridge University Press: Cambridge, UK, 2012; ISBN 9781139177245.
- 24. Duarte, C.M.; Losada, I.J.; Hendriks, I.E.; Mazarrasa, I.; Marbà, N. The role of coastal plant communities for climate change mitigation and adaptation. Nat. Clim. Chang. 2013, 3, 961–968.
- 25. Barbier, E.B.; Hacker, S.D.; Kennedy, C.; Koch, E.W.; Stier, A.C.; Silliman, B.R. The value of estuarine and coastal ecosystem services. Ecol. Monogr. 2011, 81, 169–193.
- 26. Hemminga, M.A.; Duarte, C.M. Seagrass Ecology; Cambridge University Press: Cambridge, UK, 2000.
- Temmerman, S.; Govers, G.; Wartel, S.; Meire, P. Modelling estuarine variations in tidal marsh sedimentation: Response to changing sea level and suspended sediment concentrations. Mar. Geol. 2004, 212, 1–19.
- 28. Duarte, C.M.; Chiscano, C.L. Seagrass biomass and production: A reassessment. Aquat. Bot. 1999, 65, 159–174.
- Smale, D.A.; Pessarrodona, A.; King, N.; Burrows, M.T.; Yunnie, A.; Vance, T.; Moore, P. Environmental factors influencing primary productivity of the forest-forming kelp Laminaria hyperborea in the northeast Atlantic. Sci. Rep. 2020, 10, 1–12.
- 30. Krause-Jensen, D.; Duarte, C.M. Substantial role of macroalgae in marine carbon sequestration. Nat. Geosci. 2016, 9, 737–742.
- Duarte, C.M. Reviews and syntheses: Hidden forests, the role of vegetated coastal habitats in the ocean carbon budget. Biogeosciences 2017, 14, 301–310.
- 32. Lomartire, S.; Cotas, J.; Pacheco, D.; Marques, J.; Pereira, L.; Gonçalves, A. Environmental Impact on Seaweed Phenolic Production and Activity: An Important Step for Compound Exploitation. Mar. Drugs 2021, 19, 245.
- 33. Mishra, S.; Maiti, A. The efficacy of bacterial species to decolourise reactive azo, anthroquinone and triphenylmethane dyes from wastewater: A review. Environ. Sci. Pollut. Res. 2018, 25, 8286–8314.
- Koelmans, A. Integrated Modelling of Eutrophication and Organic Contaminant Fate & Effects in Aquatic Ecosystems. A Review. Water Res. 2001, 35, 3517–3536.
- Wetzel, R.G. Limnology: Lake and River Ecosystem, 3rd ed.; Academic Press: San Diego, CA, USA, 2001; Volume 35, ISBN 9780127447605.
- Miranda, L.E.; Driscoll, M.P.; Allen, M.S. Transient physicochemical microhabitats facilitate fish survival in inhospitable aquatic plant stands. Freshw. Biol. 2000, 44, 617–628.
- 37. Hasselström, L.; Visch, W.; Gröndahl, F.; Nylund, G.M.; Pavia, H. The impact of seaweed cultivation on ecosystem services—A case study from the west coast of Sweden. Mar. Pollut. Bull. 2018, 133, 53–64.
- 38. Bak, U.G. Seaweed Cultivation in the Faroe Islands: An Investigation of the Biochemical Composition of Selected Macroalgal Species, Optimised Seeding Technics, and Open-Ocean Cultivation Methods from a Commercial Perspective. Ph.D. Thesis, Technical University of Denmark, Kgs. Lyngby, Denmark, 2019; p. 157.
- Turan, G.; Neori, A. Intensive seaweed aquaculture: A potent solution against global warming. In Seaweeds and Their Role in Globally Changing Environments; Israel, A., Einav, R., Seckbach, J., Eds.; Springer: Dordrecht, The Netherlands, 2010; pp. 359–372.
- 40. Chung, I.K.; Oak, J.H.; Lee, J.A.; Shin, J.A.; Kim, J.G.; Park, K.-S. Installing kelp forests/seaweed beds for mitigation and adaptation against global warming: Korean Project Overview. ICES J. Mar. Sci. 2013, 70, 1038–1044.
- Wernberg, T.; Krumhansl, K.; Filbee-Dexter, K.; Pedersen, M.F. Status and Trends for the World's Kelp Forests. In World Seas: An Environmental Evaluation; Elsevier: Amsterdam, The Netherlands, 2019; pp. 57–78.
- Forests of Seaweed Can Help Climate Change—Without Risk of Fire. Available online: https://www.nationalgeographic.com/environment/article/forests-of-seaweed-can-help-climate-change-without-fire (accessed on 1 April 2022).
- 43. Duarte, C.M.; Wu, J.; Xiao, X.; Bruhn, A.; Krause-Jensen, D. Can Seaweed Farming Play a Role in Climate Change Mitigation and Adaptation? Front. Mar. Sci. 2017, 4, 00100.
- 44. Alvera-Azcárate, A.; Ferreira, J.; Nunes, J. Modelling eutrophication in mesotidal and macrotidal estuaries. The role of intertidal seaweeds. Estuarine, Coast. Shelf Sci. 2003, 57, 715–724.
- 45. Pacheco, D.; Araújo, G.S.; Cotas, J.; Gaspar, R.; Neto, J.M.; Pereira, L. Invasive Seaweeds in the Iberian Peninsula: A Contribution for Food Supply. Mar. Drugs 2020, 18, 560.
- 46. Pereira, L.; Cotas, J. Historical Use of Seaweed as an Agricultural Fertilizer in the European Atlantic Area. In Seaweeds as Plant Fertilizer, Agricultural Biostimulants and Animal Fodder; CRC Press: Boca Raton, FL, USA, 2019; pp. 1–22.
- 47. Mouritsen, O.G.; Rhatigan, P.; Cornish, M.L.; Critchley, A.T.; Pérez-Lloréns, J.L. Saved by seaweeds: Phyconomic contributions in times of crises. J. Appl. Phycol. 2021, 33, 443–458.

- 48. Pérez-Lloréns, J.L.; Mouritsen, O.G.; Rhatigan, P.; Cornish, M.L.; Critchley, A.T. Seaweeds in mythology, folklore, poetry, and life. J. Appl. Phycol. 2020, 32, 3157–3182.
- 49. Mouritsen, O.G.; Dawczynski, C.; Duelund, L.; Jahreis, G.; Vetter, W.; Schröder, M. On the human consumption of the red seaweed dulse (Palmaria palmata (L.) Weber & amp Mohr). J. Appl. Phycol. 2013, 25, 1777–1791.
- 50. O'Connor, K. Seaweed: A Global History (Edible); Reaktion Books, Limited: London, UK, 2017; ISBN 9781780237534.
- Pérez Lloréns, J.L.; Hernández Carrero, I.; Vergara Oñate, J.J.; Brun Murillo, F.G.; León González, A. Those Curious and Delicious Seaweeds: A Fascinating Voyage from Biology to Gastronomy; Pérez Lloréns, J.L., Hernández Carrero, I., Vergara Oñate, J.J., Brun Murillo, F.G., León González, A., de Harland, A.B., Eds.; Editorial UCA: Cadiz, Spain, 2018; ISBN 978-84-9828-666-3.

Retrieved from https://encyclopedia.pub/entry/history/show/90486