# Low-Income Countries WSP Implementation factors

#### Subjects: Management

Contributor: Jo Herschan , Bettina Rickert , Theresa Mkandawire , Kenan Okurut , Richard King , Susan J. Hughes , Dan J. Lapworth , Katherine Pond

Water Safety Plan (WSP) implementation has the potential to greatly improve, commonly very challenging and resource limited, small drinking water supplies. Although slower than in urban or high-income settings, the uptake of WSPs in low- and middle-income countries (LMICs) is accelerating. Understanding the factors which will make a WSP successful will further improve efficient uptake and assist with its long-term sustainability. Based on an extensive literature search using the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISM-A) methodology, 48 publications, including case studies and guidance documentation, formed the basis of this review. These were analysed using inductive and deductive coding methods to (i) identify the success factors applicable to WSP implementation in small drinking water supplies in LMICs and (ii) to investigate which factors are more or less critical depending on the geography and level of development of the implementing country. Key challenges identified during the review process were also noted. A comparison of these success factors was made with those identified from high-income and urban settings. The three most important success factors identified are the development of technical capacity, community engagement, and monitoring and verification. Factors specific to small drinking water supplies in LMICs include support from non-government organisations, integration into existing water sanitation and hygiene (WASH) programs, simplicity, and community engagement. Certain factors, such as adaptability, the use of guidance documentation, international collaboration, the role of pilot studies, knowledge sharing, and stakeholder involvement are applicable to all WSP settings. Due to the specific challenges faced by small drinking water systems and the limited number of original research publications on this topic, this study highlights the need for further data collection and research focused on success factors in these settings. It is anticipated that the consideration of the success factors identified in this study will assist implementers in improving the uptake and long-term sustainability of WSPs in small drinking water supplies in low- and middle-income settings.

drinking water	enabling environment		small drinking water supplies		success factor
austainable daval	appropriate acceler	water oof	atu plan	water expitation on	d hugiana (MACU)

# 1. Introduction

The Water Safety Plan (WSP) approach to managing drinking water supplies, through systematic and proactive risk assessment and risk management, has been gathering pace since 2004, when the World Health Organization (WHO) provided guidance for their development and implementation in the Guidelines for Drinking Water Quality <sup>[1]</sup>. The WSP approach required a change in mindset away from the reliance on end-product testing of drinking water quality to the combined use of drinking water quality testing and risk management. Although still necessary, solely relying on end-product testing of drinking water quality provides limited information, as results are retrospective based on just a snapshot in time, by which point the water is likely to have already been consumed <sup>[2]</sup>. Additionally, drinking water quality testing requires access to physical and financial resources, so reducing reliance on testing is especially pertinent in low-resource settings <sup>[3]</sup>.

Conforming to the general principles of risk assessment and risk management, the WSP methodology is flexible, and approaches can and should be tailored to suit the individual context [4][5]. This flexibility is reflected in the approach being used in various settings with diverse challenging conditions, from regions of conflict [6][7] and refugee camps [8] to cruise ships [9]. Additionally, WSP versatility is demonstrated by the wide reach of application of the approach, with WSPs now implemented in every region globally [10].

Initially, uptake of WSPs was greatest in urban settings and by water utilities in developed countries [11][12]. Concerns were raised that small drinking water supplies, irrespective of development level, were being left behind and that further tools or guidance documentation were required to adapt for the unique challenges faced by these communities [13]. In recognition of these issues, the WHO released a specific step-by-step guide for WSP implementation for small, community-managed water supplies and a field guide to support practical application [14].

Although the recent WHO/International Water Association (IWA) report (2017) indicates that the uptake of WSPs in low- and middle-income countries (LMICs) has increased, generally for all supply sizes, there are still concerns that the uptake in some regions, such as Africa <sup>[15]</sup>, is much slower. The reasons for this are unclear, though researchers have shown that a greater

understanding of the benefits associated with WSP implementation is required [16]. Therefore, a better understanding of the factors which make a WSP successful is required.

Small drinking water supplies are often defined by criteria such as the population served, the volume of water supplied, the number of service connections, or the technology type of the supply <sup>[17]</sup>. There is, however, no globally agreed definition. Small drinking water supplies differ from larger supplies typically based on their operational and managerial arrangements <sup>[17]</sup>.

Literature describing enabling environments and success factors for WSP implementation has started to emerge in recent years, with factors such as financial and human resources, regulations, tools, guidelines, training, and efficient monitoring identified by researchers <sup>[18][19]</sup>. Although factors may overlap regardless of context, the focus of these studies have been on WSP implementation in utility-managed supplies <sup>[20]</sup>, high-income settings <sup>[18]</sup>, or in the global context <sup>[19]</sup>, with a lack of specific focus on LMICs. This is important to address, since the burden of water-related diseases is greater in LMICs than in high-income countries <sup>[21]</sup>. It is in these settings that WSPs have the potential to provide the greatest improvements from current baseline conditions <sup>[11]</sup>, helping to achieve Sustainable Development Goal target 6.1 to achieve universal and equitable access to safe and affordable drinking water for all by 2030.

Success factor criteria can be defined by their potential impact, temporal association, the scale of the population reached, and agreement between stakeholders that they are indeed a success factor <sup>[22]</sup>.

The aim of this paper is to identify success factors which assist in the implementation of WSPs in small drinking water supplies in low- and middle-income settings. Based on an extensive literature search, good practices and examples which have led to positive outcomes were identified. In the process, the challenges specific to these settings were also noted. WSP success is dependent on input from a number of stakeholder groups. Therefore, examples and recommendations at both national and local levels were considered. The findings were analysed to identify trends across various geographic regions and levels of development. The results were compared with existing literature for high-income countries and urban settings to understand the commonalities and differences depending on the implementation settings.

# 2. Discussion

WSP implementation in small drinking water supplies in LMICs has been demonstrated to improve the quality of drinking water and, in turn, public health <sup>[11]</sup>. This study compiled a set of success factors for WSP implementation in LMICs, both for local and national level implementation, to generate an enabling environment. Certain factors, such as developing technical capacity, monitoring and verification, and regulation and enforcement, are noted throughout the literature, whilst the themes of simplicity and adaptability cut across several of the success factors.

The diversity and overlap of the twenty-one success factors identified during this review, as well as the challenges noted, highlight the complexity of WSP implementation. The results show that, for successful WSP implementation, a combination of success factors at the local and the national level are necessary, and that stakeholder groups at both levels should therefore be involved. As the factors were developed based on the inclusion of documented experiences, the ability to achieve the factors in these settings is considered to be realistic, although certain settings may find some more or less challenging to achieve depending on external influences. As with the ongoing, evolving WSP process, these factors are to be considered as a continual process, not activities to achieve and then move on from.

The following sections provide national and local level recommendations for how implementers, regulators, and other stakeholders can use these factors during WSP implementation in LMICs based on the "success factor" definition stated previously <sup>[22]</sup>.

#### 2.1. Strategies for Implementing WSPs

The results indicate that WSPs have been introduced to rural settings through government programmes, collaboration with non-governmental organisations (NGOs) and national level conferences . WSP implementation driven by donor requirements and support from professional and industry associations has also been suggested <sup>[23]</sup>, however there is little evidence of these methods being used to drive WSP implementation in rural LMIC supplies. In countries where WSPs have been driven by the government or NGOs, WSPs have been embedded as business as usual indicating that this support has a positive impact on implementation. For instance, following the results of pilot trials in rural Tajikistan, Oxfam GB started to include the WSP process into their projects. The relatively large proportion of case studies identified during the literature search, may indicate that for small water supplies in LMICs, a bottom up approach is often taken, especially where no regulatory requirements for implementation exist.

Running pilot schemes prior to mainstream WSP implementation helps to verify and demonstrate the effectiveness of methodologies, especially in the specific context in question. Furthermore, pilot schemes can help to demonstrate benefits and challenges and to provide lessons learned and capacity for scaling up <sup>[24]</sup>. Driven by both governments and NGOs, pilot schemes have been carried out in small drinking water supplies in The Cook Islands, Tonga, Vanuatu and Palau , Congo , Bangladesh and Nepal . Despite this widespread application of pilot schemes, the challenge of upscaling these to cover all supplies is apparent. Strategies for scaling up, which include policy, training, and national strategies, are required not just for small drinking water supplies in LMICs and high-income countries <sup>[23]</sup>.

## 2.2. Developing Technical Capacity and Training

The relevant training of appropriate groups and individuals, from water operators to regulators, is required to develop capacity. Many other success factors identified in this study—for instance, sharing examples, communication and stakeholder collaboration, and hygiene promotion—will support this upskilling of stakeholders. Developing technical capacity has been identified in this study as the most commonly referenced success factor regardless of the development level or geography. Improving technical capacity at the national level can help to provide focus and resources, including training resources, to assist the WSP process.

As small drinking water supplies are often managed by non-technical, local people, developing and retaining this technical capacity can be hugely challenging. The water sector, in general, suffers from staffing constraints, especially in rural areas <sup>[25]</sup>. Further, in those cases where there is sufficient human resource, WSPs may require a change to the skill profile of the type of work needed. For instance, a shift from a laboratory-based skillset to an inspector-based skillset <sup>[26]</sup>. Financial limitations can restrict the ability to "buy-in" the required capacity, and the remoteness of rural supplies, physically, technologically and linguistically means that innovative ways to reach these localities are required. Translations of guidance material and supporting tools or resources both into local dialects and into non-technical language could be one such strategy <sup>[27]</sup>. Regardless, communities require top-down support from institutions or their government.

#### 2.3. Monitoring and Verification

Monitoring is noted as being "the crux of WSP". Although small drinking water supplies often have access to limited resources, this should not be used "as an 'excuse' for not implementing WSPs" <sup>[26]</sup>. The use of field-based tools such as  $H_2S$  and tryptophan-like fluorescence have been piloted in a number of countries (e.g. <sup>[28]</sup>) in anticipation that this may improve the ability of communities to conduct high-level assessments of risks to their supplies. Associated supporting structures around monitoring, such as the availability of laboratory capacity and activities around storing and interpreting data, must be considered carefully, as data collection itself is only one step in the process. Taking action to improve supplies based on monitoring data requires sufficient finances or resources to be available. National level stakeholders can support monitoring programmes by leveraging resources as well as focusing on infrastructures, such as road networks, which can assist with monitoring programmes.

Sanitary inspections (SIs) are proposed as a form of simple WSP. Although not encompassing of the behavioural and management elements that a WSP includes, they are very useful tools to monitor and verify risks to a supply <sup>[29]</sup>. As they have been widely used for several decades, these are tools which may be familiar to a number of small drinking water supplies and so should not require a great deal of additional work to incorporate into the WSP. The use of SIs at the local level should therefore be encouraged.

## 2.4. Community Engagement

The first step of the WSP methodology for small drinking water supplies is to engage the community. It therefore goes without saying that community engagement and empowering people at the local level are critical aspects of the WSP implementation process. Often, communities see the value in the WSP process and have the drive to improve their supplies, but they just require the means and support to do so. Tools which take into account local cultures, beliefs, and technical awareness will improve engagement with the community and are therefore particularly important in these settings where the community often manage the supplies. On the other hand, engaging with the community will provide a better understanding of the cultures and practices in that locality to make the WSP more fitted to the setting.

#### 2.5. Adaptability

All WSPs should be adapted for the individual situation. The complexity of each stage or activity in the WSP process must be appropriate to the stakeholder and technology it relates to. Small drinking water supplies are often less complex than large supplies, and it is especially important in rural supplies that this is reflected in the WSP, as this can make the WSP more "meaningful and accessible for communities to use".

WSPs should be set up so that the community or local group maintaining the WSP can easily amend it based on changing environments and situations. It is therefore crucial that the local WSP team has the capability and the technical know-how to make appropriate modifications to keep the WSP relevant and up to date. As experience and knowledge of the supply and WSP process is gained, the WSP methodology can and should evolve to better suit the location.

#### 2.6. Sharing of Information

The use of pilot schemes and sharing examples were identified in this study as methods to assist with implementation and wider scale roll-out. The broader notion of sharing information, internationally, nationally, and locally, is incredibly beneficial, particularly when it comes to developing technical capacity.

Cascading training from large, national level, disease control centres to operational utilities, and larger utilities mentoring smaller ones are effective methods of building capacity in utility-based settings <sup>[30][31]</sup> Identifying and collaborating with similar in-country institutions relevant to small drinking water supplies in this way could help to build technical capacity, although consideration is required for the financing and complexity of technology used. Approaches involving the training of trainer's model are effective ways of assisting with developing technical capacity when scaling up from pilot projects and in helping to reach a larger number of people.

# 2.7. Affordability and Financial Support

The UN-Water Global Analysis and Assessment of Sanitation and Drinking Water 2019 Report report highlighted that the lack of human and financial resources are one of the key factors constraining the implementation of national WASH policies and plans, and that there are huge funding gaps between what is needed to meet WASH targets and available funds <sup>[32]</sup>. Studies which seek to understand and evaluate implementation of WSPs with regards to financial costs are limited . Initial studies have shown that just following the WSP process can lead to a more cost-effective use of limited resources, with a cost benefit ratio of 1:6 in some cases .

Establishing sustainable financial assistance from the outset, especially for community-managed supplies which may already have limited financial budgets, is critical for successful WSP implementation <sup>[33][34]</sup>. WSPs should not put an increased strain on communities who may already struggle financially. Often, any WSP-related costs will be transferred to the community, so the use of existing processes or cost-effective methods can help implementation and sustainability. External or national level funding sources may be required to assist implementation (see Table 2 for examples).

Although the emphasis should be more on following the WSP process than the funding, regardless of whether financial barriers are true or perceived, the issue must be raised and tackled. Even perceived financial blockers may inhibit WSP implementation in areas of elevated poverty, and users, especially in communities, must therefore be given various financial choices.

#### 2.8. Guidance Documentation or Tools

There is an abundance of guidance documentation or tools available from the WHO and IWA and others regarding the implementation of WSPs in both large supplies and small drinking water supplies. These documents have been used as the basis for WSP implementation in many small water supply settings, including in the Pacific Islands [35], Uganda <sup>[35]</sup>, Congo, Nigeria and the Philippines <sup>[36]</sup>. They have also been adapted for the local context—for example, community checklists in Nepal, SIs in the Marshall Islands, and the national level Department of Health guidance in the Philippines. Consideration for easy to understand and practical guidance documentation in the local language or dialect is required.

#### 2.9. Hygiene Promotion and Behavioural Change

Hygiene education and promotion campaigns around hygiene and sanitation practices should be integrated into the WSP process. Without prior WASH education, the uptake of WSPs has been noted to be limited, whereas inclusion has been identified as improving WSP practices by 20% <sup>[37]</sup>. Attention should be given to resource protection and sanitation practices to minimise the risk to source water quality, the first stage in the water treatment process. The WSP approach needs to be looked at holistically, as part of any WASH programme, and not in isolation.

# 2.10. Responsibility and Ownership

Although ultimately it is the local community who must acknowledge and accept responsibility for the WSP to be successful and sustainable, stakeholders, such as government ministries and NGOs, are required to facilitate and support implementation. The management of rural supplies, in general, is a problem and one which requires addressing.

NGOs often have a great deal of experience in terms of implementing and running projects similar to WSPs and are particularly important stakeholders in the implementation of WSPs in rural settings [38].

#### 2.11. Integration into Already Existing Structures

WSPs can be introduced as stand-alone activities or, better still, integrated into already-existing WASH programmes. Embedding or making use of existing resources, platforms, datasets, and committees, including government ministry bodies, can be a beneficial way to reduce the volume of additional work, or duplication of work, and the overall resources required. Building on what has already been achieved and integrating into existing programs or activities has been shown to be cost-effective and sustainable and can help to streamline activities. For instance, the team may have already been assembled and training activities may already be being carried out [46]. In some cases, monitoring and verification strategies or controls may already exist, in which case just a review is required to ensure suitability as part of the WSP. It is important not to overcomplicate, duplicate, or make changes to a setup which may already work, but to embed these into the WSP especially in resource-limited locations. Caution needs to be taken when using pre-existing structures, however, as this may exacerbate already existing prejudices and structures which make equity issues worse <sup>[39]</sup>. Additional work to identify how WSPs can fit in with pre-existing WASH measures is required.

#### 2.12. Institutional Support

Careful consideration for which organisations may be able to support implementation and ongoing WSP-related work can assist with WSP implementation. NGOs, in particular, have contributed to the collection of a wide range of available guidance material. For instance, Tearfund and WaterAid have produced guidance documentation aimed at disaster management teams and community-level management for water security <sup>[40]</sup>. WSPs should incorporate any relevant existing work or activities carried out by NGOs and should not be a repeat of some of the large volumes of work they already do. NGOs can help to ensure equity in WSP development—for example, the consideration of gender and vulnerable groups—and can also provide financial support for WSP implementation.

#### 2.13. Variation of Success Factor by Setting

The results indicated some variability in success factor with geographical location. The most common factors, such as developing technical capacity and community engagement, were identified in all regions, however the less frequently referenced factors, such as target setting and documentation, were only identified in the Sub-Saharan African, Southern Asian, South East Asia, Pacific Islands, and China regions. Success factors are not necessarily different based on geography, but these findings highlight the need for further published research in the less well-studied regions of Western and Central Asia, Latin America, and the Caribbean Islands.

# 2.14. Comparison of Studies with Those in Urban and High-Income Settings

Success factors in urban and high-income contexts are also understudied, although studies into the creation of enabling environments, which also plays a big part in supporting WSP implementation, are starting to emerge <sup>[41]</sup>. An enabling environment has been defined as "a favourable culture of internal coordination and communication; policy and institutional behaviour that guides behaviour of water service providers with clear and enforceable service standards and resources to provide effective water services" <sup>[42]</sup>.

Some factors identified in this study have also been noted as enabling environments in high- and low-income urban settings, indicating some continuity and cross-over of beneficial activities regardless of the setting/income level. These include the use of guideline documentation, tools, national training materials, training facilitators, international collaboration, and the role of pilot studies and sharing examples <sup>[43]</sup>. Knowledge sharing, stakeholder involvement, training, champions, and investment in monitoring and ongoing WSP verification are also noted as WSP enablers in low-income urban settings . Although there may be crossover in the factors, the individual application will be different for high-income and urban settings to small drinking water supplies in LMICs. For example, the small LMIC supplies will involve greater NGO involvement, whereas urban and high-income settings will have greater engagement with other types of stakeholders.

Sharing the characteristics of remoteness and limited human and financial resources, and therefore restricted outreach of support, small drinking water supplies, regardless of a country's income level, are "disproportionately problematic" [43]. Although some factors have been noted as similar regardless of context, small drinking water supplies in LMICs are often faced with additional challenges when trying to facilitate these enablers. For example, the scarcity of documented experiences, specifically in small drinking water supplies in developing countries , means that sharing examples could be challenging. Issues around the availability of baseline data are more common in lower-capacity settings [44], and therefore more resources and focus are required in this area of work .

Identifying the financial support required for WSP implementation, both short- and long-term, and the associated sources of funding is also identified as necessary in high-income settings, especially for small drinking water supplies, although the funding structures may differ between the contexts. Small drinking water supplies generally have lower per capita operation and maintenance costs than larger supplies; however, the financing of small water supplies in both high-income countries and LMICs is an area which requires greater focus <sup>[45]</sup>.

# 2.15. Regulation and Enforcement

There are conflicting views surrounding the role of regulation as an enabling environment or success factor. This has been identified in this study but also by others in high-income settings. Supportive legislation can facilitate and form a key component of WSP implementation, particularly in small drinking water supplies, for instance by helping to build capacity and mobilise resources . The role of supportive regulation as opposed to strict regulation is increasingly being discussed and agreed as the appropriate way to regulate rural supplies in general <sup>[46]</sup>. Some publications note that promotion of WSPs by governments, including new standards and regulations, will increase the uptake of implementation, although with a caveat that they should not become "just another compliance issue". Other publications note that although a sound regulatory framework should be perceived as an enabler, their absence should not be perceived to be a blocker or to delay WSP implementation, especially as legislation can take years to implement, whereas operational procedures can be developed on shorter timescales <sup>[47]</sup>. "Self-help is the best help … 90% of the problems can be solved at community levels. Government agencies are just the facilitators and communities are the implementers" [44].

Decentralisation of governments is becoming a more common way of regulating rural supplies <sup>[48]</sup>. This supports and further enables communities to take ownership of and responsibility for their individual supplies. Enforcement of legislation can be a challenge, especially in low-income settings where governments have other priorities <sup>[47]</sup>.

The majority of the articles included in this study were published by researchers and public health bodies, with only a few publications by government ministries and departments. This could skew the perception of the work carried out or struggles faced by regulators. Further work into the role of regulation in WSP implementation, regardless of setting, is required.

#### 2.16. Areas for Further Work

The skew of included publications towards case studies highlights the limited volume of original research on the topic of WSP success factors in LMICs. Although this bias has enabled the success factors in this study to be developed based on a reflection of experiences and has enabled the inclusion of geographies which are not represented by published work, the lack of original research publications indicates further work and that studies into this topic are required.

Due to the importance of community engagement, a community's readiness for change must be addressed. There is limited focus on this aspect of WSP implementation in the literature ; hence, further work is required to identify strategies for preparing communities for potential change.

The use of WSPs, especially for small drinking water supplies in LMICs, in the context of emergency planning is poorly documented. The effects of climate change are acknowledged as one of the most significant emerging issues for the WASH industry , and the impacts disproportionately affect low- and middle-income communities <sup>[49]</sup>. Although recent studies demonstrate how climate change can affect different community supplies <sup>[50][51]</sup>, guidance on and examples of how to incorporate these findings in to WSPs, specifically in small drinking water supplies in LMICs, are limited <sup>[51]</sup>.

A finding of this study is the lack of published studies, with a focus on success factors and enabling environments for WSP implementation, both generally but also especially for small drinking water supplies in LMICs. A recommendation from this work would be a dedicated data collection to assist the understanding of what factors make a successful WSP and best practices for WSP implementation.

This study has identified less published literature for case studies in the South American, Eastern European, and Central Asian regions (Figure 2). Although this may be due to language limitations or simply a lack of publications, not necessarily reflecting the actual work being carried out, future researchers may wish to consider this in subsequent studies.

#### 2.17. Limitations of the Study

It is recognised that not all countries who have reported the use of WSPs were included in this review, and therefore this study only encapsulates a snapshot of WSPs which have been documented by published literature. For instance, the study noted a lack of publications for OECD countries in the Eastern European and Central Asian regions, although regional

documentation indicates that a great deal of work is being carried out in countries such as the Republic of Moldova, Georgia, and Tajikistan .

Refining searches to the English language could have impacted the diversity of the literature found. In addition to the many languages and local dialects spoken across LMICs, Portuguese is commonly spoken in parts of Africa and South America, Spanish in South America, French in parts of Africa, Arabic in parts of Africa and Central Asia, and Russian in the Central Asian regions. Although English-only reviews do not necessarily lead to systematic bias in results <sup>[52]</sup>, it seems pertinent to conduct future studies in other languages, especially as one of the findings was that documentation should be translated into local languages and dialects. To some degree, these variations in languages correlate with the lack of inclusion in this study from these locations (Figure 2). The authors have tried to reduce the impact of this limitation with the inclusion of a wide variety of case studies.

# References

- 1. WHO. Guidelines for Drinking-Water Quality, 3rd ed.; World Health Organization: Geneva, Switzerland, 2004; Volume 1.
- 2. WHO. Water Safety Plans in Eastern Europe, the Caucasus and Central ASIA; World Health Organization, Copenhagen, Denmark, 2014.
- Bain, R.; Bartram, J.; Elliott, M.; Matthews, R.; McMahan, L.; Tung, R.; Chuang, P.; Gundry, S. A summary catalogue of microbial drinking water tests for low and medium resources settings. Int. J. Environ. Res. Public Health 2012, 9, 1609–1625, doi:10.3390/ijerph9051609.
- Bartram, J.; Corrales, L.; Davison, A.; Deere, D.; Drury, D.; Gordon, B.; Howard, G.; Rinehold, A.; Stevens, M. Water Safety Plan Manual: Step-by-Step Risk Management for Drinking-Water Suppliers; World Health Organization: Geneva, Switzerland, 2009.
- Hasan, T.J.; Hicking, A.; David, J. Empowering rural communities: Simple Water Safety Plans. Water Supply 2011, 11, 309–317, doi:10.2166/ws.2011.051.
- Sikder, M.; Daraz, U.; Lantagne, D.; Saltori, R. Water, sanitation, and hygiene access in southern Syria: Analysis of survey data and recommendations for response. Confl. Health 2018, 12, 17, doi:10.1186/s13031-018-0151-3.
- Abuzerr, S.; Hadi, M.; Zinszer, K.; Nasseri, S.; Yunesian, M.; Mahvi, A.H.; Nabizadeh, R.; Mohammed, S.H. Comprehensive Risk Assessment of Health-Related Hazardous Events in the Drinking Water Supply System from Source to Tap in Gaza Strip, Palestine. J. Environ. Public Health 2020, 7194780, doi:10.1155/2020/7194780.
- 8. IHE Delft Water Safety Plan for host Community and Refugee Camps in Gambella, Ethiopia. 2019. Available online: https://www.un-ihe.org/news/water-safety-plan-host-community-and-refugee-campsgambella-ethiopia (accessed on 9 May 2020).
- Mouchtouri, V.A.; Bartlett, L.R.; Diskin, A.; Hajichristodoulou, C. Water Safety Plan on cruise ships: A promising tool to prevent waterborne diseases. Sci. Total Environ. 2012, 429, 199–205, doi:10.1016/j.scitotenv.2012.04.018.
- WHO; IWA. Global Status Report on Water Safety Plans: A Review of Proactive Risk Assessment and Risk Management Practices to Ensure the Safety of Drinking-Water; World Health Organization: Geneva, Switzerland, 2017.
- Mahmud, S.G.; Shamsuddin, A.J.; Ahmed, M.F.; Davison, A.; Deere, D.; Howard, G. Development and implementation of water safety plans for small water supplies in Bangladesh: Benefits and lessons learned. J. Water Health 2007, 5, 585–597, doi:10.2166/wh.2007.045.
- 12. WHO. Water Safety Planning for Small Community Water Supplies; World Health Organization: Geneva, Switzerland, 2012.
- McMillan, A. A pilot community water safety plan in Nepal for point sources with household water treatment. Waterlines 2011, 30, 189–202.
- 14. WHO. Water Safety Plan: A Field Guide to Improving Drinking-Water Safety in Small Communities; World Health Organization: Copenhagen, Denmark, 2014. Available online:

https://www.euro.who.int/\_\_data/assets/pdf\_file/0004/243787/Water-safety-plan-Eng.pdf (accessed on 15 September 2020).

- Kanyesigye, C.; Marks, S.J.; Nakanjako, J.; Kansiime, F.; Ferrero, G. Status of Water Safety Plan Development and Implementation in Uganda. Int. J. Environ. Res. Public Health 2019, 16, 4096, doi:10.3390/ijerph16214096.
- 16. Williams, T. Water safety in 2010: A Brazilian perspective. Newsletter Bonn Netw. 2008, 1, 1–2.
- 17. UNECE; WHO. Europe Small-Scale Water Supplies in the Pan-European Region; World Health Organization: Copenhagen, Denmark, 2011.
- Baum, R.; Bartram, J. A systematic literature review of the enabling environment elements to improve implementation of water safety plans in high-income countries. J. Water Health 2018, 16, 14–24, doi:10.2166/wh.2017.175.
- Tsitsifli, S.; Tsoukalas, D.S. Water Safety Plans and HACCP implementation in water utilities around the world: Benefits, drawbacks and critical success factors. Environ. Sci. Pollut. Res. Int. 2019, doi:10.1007/s11356-019-07312-2.
- 20. Kayser, G.; Loret, J.F.; Setty, K.; Blaudin De The, C.; Martin, C.; Puigdomenech, C.; Bartram, J. Water safety plans for water supply utilities in China, Cuba, France, Morocco and Spain: Costs, benefits, and enabling environment elements. Urban Water J. 2019, 16, 277–288, doi:10.1080/1573062X.2019.1669191.
- WHO. Global Health Observatoty (GHO) Data; Mortality and Burden of Disease from Water and Sanitation.
  2020 Available onling: https://www.who.int/gho/phe/water\_sanitation/burden/en/index1.html (accessed on 14 September 2020).
- 22. Ministry of Health, Cambodia, PMNCH, WHO, World Bank, AHPSR & Participants in the Cambodia Multistakeholder Policy Review. Success Factors for Women's and Children's Health. 2015. Available online: https://www.who.int/pmnch/knowledge/publications/cambodia\_country\_report.pdf (accessed on 15 September 2020).
- 23. WHO; IWA. Think Big, Start Small, Scale up, A Road Map to Support Country-Level Implementation of Water Safety Plans; World Health Organization, Geneva, Switzerland, 2010.
- 24. Magtibay, B.B. An Index Model for Evaluating Water Safety Plans in the Philippines. Water Supply 2017, 17, 1168–1177, doi:10.2166/ws.2017.015.
- 25. UN-Water. Global Analysis and Assessment of Sanitation and Drinking-Water (GLAAS) Report: Investing in Water and Sanitation: Increasing Access, Reducing Inequalities; World Health Organization: Geneva, Switzerland, 2014.
- 26. Parker, A.; Summerill, C. Water safety plan implementation in East Africa: Motivations and barriers. Waterlines 2013, 32, 113–124.
- Hubbard, B.; Gelting, R.; del Carmen Portillo, M.; Williams, T.; Torres, R. Awareness, adoption and implementation of the water safety plan methodology: Insights from five Latin American and Caribbean experiences. J. Water Sanit. Hyg. Dev. 2013, 3, 541–548, doi:10.2166/washdev.2013.001.
- Ward, J.S.T.; Lapworth, D.J.; Read, D.S.; Pedley, S.; Banda, S.C. T. B.; Monjerezi, M.; Gwengweya, G.; MacDonald, A.M. Large-scale survey of seasonal drinking water quality in Malawi using in situ tryptophanlike fluorescence and conventional water quality indicators. Sci. Total Environ. 2020, 744, 140674, doi:10.1016/j.scitotenv.2020.140674.
- Pond, K.; King, R.; Herschan, J.; Malcolm, R.; McKeown, R.; Schmoll, O. Improving Risk Assessments by Sanitary Inspection for Small Drinking-Water Supplies—Qualitative Evidence. Resources 2020, 9, 71, doi:10.3390/resources9060071.
- Magtibay, B.; Chong, M.L. Philippine experience in introducing and scaling up water safety plans. Waterlines 2011, 30, 203–211.
- Ye, B.; Chen, Y.; Li, Y.; Li, H.; Yang, L.; Wang, W. Risk assessment and water safety plan: Case study in Beijing, China. J. Water Health 2015, 13, 510–521, doi:10.2166/wh.2014.101.
- UN; WHO. National Systems to Support Drinking-Water, Sanitation and Hygiene: Global Status Report 2019; World Health Organization: Luxembourg, 2019.

- Mudaliar, M.M.; Bergin, C.; MacLeod, K. Drinking Water Safety Planning: A Practical Guide for Pacific Island Countries. 2006. Available online: http://www.pacificwater.org/userfiles/file/water%20publication/Pacific%20Drinking%20Water%20Safety%20Planning%20Guidelines%20 (accessed on 18 March 2020).
- Ncube, M.; Pawandiwa, M.N. Water safety planning and implementation: Lessons from South Africa. J. Water Sanit. Hyg. Dev. 2013, 3, 557–563, doi:10.2166/washdev.2013.209.
- 35. Tibatemwa, S.; Godfrey, S.; Niwagaba, C. Kizito F Implementing water-safety plans in urban piped-water supplies in Uganda. Waterlines 2005, 23, 8–10.
- Molina, V.B.; Quizon, R.R.; Fadrilan-Camacho, V.F.; Lee-Delos Reyes, C.; Deauna, J.P., II; Agosto, H.C.; Asuncion, P.V.; Riego de Dios, J.M.; Anarna, M.S.S.; Magtibay, B.B. Development of Water Safety Plan Models for Water Refilling Stations in the Philippines. Acta Med. Philipp. 2016, 50, 166–169.
- Oluwasanya, G. Qualitative risk assessment of self-supply hand-dug wells in Abeokuta, Nigeria: A water safety plan approach. Waterlines 2013, 32, 36–49.
- Nijhawan, A.; Jain, P.; Sargaonkar, A.; Labhasetwar, P.K. Implementation of water safety plan for a largepiped water supply system. Environ. Monit. Assess. 2014, 186, 5547–5560, doi:10.1007/s10661-014-3802x.
- Whaley, L. RWSN Webinar Series-A Hidden Crisis? Findings from Research into Borehole Failure in Ethiopia, Malawi Uganda. 2020. Available online: https://vimeo.com/430368376 (accessed on 16 June 2020).
- WaterAid, Water Security Framework. 2012. Available online: https://washmatters.wateraid.org/sites/g/files/jkxoof256/files/download-our-water-security-framework.pdf (accessed on 21 September 2020).
- Schmiege, D.; Evers, M.; Zugner, V.; Rickert, B. Comparing the German enabling environment for nationwide Water Safety Plan implementation with international experiences: Are we still thinking big or already scaling up? Int. J. Hyg. Environ. Health 2020, 228, 113553, doi:10.1016/j.ijheh.2020.113553.
- 42. Amjad, U.Q.; Ojomo, E.; Downs, K.; Cronk, R.; Bartram, J. Rethinking Sustainability, Scaling Up, and Enabling Environment: A Framework for Their Implementation in Drinking Water Supply. Water 2015, 7, 1497–1514, doi:10.3390/w7041497.
- 43. Gunnarsdottir, M.J.; Gardarsson, S.M.; Schultz, A.C.; Albrechtsen, H.-J.; Hansen, L.T.; Bergkvist, K.S.G.; Rossi, P.M.; Klove, B.; Myrmel, M.; Persson, K.M.; et al. Status of risk-based approach and national framework for safe drinking water in small supplies of the Nordic water sector. Int. J. Hyg. Environ. Health 2020, 230, 1438–4639, doi:10.1016/j.ijheh.2020.113627.
- Kumpel, E.; Delaire, C.; Peletz, R.; Kisiangani, J.; Rinehold, A.; De France, J.; Sutherland, D.; Khush, R. Measuring the Impacts of Water Safety Plans in the Asia-Pacific Region. Int. J. Environ. Res. Public Health 2018, 15, 1223–1241, doi:10.3390/ijerph15061223.
- 45. WHO. Europe Costing and Financing of Small-Scale Water Supply and Sanitation Services; WHO Regional Office for Europe: Copenhagen, Denmark, 2020.
- Jimenez, A. RWSN Webinar Series-Water Supply in Rural Areas: The Right to Regulated and Sustainable Services, Online. Available online: https://www.rural-water-supply.net/en/resources/details/939 (accessed on 13 October 2020).
- McKie, A.; Colbourne, J.; Bartram, J.; Clarke, B.; Theobalds, A. Framework for Drinking-Water Safety in Saint Lucia A Water Safety Plan Approach. 2006. Available online: https://wedcknowledge.lboro.ac.uk/resources/conference/32/McKie.pdf (accessed on 5 February 2020).
- WHO Western Pacific Region, WHO South East Asia Region, Australian Government & AusAid Bhutan: Water Safety Plan. 2011. Available online: https://wsportal.org/wp-content/uploads/sites/3/2016/04/4-Bhutan.pdf-1-nov-2011.pdf (accessed on 30 March 2020).
- Wallemacq, P.; House, R. Economic Losses, Poverty & Disasters: 1998–2017, 2018. Available online: https://www.undrr.org/publication/economic-losses-poverty-disasters-1998-2017 (accessed on 14 April 2020).
- 50. MacDonald, A.M.; Bell, R.A.; Kebede, S.; Azagegn, T.; Yehualaeshet, T.; Pichon, F.; Young, M.; McKenzie, A.A.; Lapworth, D.J.; Black, E.; et al. Groundwater and resilience to drought in the Ethiopian Highlands.

Environ. Res. Lett. 2019, 14, 095003.

- Rickert, B.; van den Berg, H.; Bekure, K.; Girma, S.; de Roda Husman, A. Including aspects of climate change into water safety planning: Literature review of global experience and case studies from Ethiopian urban supplies. Environ. Health 2019, 222, 744–755, doi:10.1016/j.ijheh.2019.05.007.
- 52. Morrison, A.; Polisena, J.; Husereau, D.; Moutlon, K.; Clark, M.; Fiander, M.; Mierzwinski-Urban, M.; Clifford, T.; Hutton, B.; Rabb, D. The effect of English-language restriction on systematic review-based meta-analysis: A systematic review of empirical studies. Int. J. Tehcnol. Assess. Health Care 2012, 28, 138–144, doi:10.1017/S0266462312000086.

Retrieved from https://encyclopedia.pub/entry/history/show/9469