Physical Properties of Helium and Application in Respiratory Care

Subjects: Respiratory System Contributor: Eric Chappel

Helium is a low-density, inert, monoatomic gas that is widely used in medical applications. In respiratory care, Helium is mainly used as an adjunct therapy for patients with severe upper airway obstruction and asthma. To better understand the action mechanism of helium, the physical properties of several therapeutic gas mixtures with helium are calculated using kinetic theory. Flow in a simplified lung airways model is also shown to support the discussion of helium's respiratory benefits, including reduced work of breathing.

helium physical properties kinetic theory medical gases airway resistance

work of breathing

respiratory care

Helium is a noble gas that is used in a variety of applications. As the coldest liquefied gas, liquid helium makes it ideally suited in cryogenics, notably in the cooling of superconducting magnets in MRI (magnetic resonance imaging) scanners and NMR (nuclear magnetic resonance) spectrometers ^[1]. In gaseous form, helium has several industrial applications as a shielding gas during welding [2], a purge and pressurization gas [3], in leak detection [4], as a non-reactive carrier gas used in chromatography ^[5], and in semiconductor and optical fiber production ^[6]. Helium is also well known for its use as a lifting gas in balloons and blimps or in components of deep-diving breathing mixtures. As early as 1926, Sayers and Yant pointed out that the low solubility of helium compared to nitrogen could reduce the formation of gas bubbles and therefore decompression accidents among deep-sea divers $[\underline{I}]$. In the medicine practice $[\underline{B}]$, helium is used in microscopy $[\underline{9}]$, radiology $[\underline{10}]$, and surgery $[\underline{11}]$, and it also has other promising applications in cardiology $\begin{bmatrix} 12 \end{bmatrix}$ and neurology $\begin{bmatrix} 13 \end{bmatrix}$. However, the subject that has attracted a great deal of interest relates to the physiological benefits of breathing a mixture of helium and oxygen in patients suffering from severe upper airway obstruction and asthma. Helium was indeed considered a therapeutic gas from the 1930s due to its inert nature and its lightness compared to oxygen and nitrogen ^[14]. The respiratory care applications of helium capitalize on the unique properties of helium, which are examined in detail in this paper in relation to respiratory mechanics, and particular attention is paid to the several misconceptions about its viscosity and hypothetical hypothermic properties. A simple lung airways model based on pipe flow equations is also used to review the benefits of using helium mixtures as a function of the Reynolds number.

References

1. Van Sciver, S.W.; Timmerhaus, K.D.; Clark, A.F. Helium Cryogenics; Springer: New York, NY, USA, 2012.

- 2. Palani, P.K.; Murugan, N. Selection of parameters of pulsed current gas metal arc welding. J. Mater. Process. Technol. 2006, 172, 1–10.
- 3. Nagai, H.; Noda, K.; Yamazaki, I.; Mori, T. Status of H-II rocket first stage propulsion system. J. Propuls. Power 1992, 8, 313–319.
- Reich, G. Leak detection with tracer gases; sensitivity and relevant limiting factors. Vacuum 1987, 37, 691–698.
- Beenaker, C.I.M. Evaluation of a microwave-induced plasma in helium at atmospheric pressure as an element-selective detector for gas chromatography. Spectrochim. Acta Part. B At. Spectrosc. 1977, 32, 173–187.
- Häussinger, P.; Glatthaar, R.; Rhode, W.; Kick, H.; Benkmann, C.; Weber, J.; Wunschel, H.J.; Stenke, V.; Leicht, E.; Stenger, H. Noble gases. In Ullmann's Encyclopedia of Industrial Chemistry; Verlag Chemie: Hoboken, NJ, USA, 2000.
- 7. Sayers, R.R.; Yant, W.P. The Value of Helium-Oxygen Atmosphere in Diving and Caisson Operations. Anesth. Analg. 1926, 5, 127–138.
- 8. Berganza, C.J.; Zhang, J.H. The role of helium gas in medicine. Med. Gas Res. 2013, 3, 18–24.
- Postek, M.T.; Vladar, A.E.; Kramar, J.; Stern, L.A.; Notte, J.; McVey, S. Helium ion microscopy: A new technique for semiconductor metrology and nanotechnology. In AIP Conference Proceedings; American Institute of Physics: New York, NY, USA, 2007; Volume 931, pp. 161–167.
- 10. Bouchiat, M.A.; Carver, T.R.; Varnum, C.M. Nuclear polarization in He3 gas induced by optical pumping and dipolar exchange. Phys. Rev. Lett. 1960, 5, 373–375.
- Yang, X.; Cheng, Y.; Cheng, N.; Gong, J.; Bai, L.; Zhao, L.; Deng, Y. Gases for establishing pneumoperitoneum during laparoscopic abdominal surgery. Cochrane Database Syst. Rev. 2022, 3.
- 12. Oei, G.T.; Weber, N.C.; Hollmann, M.W.; Preckel, B. Cellular effects of helium in different organs. J. Am. Soc. Anesthesiol. 2010, 112, 1503–1510.
- 13. Dickinson, R.; Franks, N.P. Bench-to-bedside review: Molecular pharmacology and clinical use of inert gases in anesthesia and neuroprotection. Crit. Care 2010, 14, 229.
- 14. Barach, A.L.; Eckman, M. The Use of Helium as a New Therapeutic Gas. Curr. Res. Anesth. Analg. 1935, 14, 210–215.

Retrieved from https://encyclopedia.pub/entry/history/show/115443