

# Magnesium and Stress

Subjects: Nutrition & Dietetics

Contributor: Lionel Noah

Magnesium deficiency and stress are both common conditions among the general population, which, over time, can increase the risk of health consequences. Clinical and pre-clinical evidence suggest that stress could increase magnesium loss, causing a deficiency; and in turn, magnesium deficiency could enhance the body's susceptibility to stress, resulting in a magnesium and stress vicious circle.

Keywords: stress ; magnesium ; hypomagnesemia ; magnesium deficiency ; vicious circle ; dietary intake ; magnesium supplementation

---


## 1. Introduction

Stress and magnesium deficiency are common health conditions among the general population<sup>[1][2]</sup>. Interestingly, clinical symptoms of magnesium deficiency and stress are very similar, notably fatigue, anxiety, irritability, nervousness, muscle cramps, gastrointestinal spasms and headache <sup>[3][4]</sup>. Of note, low magnesium status has been associated with stressful conditions, and conversely, chronic exposure to stressful stimuli results in magnesium loss <sup>[5]</sup>. This bidirectional cause-effect relationship between magnesium and stress was first described in the early 1990s <sup>[5][6]</sup> and referred to as the vicious circle. Nowadays, considerable pre-clinical and clinical evidence support the beneficial effect of magnesium supplementation in different types of stress.

## 2. Magnesium: biological role and homeostasis

Magnesium is an essential micronutrient for humans <sup>[7]</sup> involved in almost all major metabolic and biochemical processes (**Figure 1**), and acting as a cofactor in hundreds of enzymatic reactions <sup>[8]</sup>. About 50–60% of body magnesium is stored in the bones, with the remainder distributed in soft tissues such as muscles <sup>[9][10]</sup> and the brain <sup>[11][12]</sup>. Only 1% of the total magnesium is extracellular and 0.3% of this circulates in serum <sup>[13]</sup>. In clinical practice, normal serum magnesium values are considered to be within the 0.7–1.0 mmol/L range <sup>[14]</sup>. Magnesium deficiency is generally defined when serum concentrations drop below 0.7 mmol/L <sup>[15]</sup>.

Magnesium homeostasis is tightly regulated and relies on the dynamic balance between intestinal absorption, kidney excretion and bone storage (**Figure 1**) <sup>[16]</sup>. However, chronic latent magnesium deficiency (serum levels <0.85 mmol/L) may occur despite normal magnesium levels in serum and remain undetected (non-specific symptoms) with a potential long-term impact on health <sup>[7][17]</sup>.



**Figure 1.** Magnesium homeostasis. Figure adapted from Jahnen-Dechent, 2012 [17].

Among the factors contributing to magnesium deficiency (e.g. lifestyle; some medicines; pathological conditions), clinical evidence also suggest that chronic stress may cause magnesium loss [18][19][20][21]. A recent study found that nearly half (~44%) of the subjects screened for stress had chronic latent magnesium deficiency [22].

In addition, multiple studies have consistently shown that the dietary intake of magnesium is often inadequate and does not reach the recommended dietary allowances (**Table 1**) [3][23][24][25] across different countries worldwide [26][27][28]. This trend is further increased by the consumption of processed food typical of Western diets, with magnesium being depleted by up to 80–90% [3][15].

**Table 1.** Current magnesium recommended daily allowance across countries.

Country	Magnesium, mg/day	
	Men	Women
Italy [29]	240	240
Russia [30]	300	300
Japan [31]	320–340	220–230
Poland [32]	400–420	310–320
USA and Canada [33]	400–420	310–320
France [34]	420	360

Values shown refer to adult population only (≥19 years).

### 3. Stress and interaction with magnesium status

Stress is considered as an ongoing and adaptive system that enables an individual to assess, cope and predict constantly changing conditions. However, the capacity of this stress system is limited and can be overloaded, resulting in poor health outcomes, particularly those related to mental illness like depression or cognitive deficits [35]. The hypothalamic-pituitary-adrenal (HPA) axis and the autonomic nervous system, comprising of sympathetic nervous system (SNS) and parasympathetic nervous system (PSN), have been identified as the mediators of the so-called “neurobiological stress model” [36][37][38]. In this model, important mediators like catecholamines (released from the sympathetic nerves and the adrenal medulla), together with the glucocorticoids (mainly cortisol, released from the adrenal cortex) regulate the stress response [36][37]. Cortisol also interacts with the serotonergic pathway and modulates the release of serotonin (5-hydroxytryptamine or 5-HT) neurotransmitter in response to acute or chronic stressors [39]. In addition to the regulation through feedback mechanisms, the HPA axis is also modulated by other central systems, particularly by the inhibitory action of the  $\gamma$ -aminobutyric acid (GABA), and the excitatory effect of glutamate [40].

The generalized unsafety theory of stress (GUTS) is a new psychological and cognitive theoretical model proposed by Brosschot in 2016 [41] that revises and expands the stress theory. Based on neurobiological and evolutionary evidence, GUTS hypothesizes that stressors are not necessary for a chronic stress response to occur but the perception of an unsafe state is enough. In GUTS, PNS is the key system controlling the stress response (particularly the vagus nerve and the prefrontal cortex activity) [41]

Of note, magnesium interacts with all the stress mediators mentioned above [11][42][43][44] overall serving an inhibitory function in the regulation and central neurotransmission of the stress response (neurobiological model), or by modulating the autonomic nervous system (GUTS model) [45][46][47]

Comprehensively, both pre-clinical and clinical studies’ results point to the bi-directional relationship between magnesium levels and stress: magnesium deficiency can induce symptoms and increase susceptibility to stress, and acute and chronic stress can precipitate magnesium deficiency. Summary of the preclinical and clinical evidence are shown in **Tables 2** and **3**, respectively.

**Table 2.** Summary of the pre-clinical and clinical evidence supporting the impact of stress on magnesium homeostasis.

Evidence of the impact of stress on magnesium homeostasis		
Population tested	Stress stimulus	Impact on magnesium

Pre-clinical	Cats (N=30)	Withdrawal of blood; infusion of catecholamines ; potassium poisoning	↑Blood Mg <sup>[48]</sup>
	Guinea pigs (41)	Noise	↑Serum Mg, ↓Erythrocytes Mg <sup>[49]</sup>
	Rats (88)	Noise	↑Serum Mg, ↓Erythrocytes Mg <sup>[50]</sup>
	Rats	Noise	↓Serum Mg, ↓Erythrocytes Mg <sup>[51]</sup>
	Dogs	Physical exercise, temperature	↓Serum Mg <sup>[52]</sup>
	Rats	Ethanol/Restraint stress	↓Serum Mg <sup>[53]</sup>
	Rats	Cold	↓ Tissue content of Mg <sup>[54]</sup>
Clinical	Sheep	Dietary Mg restriction, cold	↓Plasma Mg <sup>[55]</sup>
	Adults (N=8)	Adrenaline infusion	↓Plasma Mg <sup>[56]</sup>
	Young adults (N=35)	Chronic or sub-chronic psychological stress	↓Plasma Mg <sup>[18]</sup>
	Healthy men (N=16)	Chronic sleep deprivation	↓Erythrocyte Mg <sup>[19]</sup>
	Young adults (N=35)	University exams	↑Urinary Mg <sup>[20]</sup>
	Young adults (N=30)	University exams	↓Erythrocyte Mg <sup>[21]</sup>
	Young adults (N=25)	Noise	↑Urinary Mg ↑Serum Mg <sup>[57]</sup>
	Healthy men (56)	Noise	↑Serum Mg, ↓Erythrocytes Mg; ↑Urinary Mg <sup>[58]</sup>
	Healthy men	Short- and long-term physical exercise	↑Plasma Mg <sup>[59]</sup>

Mg, magnesium.

**Table 3.** Summary of the pre-clinical and clinical evidence supporting magnesium status on stress susceptibility. <sup>a</sup> Only symptoms shown in ≥70% of women at baseline are reported.

## Evidence of the impact of magnesium status on stress susceptibility

	Population tested	Mg status	Stress stimulus	Impact on stress mediator/ stress
Pre-clinical	Rats (N=84)	Mg-deficient	Noise	↑Catecholamines (NA, adrenaline, dopamine) <sup>[60]</sup>
	Mice (N=120)	Mg-deficient	Genetic selection	↑NA <sup>[61]</sup>
	Mice (N=80)	Mg-deficient	Genetic selection; forced swimming test; four-plate test	↑NA <sup>[62]</sup>
	Mice (N=100)	Mg-deficient	Genetic selection; immobilization test	↑Gastric ulcers <sup>[63]</sup>
	Mice (N=20/test)	Dietary Mg restriction	Hyperthermia; open field test; light/dark test; hyponeophagia test	↑CRH; ↑ACTH <sup>[64]</sup>
	Mice	Mg-deficient	Light dark test	Depression-like behaviour <sup>[64][65]</sup>
	Rats	Dietary Mg restriction	Forced swimming test	Depression-like behaviour <sup>[66][67]</sup>
	Rats	Dietary Mg restriction	Open field test	Stress/anxiety <sup>[66][67]</sup>
	Women (N=100)	Mg-deficient	-	Chronic emotional stress; irritability; fatigue; sleep disturbance; headache <sup>a</sup> <sup>[68]</sup>
	Adults (N=264)	Mg-deficient	-	Severe stress <sup>[22]</sup>
Clinical	Adults (N=100)	Mg-deficient	Poor sleep quality	↑CRP <sup>[69]</sup>
	Adults (N=109)	Mg-deficient	-	Depression/anxiety <sup>[70]</sup>

ACTH, adrenocorticotrophic hormone; CRH, corticotrophin-releasing hormone; CRP, C-reactive protein; Mg, magnesium; NA, noradrenaline.

Noteworthy, magnesium supplementation has proven beneficial effects for the treatment of symptoms of psychological daily stress (fatigue, irritability, sleep) <sup>[68]</sup>, magnesium may reduce serum cortisol levels <sup>[71]</sup>, and improve stress relief in people with severe stress <sup>[72]</sup>.

## 4. Proposed model for the vicious circle of stress and magnesium deficiency

In summary, magnesium acts on several key physiological steps involved in the response to stressful stimuli, and also exerts long-term neuroprotective and anti-oxidant effects against stress

- Magnesium and HPA. *5-HT transmission*: Magnesium directly enhances the interaction between 5-HT and its membrane receptor [36], and is also an important cofactor in the synthesis of 5-HT [36]. *Glutamatergic transmission*: Magnesium inhibits the glutamate directly and indirectly by blocking the glutamate N-methyl-D-aspartate (NMDA) receptor and by enhancing its reuptake in the synaptic vesicles [65]. *GABA transmission*: A GABA-agonistic activity of magnesium has been observed, although the mechanism has not yet been elucidated [65]. *Cortisol*: Magnesium indirectly reduces the release of ACTH, therefore decreasing cortisol levels [65].
- Magnesium and neuroprotection. Studies have shown positive impact of magnesium on the expression of brain-derived neurotrophic factor, a growth factor involved in neural development and activity [73][74].
- Magnesium and oxidative stress. Magnesium may be involved in suppressing the production of free radicals in various tissues including the brain [11].

In response to a stressful stimulus, stress hormones are released causing an increase of magnesium extracellular levels [36]. As a consequence, higher magnesium concentrations are excreted through the kidneys [57]. When the stressor persists over time, this mechanism may contribute to magnesium (intracellular) depletion and deficiency [56][65], and trigger the stress and magnesium vicious circle as illustrated in **Figure 2**.

**Figure 2.** The vicious circle of stress and magnesium. GABAA-R, γ-aminobutyric acid-A receptor; Mg, magnesium; NMDA-R, N-methyl-D-aspartate receptor; NA, noradrenaline; SNS, sympathetic nervous system, 5HT-R, 5-hydroxytryptamine receptor.

## 5. Conclusion

To conclude, while there is good evidence from animal and human studies of the bi-directional link between magnesium and stress, further research is needed to better understand the impact of this correlation and the benefit of magnesium supplementation on general health. This research is fundamental to further support adequate magnesium dietary needs, particularly in the stressed population.

---

## References

1. Ronald C. Kessler; Sergio Aguilar-Gaxiola; Jordi Alonso; Somnath Chatterji; Sing Lee; Johan Ormel; T. Bedirhan Üstün; Philip S. Wang; The global burden of mental disorders: An update from the WHO World Mental Health (WMH) Surveys. *Epidemiologia e Psichiatria Sociale* **2009**, 18, 23-33, [10.1017/s1121189x00001421](#).
2. Phuong-Chi T. Pham; Son V. Pham; Jeffrey M. Miller; Hypomagnesemia in Patients with Type 2 Diabetes. *Clinical Journal of the American Society of Nephrology* **2007**, 2, 366-373, [10.2215/cjn.02960906](#).
3. James J DiNicolantonio; James H. O'Keefe; William Wilson; Subclinical magnesium deficiency: a principal driver of cardiovascular disease and a public health crisis. *Open Heart* **2018**, 5, e000668, [10.1136/openhrt-2017-000668](#).
4. [Stress effects on the body](#). American Psychological Association.. Retrieved 2021-1-18
5. M S Seelig; Consequences of magnesium deficiency on the enhancement of stress reactions; preventive and therapeutic implications (a review).. *Journal of the American College of Nutrition* **1994**, 13, 429-446, [10.1080/07315724.1994.10718432](#).
6. L Galland; Magnesium, stress and neuropsychiatric disorders.. *Magnesium and trace elements* **1991**, 10, 287-301, .
7. Rebecca Costello; Taylor C Wallace; Rebecca B Costello; Magnesium. *Advances in Nutrition: An International Review Journal* **2016**, 7, 199-201, [10.3945/an.115.008524](#).
8. Snigdha T. Reddy; Sandeep Soman; Jerry Yee; Magnesium Balance and Measurement. *Advances in Chronic Kidney Disease* **2018**, 25, 224-229, [10.1053/j.ackd.2018.03.002](#).
9. Nutrition And Allergies (Nda) Efsa Panel On Dietetic Products; Scientific Opinion on Dietary Reference Values for magnesium. *EFSA Journal* **2015**, 13, 25, [10.2903/j.efsa.2015.4186](#).
10. Sidsel-Marie Glasdam; Stinne Glasdam; Günther H.J. Peters; The Importance of Magnesium in the Human Body. *Advances in Virus Research* **2016**, 73, 169-193, [10.1016/bs.acc.2015.10.002](#).
11. Ryu Yamanaka; Yutaka Shindo; K. Oka; Magnesium Is a Key Player in Neuronal Maturation and Neuropathology. *International Journal of Molecular Sciences* **2019**, 20, 3439, [10.3390/ijms20143439](#).
12. Mounir Ghabriel; Robert Vink; Magnesium transport across the blood-brain barriers. *Magnesium in the Central Nervous System* **2011**, NA, 59-74, [10.1017/upo9780987073051.004](#).
13. Willi Jahnen-Dechent; Markus Ketteler; Magnesium basics. *Clinical Kidney Journal* **2012**, 5, i3-i14, [10.1093/ndtplus/sfr163](#).
14. L Spätling; H G Classen; W R Külpmann; F Manz; P M Rob; H F Schimatschek; W Vierling; J Vormann; A Weigert; K Wink; et al. [Diagnosing magnesium deficiency. Current recommendations of the Society for Magnesium Research].. *Fortschritte der Medizin. Originalien* **2000**, NA, 49-53, .
15. Jeroen H. F. De Baaij; Joost G. J. Hoenderop; René J. M. Bindels; Magnesium in Man: Implications for Health and Disease. *Physiological Reviews* **2015**, 95, 1-46, [10.1152/physrev.00012.2014](#).
16. Ross, C.A.; Caballero, B.; Cousins, R.J.; Tucker, K.L.; Ziegler, T.R.. *Modern Nutrition in Health and Disease*; Lippincott Williams & Wilkins: Baltimore, 2014; pp. 159-175..
17. Ronald J Elin; Assessment of magnesium status for diagnosis and therapy.. *Magnesium Research* **2010**, 23, 194-198, [10.1684/mrh.2010.0213](#).
18. Ibolja Cernak; V Savic; J Kotur; V Prokic; B Kuljic; D Grbovic; M Veljovic; Alterations in magnesium and oxidative status during chronic emotional stress.. *Magnesium research* **2000**, 13, 29-36, .
19. Kazuhiko Tanabe; Naohiko Osada; Noriyuki Suzuki; Masaru Nakayama; Yasuhiro Yokoyama; Akiko Yamamoto; Misa Oya; Taizo Murabayashi; Masanobu Yamamoto; Kazuto Omiya; et al. Erythrocyte magnesium and prostaglandin dynamics in chronic sleep deprivation. *Clinical Cardiology* **1997**, 20, 265-268, [10.1002/clc.4960200315](#).
20. G Grases; J A Pérez-Castelló; P Sanchis; A Casero; J Perelló; B Isern; E Rigo; F Grases; Anxiety and stress among science students. Study of calcium and magnesium alterations.. *Magnesium research* **2006**, 19, 102-106, .
21. Bonpei Takase; Takashi Akima; Akimi Uehata; Fumitaka Ohsuzu; Akira Kurita; Effect of chronic stress and sleep deprivation on both flow-mediated dilation in the brachial artery and the intracellular magnesium level in humans. *Clinical Cardiology* **2004**, 27, 223-227, [10.1002/clc.4960270411](#).
22. Noah, L.; Pickering, G.; Mazur, A.; Dubray, C.; Hitier, S.; Dualé, C.; Pouteau, E.; Impact of magnesium supplementation, in combination with vitamin B6, on stress and magnesium status: secondary data from a randomised controlled trial. *Magnesium Research Journal*. **2020**, *accepted. in publication* , NA, .
23. Forrest Nielsen; The Problematic Use of Dietary Reference Intakes to Assess Magnesium Status and Clinical Importance. *Biological Trace Element Research* **2018**, 188, 52-59, [10.1007/s12011-018-1573-x](#).

24. Christine Bergman; Darlene Gray-Scott; Jau-Jiin Chen; Susan Meacham; What is Next for the Dietary Reference Intakes for Bone Metabolism Related Nutrients Beyond Calcium: Phosphorus, Magnesium, Vitamin D, and Fluoride?. *Critical Reviews in Food Science and Nutrition* **2009**, 49, 136-144, [10.1080/10408390701764468](https://doi.org/10.1080/10408390701764468).
25. Jürgen Vormann; Magnesium: nutrition and metabolism. *Molecular Aspects of Medicine* **2003**, 24, 27-37, [10.1016/s0098-2997\(02\)00089-4](https://doi.org/10.1016/s0098-2997(02)00089-4).
26. Dana E. King; Arch G. Mainous; Mark E. Geesey; Robert F. Woolson; Dietary Magnesium and C-reactive Protein Levels. *Journal of the American College of Nutrition* **2005**, 24, 166-171, [10.1080/07315724.2005.10719461](https://doi.org/10.1080/07315724.2005.10719461).
27. G. B. M. Mensink; R. Fletcher; M. Gurinovic; I. Huybrechts; L. Lafay; L. Serra-Majem; L. Szponar; I. Tetens; J. Verkaik-Kloosterman; A. Baka; et al. Mapping low intake of micronutrients across Europe. *British Journal of Nutrition* **2013**, 110, 755-773, [10.1017/s000711451200565x](https://doi.org/10.1017/s000711451200565x).
28. Agence nationale de sécurité sanitaire de l'alimentation de l'environnement et du travail (ANSES). AVIS de l'ANSES du 13 mars 2015 relatif à l'évaluation des apports en vitamines et minéraux issus de l'alimentation non enrichie, de l'alimentation enrichie et des compléments alimentaires dans la population française : estimation des apports usuels, des prévalences d'inadéquation et des risques de dépassement des limites de sécurité (Saisine n°2012-SA-0142). ANSES, Ed. 2015.
29. Società Italiana di Nutrizione Umana-SINU. LARN – Livelli di assunzione di riferimento per la popolazione italiana: MINERALI. Assunzione raccomandata per la popolazione (PRI in grassetto) e assunzione adeguata (AI in corsivo): valori su base giornaliera. Available online: <https://sinu.it/2019/07/09/minerali-assunzione-raccomandata-per-la-popolazione-pri-e-assunzione-adeguataai/>
30. Tutel'ian, V.A. Norms of physiological requirements in energy and nutrients in various groups of population in Russian Federation. *Vopr Pitan* 2009, 78, 4-15.
31. Ministry of Health Labour and Welfare. Dietary Reference Intakes for Japanese (2015). Office, J.G.P., Ed. 2015.
32. Jarosz M. Nutritional guidelines for the Polish population. National Food and Nutrition Institute, Ed. National Food and Nutrition Institute, Warsaw, 2017.
33. Standing Committee on the Scientific Evaluation of Dietary Reference Intakes Institute of Medicine. Dietary reference intakes for calcium, phosphorus, magnesium, vitamin D, and fluoride. In Dietary Reference Intakes for Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride, Washington, D.N.A.P., Ed. The National Academies Press: 1997; pp. 190-249
34. Avis de l'ANSES. Actualisation des repères du PNNS: élaboration des références nutritionnelles. (ANSES), Ed. 2016.
35. Bruce S. McEwen; Huda Akil; Revisiting the Stress Concept: Implications for Affective Disorders. *The Journal of Neuroscience* **2020**, 40, 12-21, [10.1523/jneurosci.0733-19.2019](https://doi.org/10.1523/jneurosci.0733-19.2019).
36. Vink, R., Nechifor, M., Magnesium in the central nervous system: Chapter 19; University of Adelaide Press: Adelaide, 2011; pp. na.
37. George Chrousos; Stress and disorders of the stress system. *Nature Reviews Endocrinology* **2009**, 5, 374-381, [10.1038/nrendo.2009.106](https://doi.org/10.1038/nrendo.2009.106).
38. Bruce S. McEwen; Protective and Damaging Effects of Stress Mediators. *New England Journal of Medicine* **1998**, 338, 171-179, [10.1056/nejm199801153380307](https://doi.org/10.1056/nejm199801153380307).
39. Laurence Lanfumey; Raymond Mongeau; Charles Cohen-Salmon; Michel Hamon; Corticosteroid-serotonin interactions in the neurobiological mechanisms of stress-related disorders. *Neuroscience & Biobehavioral Reviews* **2008**, 32, 1174-1184, [10.1016/j.neubiorev.2008.04.006](https://doi.org/10.1016/j.neubiorev.2008.04.006).
40. James P. Herman; Nancy K. Mueller; Helmer Figueiredo; Role of GABA and Glutamate Circuitry in Hypothalamo-Pituitary-Adrenocortical Stress Integration. *Annals of the New York Academy of Sciences* **2004**, 1018, 35-45, [10.1196/annals.1296.004](https://doi.org/10.1196/annals.1296.004).
41. Jos F. Brosschot; Bart Verkuil; Julian F. Thayer; The default response to uncertainty and the importance of perceived safety in anxiety and stress: An evolution-theoretical perspective. *Journal of Anxiety Disorders* **2016**, 41, 22-34, [10.1016/j.janxdis.2016.04.012](https://doi.org/10.1016/j.janxdis.2016.04.012).
42. Bartłomiej Pochwat; Bernadeta Szewczyk; Magdalena Sowa-Kućma; Agata Siwek; Urszula Doboszewska; Wojciech Piękoszewski; Piotr Gruca; Mariusz Papp; Gabriel Nowak; Antidepressant-like activity of magnesium in the chronic mild stress model in rats: alterations in the NMDA receptor subunits. *The International Journal of Neuropsychopharmacology* **2013**, 17, 393-405, [10.1017/s1461145713001089](https://doi.org/10.1017/s1461145713001089).
43. Robert Vink; Magnesium in the CNS: recent advances and developments.. *Magnesium Research* **2016**, 29, 95-101, [10.1684/mrh.2016.0408](https://doi.org/10.1684/mrh.2016.0408).



44. Anastasia A. Zheltova; Maria V. Kharitonova; Igor Iezhitsa; Alexander A. Spasov; Magnesium deficiency and oxidative stress: an update. *BioMedicine* **2016**, 6, 20, [10.7603/s40681-016-0020-6](#).
45. G. G. Somjen; E. N. Baskerville; Effect of Excess Magnesium on Vagal Inhibition and Acetylcholine Sensitivity of the Mammalian Heart in situ and in vitro. *Nature* **1968**, 217, 679-680, [10.1038/217679a0](#).
46. N Toda; T C West; Interaction between Na, Ca, Mg, and vagal stimulation in the S-A node of the rabbit. *American Journal of Physiology-Legacy Content* **1967**, 212, 424-430, [10.1152/ajplegacy.1967.212.2.424](#).
47. Yoshinobu Murasato; Yuji Harada; Masaharu Ikeda; Yasuhide Nakashima; Yoshiaki Hayashida; Effect of Magnesium Deficiency on Autonomic Circulatory Regulation in Conscious Rats. *Hypertension* **1999**, 34, 247-252, [10.1161/01.hyp.34.2.247](#).
48. H.-G. Classen; P. Marquardt; M. Späth; K.-A. Schumacher; Hypermagnesemia Following Exposure to Acute Stress. *Pharmacology* **1971**, 5, 287-294, [10.1159/000136201](#).
49. H. Ising; M. Handrock; R. Fischer; M. Dombrowski; Increased noise trauma in guinea pigs through magnesium deficiency. *European Archives of Oto-Rhino-Laryngology* **1982**, 236, 139-146, [10.1007/bf00454034](#).
50. Z. Joachims; W Babisch; H Ising; T Günther; M Handrock; Dependence of noise-induced hearing loss upon perilymph magnesium concentration. *The Journal of the Acoustical Society of America* **1983**, 74, 104-108, [10.1121/1.389726](#).
51. Ising, H.; Interaction of noise-induced stress and Mg decrease. *Artery* **1981**, 9, 205-211, .
52. Izumi Ando; Kaoru Karasawa; Shinichi Yokota; Takao Shioya; Hiroshi Matsuda; Akane Tanaka; Analysis of serum magnesium ions in dogs exposed to external stress: A pilot study. *Open Veterinary Journal* **2017**, 7, 367-374, [10.4314/ovj.v7i4.13](#).
53. Farzana Yasmin; Darakhshan J Haleem; M A Haleem; Effects of repeated restraint stress on serum electrolytes in ethanol-treated and water-treated rats.. *pakistan journal of pharmaceutical sciences* **2007**, 20, 51-55, .
54. O. Héroux; D. Peter; A. Heggteit; Long-term Effect of Suboptimal Dietary Magnesium on Magnesium and Calcium Contents of Organs, on Cold Tolerance and on Lifespan, and its Pathological Consequences in Rats. *The Journal of Nutrition* **1977**, 107, 1640-1652, [10.1093/jn/107.9.1640](#).
55. Yoshiaki Terashima; Ray E. Tucker; Lawrence E. Deetz; Robert M. DeGregorio; Russell B. Munfiring; George E. Mitchell; Plasma Magnesium Levels as Influenced by Cold Exposure in Fed or Fasted Sheep. *The Journal of Nutrition* **1982**, 112, 1914-1920, [10.1093/jn/112.10.1914](#).
56. Kenneth F. Whyte; George J. Addis; Robert Whitesmith; John L. Reid; Adrenergic control of plasma magnesium in man. *Clinical Science* **1987**, 72, 135-138, [10.1042/cs0720135](#).
57. F Mocci; P. Canalis; P A Tomasi; F. Casu; S. Pettinato; The effect of noise on serum and urinary magnesium and catecholamines in humans.. *Occupational Medicine* **2001**, 51, 56-61, [10.1093/occmed/51.1.56](#).
58. H. Ising; D. Dienel; T Günther; B. Markert; Health effects of traffic noise. *International Archives of Occupational and Environmental Health* **1980**, 47, 179-190, [10.1007/bf00716376](#).
59. H. Joborn; G. Åkerström; S. Ljunghall; EFFECTS OF EXOGENOUS CATECHOLAMINES AND EXERCISE ON PLASMA MAGNESIUM CONCENTRATIONS. *Clinical Endocrinology* **1985**, 23, 219-226, [10.1111/j.1365-2265.1985.tb00217.x](#).
60. Joan Caddell; Rose Kupiecki; Deborah L. Proxmire; Paul Satoh; Bruce Hutchinson; Plasma Catecholamines in Acute Magnesium Deficiency in Weanling Rats. *The Journal of Nutrition* **1986**, 116, 1896-1901, [10.1093/jn/116.10.1896](#).
61. Amyard, N.; Leyris, A.; Monier, C.; Francès, H.; Boulu, R.G.; Henrotte, J.G. Brain catecholamines, serotonin and their metabolites in mice selected for low (MGL) and high (MGH) blood magnesium levels. *Magnesium research* 1995, 8, 5-9.
62. Jean G Henrotte; Gisèle Franck; Monique Santarromana; Henriette Francès; Denise Mouton; Roland Motta; Mice Selected for Low and High Blood Magnesium Levels: A New Model for Stress Studies. *Physiology & Behavior* **1997**, 61, 653-658, [10.1016/s0031-9384\(96\)00506-9](#).
63. Jean G Henrotte; Nicole Aymard; Monique Allix; Roger Boulu; Effect of Pyridoxine and Magnesium on Stress-Induced Gastric Ulcers in Mice Selected for Low or High Blood Magnesium Levels. *Annals of Nutrition and Metabolism* **1995**, 39, 285-290, [10.1159/000177874](#).
64. S.B. Sartori; N. Whittle; A. Hetzenauer; N. Singewald; Magnesium deficiency induces anxiety and HPA axis dysregulation: Modulation by therapeutic drug treatment. *Neuropharmacology* **2012**, 62, 304-312, [10.1016/j.neuropharm.2011.07.027](#).
65. H. Murck; Magnesium and Affective Disorders. *Nutritional Neuroscience* **2002**, 5, 375-389, [10.1080/1028415021000039194](#).

66. Spasov, A.A.; Iezhitsa, I.N.; Kharitonova, M.V.; Kravchenko, M.S. Depression-like and anxiety-related behaviour of rats fed with magnesium-deficient diet. *Zh Vyssh Nerv Deiat Im I P Pavlova* 2008, 58, 476-485.
67. Iezhitsa, I.N.; Spasov, A.A.; Kharitonova, M.V.; Kravchenko, M.S. Effect of magnesium chloride on psychomotor activity, emotional status, and acute behavioural responses to clonidine, d-amphetamine, arecoline, nicotine, apomorphine, and L-5-hydroxytryptophan. *Nutr Neurosci* 2011, 14, 10-24, doi:10.1179/174313211x12966635733277.
68. Akarachkova, E. The role of magnesium deficiency in the formation of clinical manifestation of stress in women *Problems of women health* 2013, 8.
69. Forrest H Nielsen; LuAnn Johnson; Huawei Zeng; Magnesium supplementation improves indicators of low magnesium status and inflammatory stress in adults older than 51 years with poor quality sleep.. *Magnesium Research* **2011**, 23, 172-176, [10.1684/mrh.2010.0220](https://doi.org/10.1684/mrh.2010.0220).
70. Adrienne K. Forsyth; Peter G. Williams; Frank P. Deane; Nutrition status of primary care patients with depression and anxiety. *Australian Journal of Primary Health* **2012**, 18, 172-176, [10.1071/py11023](https://doi.org/10.1071/py11023).
71. Dušanka Zogović; Vesna Pešić; Gordana Dmitrašinović; Marijana Dajak; Bosiljka Plečaš; Bojan Batinić; Dejana Popović; Svetlana Ignjatovic; Pituitary-Gonadal, Pituitary-Adrenocortical Hormones and IL-6 Levels Following Long-Term Magnesium Supplementation in Male Students. *Journal of Medical Biochemistry* **2014**, 33, 291-298, [10.2478/jomb-2014-0016](https://doi.org/10.2478/jomb-2014-0016).
72. Etienne Pouteau; Marmar Kabir-Ahmadi; Lionel Noah; Andre Mazur; Louise Dye; Juliane Hellhammer; Gisele Pickering; Claude DuBray; Superiority of magnesium and vitamin B6 over magnesium alone on severe stress in healthy adults with low magnesemia: A randomized, single-blind clinical trial. *PLoS ONE* **2018**, 13, e0208454, [10.1371/journal.pone.0208454](https://doi.org/10.1371/journal.pone.0208454).
73. Nashat Abumaria; Bin Yin; Ling Zhang; Xiang-Yao Li; Tao Chen; Giannina Descalzi; Liangfang Zhao; Matae Ahn; Lin Luo; Chen Ran; et al. Effects of Elevation of Brain Magnesium on Fear Conditioning, Fear Extinction, and Synaptic Plasticity in the Infralimbic Prefrontal Cortex and Lateral Amygdala. *The Journal of Neuroscience* **2011**, 31, 14871-14881, [10.1523/jneurosci.3782-11.2011](https://doi.org/10.1523/jneurosci.3782-11.2011).
74. Bartłomiej Pochwat; Magdalena Sowa-Kućma; Katarzyna Kotarska; Paulina Misztakk; Gabriel Nowak; Bernadeta Szewczyk; Antidepressant-like activity of magnesium in the olfactory bulbectomy model is associated with the AMPA/BDNF pathway. *Psychopharmacology* **2014**, 232, 355-367, [10.1007/s00213-014-3671-6](https://doi.org/10.1007/s00213-014-3671-6).
75. Adrienne K. Forsyth; Peter G. Williams; Frank P. Deane; Nutrition status of primary care patients with depression and anxiety. *Australian Journal of Primary Health* **2012**, 18, 172-176, [10.1071/py11023](https://doi.org/10.1071/py11023).

---

Retrieved from <https://encyclopedia.pub/entry/history/show/15577>