# **Amelogenesis Imperfecta**

Subjects: Genetics & Heredity Contributor: Catherine Yang

Amelogenesis imperfecta is a disorder of tooth development. This condition causes teeth to be unusually small, discolored, pitted or grooved, and prone to rapid wear and breakage. Other dental abnormalities are also possible. These defects, which vary among affected individuals, can affect both primary (baby) teeth and permanent (adult) teeth.

Keywords: genetic conditions

# 1. Introduction

Researchers have described at least 14 forms of amelogenesis imperfecta. These types are distinguished by their specific dental abnormalities and by their pattern of inheritance. Additionally, amelogenesis imperfecta can occur alone without any other signs and symptoms or it can occur as part of a syndrome that affects multiple parts of the body.

## 2. Frequency

The exact incidence of amelogenesis imperfecta is uncertain. Estimates vary widely, from 1 in 700 people in northern Sweden to 1 in 14,000 people in the United States.

## 3. Causes

Mutations in the *AMELX*, *ENAM*, *MMP20*, and *FAM83H* genes can cause amelogenesis imperfecta. The *AMELX*, *ENAM*, and *MMP20* genes provide instructions for making proteins that are essential for normal tooth development. Most of these proteins are involved in the formation of enamel, which is the hard, calcium-rich material that forms the protective outer layer of each tooth. Although the function of the protein produced from the *FAM83H* gene is unknown, it is also believed to be involved in the formation of enamel. Mutations in any of these genes result in altered protein structure or prevent the production of any protein. As a result, tooth enamel is abnormally thin or soft and may have a yellow or brown color. Teeth with defective enamel are weak and easily damaged.

Mutations in the genes described above account for only about half of all cases of the condition, with *FAM83H* gene mutations causing the majority of these cases. In the remaining cases, the genetic cause has not been identified. Researchers are working to find mutations in other genes that are involved in this disorder.

#### 3.1. The genes associated with Amelogenesis imperfecta

- AMELX
- ENAM
- FAM83H
- LAMB3
- MMP20

#### 3.2. Additional Information from NCBI Gene:

- ITGB6
- KLK4
- ODAPH

- SLC24A4
- WDR72

# 4. Inheritance

Amelogenesis imperfecta can have different inheritance patterns depending on the gene that is altered. Many cases are caused by mutations in the *FAM83H* gene and are inherited in an autosomal dominant pattern. This type of inheritance means one copy of the altered gene in each cell is sufficient to cause the disorder. Some cases caused by mutations in the *ENAM* gene also have an autosomal dominant inheritance pattern.

Amelogenesis imperfecta can also be inherited in an autosomal recessive pattern; this form of the disorder can result from mutations in the *ENAM* or *MMP20* gene. Autosomal recessive inheritance means two copies of the gene in each cell are altered. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

About 5 percent of amelogenesis imperfecta cases are caused by mutations in the *AMELX* gene and are inherited in an X-linked pattern. A condition is considered X-linked if the mutated gene that causes the disorder is located on the X chromosome, one of the two sex chromosomes. In most cases, males with X-linked amelogenesis imperfecta experience more severe dental abnormalities than females with this form of this condition.

Other cases of amelogenesis imperfecta result from new gene mutations and occur in people with no history of the disorder in their family.

## 5. Other Names for This Condition

- Al
- congenital enamel hypoplasia

#### References

- 1. Aldred MJ, Savarirayan R, Crawford PJ. Amelogenesis imperfecta: aclassification and catalogue for the 21st century. O ral Dis. 2003 Jan;9(1):19-23.Review.
- 2. Chan HC, Estrella NM, Milkovich RN, Kim JW, Simmer JP, Hu JC. Target geneanalyses of 39 amelogenesis imperfecta kindreds. Eur J Oral Sci. 2011 Dec;119Suppl 1:311-23. doi: 10.1111/j.1600-0722.2011.00857.x.
- Gasse B, Karayigit E, Mathieu E, Jung S, Garret A, Huckert M, Morkmued S, Schneider C, Vidal L, Hemmerlé J, Sire J Y, Bloch-Zupan A. Homozygous and compoundheterozygous MMP20 mutations in amelogenesis imperfecta. J Dent Re s. 2013Jul;92(7):598-603. doi: 10.1177/0022034513488393.
- 4. Hart TC, Hart PS, Gorry MC, Michalec MD, Ryu OH, Uygur C, Ozdemir D, FiratliS, Aren G, Firatli E. Novel ENAM muta tion responsible for autosomal recessiveamelogenesis imperfecta and localised enamel defects. J Med Genet. 2003De c;40(12):900-6.
- 5. Hu JC, Chan HC, Simmer SG, Seymen F, Richardson AS, Hu Y, Milkovich RN, Estrella NM, Yildirim M, Bayram M, Che n CF, Simmer JP. Amelogenesis imperfecta intwo families with defined AMELX deletions in ARHGAP6. PLoS One.201 2;7(12):e52052. doi: 10.1371/journal.pone.0052052.
- 6. Kim JW, Seymen F, Lin BP, Kiziltan B, Gencay K, Simmer JP, Hu JC. ENAMmutations in autosomal-dominant ameloge nesis imperfecta. J Dent Res. 2005Mar;84(3):278-82.
- 7. Kim JW, Simmer JP, Hu YY, Lin BP, Boyd C, Wright JT, Yamada CJ, Rayes SK, Feigal RJ, Hu JC. Amelogenin p.M1T an d p.W4S mutations underlying hypoplasticX-linked amelogenesis imperfecta. J Dent Res. 2004 May;83(5):378-83.
- 8. Lee SK, Lee KE, Jeong TS, Hwang YH, Kim S, Hu JC, Simmer JP, Kim JW. FAM83Hmutations cause ADHCAI and alte r intracellular protein localization. J Dent Res. 2011 Mar;90(3):377-81. doi: 10.1177/0022034510389177.
- 9. Nusier M, Yassin O, Hart TC, Samimi A, Wright JT. Phenotypic diversity andrevision of the nomenclature for autosomal recessive amelogenesis imperfecta. Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2004 Feb;97(2):220-30.
- 10. Wright JT, Torain M, Long K, Seow K, Crawford P, Aldred MJ, Hart PS, Hart TC. Amelogenesis imperfecta: genotype-ph enotype studies in 71 families. Cells TissuesOrgans. 2011;194(2-4):279-83. doi: 10.1159/000324339.

11. Wright JT. The molecular etiologies and associated phenotypes of amelogenesis imperfecta. Am J Med Genet A. 2006 Dec 1;140(23):2547-55. Review.

Retrieved from https://encyclopedia.pub/entry/history/show/11083