


Zika Virus

Created by:  Marciano Paes
 Revised by: Kíssila Rabelo
 Version received: 20 May 2020



Zika virus (ZIKV) is an emergent arthropod-borne virus whose outbreak in Brazil has brought major public health problems. Infected individuals have different symptoms, including rash and pruritus, which can be relieved by the administration of antiallergics. In the case of pregnant women, ZIKV can cross the placenta and infect the fetus leading to congenital defects. We have identified that mast cells in the placentae of patients who had Zika during pregnancy can be infected. This led to our investigation on the possible role of mast cells during a ZIKV infection, using the HMC-1 cell line. We analyzed their permissiveness to infection, release of mediators and ultrastructural changes. Flow cytometry detection of ZIKV-NS1 expression 24h post infection in 45.3% of cells showed that HMC-1 cells are permissive to ZIKV infection. Following infection, β -hexosaminidase was measured in the supernatant of the cells with a notable release at 30 min. In addition, an increase in TNF- α , IL-6, IL-10 and VEGF levels were measured at 6h and 24h post infection. Lastly, different intracellular changes were observed in an ultrastructural analysis of infected cells. Our findings suggest that mast cells may represent an important source of mediators that can activate other immune cell types during a ZIKV infection, which has the potential to being a major contributor in the spread of the virus in cases of vertical transmission.



Zika fever is an important Arbovirus-caused disease that has surfaced in numerous countries in Asia, Africa and America ^[1]. The etiological agent of this disease, Zika virus (ZIKV), was initially isolated in 1947 from the blood of sentinel Rhesus monkeys during a study on yellow fever transmission in the Zika forest of Uganda, which gave rise to its name ^{[2][3]}. Transmission of the ZIKV is primarily through bites of infected *Aedes* mosquitos, with the most common vectors being *Aedes aegypti* and *Aedes albopictus*, but it can also happen by vertical transmission ^[4]. As a result of vertical transmission, there were alarming cases of Congenital Zika Syndrome, as the virus could cause damage to the placenta, infect placental cells and reach the fetus ^[5]. A ZIKV particle has a diameter of 25–30 nm and is a member of the Flaviviridae family that shares many similarities with other more widely known related viruses such as dengue, West Nile, Japanese encephalitis and yellow fever ^[6]. It has a single-stranded RNA genome with a positive polarity of 11 Kb and encodes a polyprotein precursor that is processed into the structural proteins such as capsid (C), pre-membrane (prM) and envelope (E) along with seven non-structural proteins (NS1, NS2A, NS2B, NS3, NS4A, NS4B and NS5) ^{[7][8]}.

Mast cells are resident immunological cells found abundantly in tissues such as skin, endometrium and placenta that have prominent roles in immunologic reactions [9][10][11]. Their presence and prevalence in these tissues, along with their proximity to blood vessels, predispose these cells to be among the first immune cells that can be infected by ZIKV after a mosquito bite penetrates the skin. As some of the most frequent symptoms of zika are rash and pruritus, which are relieved by the administration of antiallergic drugs (anti-histamines), this has led us to believe that mast cells can play a role, although not yet elucidated, in the pathogenesis of the disease [12][13][14]. We hypothesize that it may be one of the cells involved in placental infections, which can directly contribute to vertical transmission.

Although there are no studies in the literature that have investigated the involvement of mast cells in a ZIKV infection to date, mast cells have a proven role in infections by dengue, another Arbovirus. Several products originating from mast cells are found at high levels in patients infected by dengue, especially those with plasma leakage [15][16]. While mast cells are permissive to dengue infection, it is most probable that they display a low level of the specific receptors required since the quantity of virus necessary to successfully infect this cell type is always higher than is needed for macrophages and dendritic cells [15][17][18].

HMC-1 cells are a lineage of human mast cells that characteristically express the cytokine receptor c-Kit abundantly and release different cytokines after degranulation stimuli. This cell line possesses the features necessary to serve as an in vitro model for the development of studies on mast cells [19]. HMC-1 has been widely used in studies on degranulation studies, endothelial activation and its interaction with other arboviruses [20][21].

References

1. Didier Musso; Albert I. Ko; David Baud; Zika Virus Infection - After the Pandemic.. *New England Journal of Medicine* **2019**, *381*, 1444-1457, 10.1056/NEJMra1808246.
2. Didier Musso; Duane J. Gubler; Zika Virus. *Clinical Microbiology Reviews* **2016**, *29*, 487-524, 10.1128/CMR.00072-15.
3. A.W.R. McCrae; B.G. Kirya; Yellow fever and Zika virus epizootics and enzootics in Uganda. *Transactions of The Royal Society of Tropical Medicine and Hygiene* **1981**, *76*, 552-562, 10.1016/0035-9203(82)90161-4.
4. Helen M. LaZear; Michael S. Diamond; Zika Virus: New Clinical Syndromes and Its Emergence in the Western Hemisphere. *Journal of Virology* **2016**, *90*, 4864-4875, 10.1128/JVI.00252-16.
5. Franciane Mouradian Emidio Teixeira; Anna Julia Pietrobon; Luana De Mendonça Oliveira; Luana Mara Da Silva Oliveira; Maria Notomi Sato; Maternal-Fetal Interplay in Zika Virus Infection and Adverse Perinatal Outcomes.. *Frontiers in Immunology* **2020**, *11*, 175, 10.3389/fimmu.2020.00175.
6. O. Faye; C.C.D.M. Freire; J.V. De Oliveira; P.M.D.A. Zanotto; M. Diallo; A. A. Sall; Molecular evolution of Zika virus during its emergence in the 20th century. *International Journal of Infectious Diseases* **2014**, *21*, 2-3, 10.1016/j.ijid.2014.03.411.
7. Abdelrahman Ibrahim Abushouk; Ahmed Negida; Hussien Ahmed; An updated review of Zika virus. *Journal of Clinical Virology* **2016**, *84*, 53-58, 10.1016/j.jcv.2016.09.012.
8. Thomas J. Chambers; Chang S. Hahn; Ricardo Galler; Charles M. Rice; Flavivirus Genome Organization, Expression, and Replication. *Annual Review of Microbiology* **1990**, *44*, 649-688, 10.1146/annurev.mi.44.100190.003245.
9. R.A.J. Eady; T. Cowen; T.F. Marshall; Valerie Plummer; M.W. Greaves; Mast cell population density, blood vessel density and histamine content in normal human skin. *British Journal of Dermatology* **1979**, *100*, 623-633, 10.1111/j.1365-2133.1979.tb08065.x.
10. Magda Babina; Sven Guhl; Metin Artuc; Neil N. Trivedi; Torsten Zuberbier; Phenotypic variability in human skin mast cells. *Experimental Dermatology* **2016**, *25*, 434-439, 10.1111/exd.12924.
11. Youssef Derbala; Haidy Elazzamy; Mahmood Bilal; Rachel Reed; Maria Dinorah Salazar Garcia; Annie Skariah; Svetlana Dambaeva; Emilio Fernandez; Alfredo Germain; Alice Gilman-Sachs; et al. Kenneth Beaman Joanne Kwak-Kim Mast cell-induced immunopathology in recurrent pregnancy losses.. *American Journal of Reproductive Immunology* **2019**, *82*, e13128, 10.1111/aji.13128.
12. Humberto Guanache Garcell; Francisco Gutiérrez García; Manuel Ramirez Nodal; Alfredo Ruiz Lozano; Carlos R. Pérez Díaz; Anaika González Valdés; Luis Gonzalez Alvarez; Clinical relevance of Zika symptoms in the context of a Zika Dengue epidemic. *Journal of Infection and Public Health* **2020**, *13*, 173-176, 10.1016/j.jiph.2019.07.006.
13. Allison A. Harris; History, Epidemiology, and Clinical Manifestations of Zika: A Systematic Review. *The Journal of Emergency Medicine* **2016**, *51*, 216, 10.1016/j.jemermed.2016.06.035.
14. Ashok Munjal; Rekha Khandia; Kuldeep Dhama; Swati Sachan; Kumaragurubaran Karthik; Ruchi Tiwari; Yashpal S. Malik; Deepak Kumar; Raj K. Singh; Hafiz M.N. Iqbal; et al. Sunil K. Joshi Advances in Developing Therapies to Combat Zika Virus: Current Knowledge and Future Perspectives. *Frontiers in Microbiology* **2017**, *8*, 1469, 10.3389/fmicb.2017.01469.
15. Ayesa Syenina; Cyril J Jagaraj; Siti Ab Aman; Aishwarya Sridharan; Ashley L. St. John; Dengue vascular leakage is augmented by mast cell degranulation mediated by immunoglobulin Fcγ receptors. *eLife* **2015**, *4*, 1-10, 10.7554/eLife.05291.

16. Takahisa Furuta; Lyre Anni Muraio; Nguyen Thi Phuong Lan; Nguyen Tien Huy; Lan Nguyen Thi Phuong; Tran Thi Thuy; Vo Dinh Tham; Cao Thi Phi Nga; Tran Thi Ngoc Ha; Yasukazu Ohmoto; et al. Mihoko Kikuchi Kouichi Morita Michio Yasunami Kenji Hirayama Naohiro Watanabe Association of Mast Cell-Derived VEGF and Proteases in Dengue Shock Syndrome. *PLOS Neglected Tropical Diseases* **2012**, *6*, 1-8, 10.1371/journal.pntd.0001505.
17. Andrea Troupin; Devon Shirley; Berlin Londono; Alan Watson; Cody McHale; Alex Hall; Adam Hartstone-Rose; William B. Klimstra; Gregorio Gomez; Tonya Colpitts; et al. A Role for Human Skin Mast Cells in Dengue Virus Infection and Systemic Spread. *The Journal of Immunology* **2016**, *197*, 4382-4391, 10.4049/jimmunol.1600846.
18. Berlin Londono; Julio C. Marinez-Angarita; Andrea Troupin; Tonya Colpitts; Role of Mast Cells in Dengue Virus Pathogenesis. *DNA and Cell Biology* **2017**, *36*, 423-427, 10.1089/dna.2017.3765.
19. G Nilsson; T Blom; M Kusche-Gullberg; L Kjellén; J H Butterfield; C Sundström; K Nilsson; L Hellman; Phenotypic characterization of the human mast-cell line HMC-1.. *Scandinavian Journal of Immunology* **1994**, *39*, 1-5.
20. David E. Cochrane; Robert E. Carraway; Kimberly Harrington; Melissa Laudano; Stephen A. Rawlings; Ross S. Feldberg; HMC-1 human mast cells synthesize neurotensin (NT) precursor, secrete bioactive NT-like peptide(s) and express NT receptor NTS1. *Inflammation Research* **2011**, *60*, 1139-1151, 10.1007/s00011-011-0378-6.
21. Mark Gilchrist; A. Dean Befus; Interferon- γ regulates chemokine expression and release in the human mast cell line HMC1: role of nitric oxide. *Immunology* **2007**, *123*, 209-217, 10.1111/j.1365-2567.2007.02688.x.

Keywords

Zika virus; mast cells; placenta



© 2020 by the author(s). Distribute under a Creative Commons CC BY license