

Stimuli-Responsive Zinc (II) Coordination Polymers

Subjects: **Polymer Science**

Contributor: Barbara Panunzi

The unique role of the zinc (II) cation prompted us to cut a cross-section of the large and complex topic of the stimuli-responsive coordination polymers (CPs). Due to its flexible coordination environment and geometries, easiness of coordination–decoordination equilibria, “optically innocent” ability to “clip” the ligands in emissive architectures, non-toxicity and sustainability, the zinc (II) cation is a good candidate for building supramolecular smart tools.

zinc (II) coordination polymer

luminescence

sensing

1. Introduction

1.1. Brief Historical Background

The work of Alfred Werner (Nobel Prize for Chemistry in 1913) and his contemporaries laid the foundation for the study of coordination polymers (CPs). The first preparation and application of coordination polymers traces back as far as early 18th century, when German chemists accidentally discovered the Prussian blue dye (empirical formula $\text{Fe}_4[\text{Fe}(\text{CN})_6]_3$). Crystallographic analysis revealed Prussian blue to be a 3D coordination polymer where Fe^{2+} cations are coordinated by the carbon atom of the cyanide ligand that acts as a bridge with Fe^{3+} cations lying in an octahedral N-coordination core. In 1967, J.C. Bailer first introduced the term “coordination polymer”, establishing the constructional requirements and characteristic properties of the CPs as hybrid organic–inorganic materials. More recently, significant advances were due to Professor Richard Robson of the University of Melbourne, who published over 200 articles on coordination polymers and is considered “a pioneer in crystal engineering involving transition metals” [1][2]. Specifically, Robson underlined the unicity of the 3D CPs, where the organic ligands extend up to infinity thanks to the coordination bond even in addition to other non-covalent weak interactions. As a pioneer, Robson perceived the structural uniqueness of the regular tridimensional CPs, which today are considered the “frontier” of hybrid responsive materials.

Many time-honoured materials are now recognized as coordination polymers. From the first work published in 1997 [3] to recent years, there are more than 4000 works focusing on specific photophysical properties and/or applications of the coordination polymers (CPs).

1.2. The Role of the Coordination Bond in the Supramolecular Polymers

The polymers are long-chain molecules (macromolecules) built from individual molecular blocks held together via covalent bonds. Where the covalent bond ends, supramolecular materials begin. Supramolecular chemistry concerns non-covalent interactions between small molecules able to self-assemble into macromolecular aggregates. Di-topic or poly-topic ligands with two or more interactive sites can be employed. The supramolecular interactions range from hydrogen-bonding to electrostatic interactions and coordination bonds. The non-covalent “weak” interactions throughout the frameworks direct the self-assembly of mono, bi or three-dimensional (abbreviated as 1D, 2D or 3D) macrostructures [4][5].

The formation of the coordination bond is the key factor in an eminent number of supramolecular aggregates. In a coordination compound, donor ligands share their electron pairs with a metal atom which is commonly a transition metal cation. Translating this simplified concept to polymers, the coordination polymers (CPs) are solid-state structures consisting of 1, 2 or 3D repeating coordination units arranged in an ordered or not-ordered structural habitus [6][7][8][9].

Coordination polymers in which metal ions and organic ligands are linked into 3D structures with a specific nano- (<2 nm) or meso- (2–50 nm) porous structure resulting from a tridimensional crystalline regularity are often referred as metal-organic frameworks (MOFs). Such functional cavities can be target designed for a selective interaction or entrapment, so that MOFs encompass one of the most sought-after class of hybrid responsive materials [10][11][12][13][14][15]. The properties of the supramolecular CPs are based on the association and functionality of the organic building blocks and/or the metal nodes. Several factors play a role towards the engineering of targeted CPs, including association, shape, size, functionality, and connectivity of building blocks. The dimensionality of the CPs depends on the organization of the building blocks, i.e., the organic ligands, the metal ions, the counter ions, and the solvent molecules. The functionality of the ligands is critical for the development of various weak interactions throughout the framework, which in turn are crucial for the construction and spatial arrangement of the material.

An infinite possibility of structures and functions can be designed and realised to direct the interacting sites to target specific applications. In this context, theoretical analysis has constituted a growing support for the design of targeted structures [16][17][18][19][20][21][22][23][24]. The general idea is to exploit the properties of both the organic part and the inorganic part. Metals can conduct electricity and sometimes show magnetic properties. Metals are also catalysts for a wide range of reactions and undergo complexation–decomplexation equilibria under specific conditions. On the other hand, the organic ligands can provide useful optical properties and undergo intermolecular interactions with specific sites and/or analytes. If the sum of properties can be incorporated into a single hybrid material, it could have all sorts of applications. With the feature of high surface area and porosity, tuneable optical properties, adsorption affinity, magnetic properties, and CPs had been utilized in the field of gas storage [25][26][27][28][29][30][31][32][33][34][35] and separation [36][37][38], chemical sensing [39][40][41][42][43], energy conversion [44][45][46], heterogeneous catalysis [47][48][49], gas and liquid purification and separation [50][51][52], drugs delivery [53][54][55][56][57], data storage and processing, and bioimaging [57][58].

1.3. General Considerations about Chromic Stimuli-Responsive CPs

Stimuli-responsive polymers are often referred to as smart polymers or (generally) functional materials. Their ability to change physical and/or chemical characteristics in response to external stimuli is the result of the specific composition and can be related to de-solvation, ionization, crosslinking, and finally alteration of the inter-/intra-chains interactions [59][60][61][62][63][64][65][66][67]. It is obvious that CPs, as supramolecular self-assembled polymers, are “par excellence” responsive smart materials [68][69][70].

In such materials, thermodynamics and kinetics play complementary roles. Metal-ligand interactions can be thermodynamically stable but also kinetically labile, depending on the metal ion and ligand. The thermodynamic stability of the metal–ligand interactions will determine the degree of polymerization, the architecture, and the dynamics/lifetime of the coordination aggregate. On the other hand, the kinetic lability should result in a “dynamic” macrostructure in continual equilibrium, therefore, being potentially responsive [71]. CPs can easily respond to an external stimulus via a dynamic dissociation/recombination equilibrium of non-covalent interactions. Smart functional CPs are attracting a growing interest within the study of life processes and technological applications. Their intrinsic properties make them ideal candidates for analytical and diagnostic dynamic applications. Stimuli-responsive CPs [12][72][73][74][75] can exhibit changes in a macroscopic property to a specific input, such as light, temperature, physical stress, solvent, analytes, electricity, ionic strength, and pH. The design of tailored stimuli-responsive CPs has attracted significant attention in the past decade due to their stimuli-responsiveness and self-healing ability [76][77][78][79].

As a new frontier in the smart materials research, here, we will focus attention to “chromic” materials. By chromic materials, we mean tools able to produce an optical signal within the visible spectrum detectable in absorbance (colorimetric response) and/or in emission (luminescence response) mode, as a response to an external stimulus. Materials able to emit fluorescence in the visible regions, enabling a chromic naked eye response are commonly referred to as “fluorophores”. In addition to the obvious advantage to produce a naked eye appreciable signal [80], chromic tools can guarantee a real-time, low expensive, and in situ analysis. The high surface areas, tuneable porosity, and tailorable composition of the coordination polymers perfectly matches the requirements of chromic smart tools. According to the kind of stimulus that they respond to, examples of the major kinds of chromism are:

- Thermochromism, which is induced by a change of temperature;
- Mechanochromism, which is induced by a stress in the solid state;
- Electrochromism, which is induced by the gain and loss of electrons;
- Solvatochromism, which is induced by the polarity of different solvents;
- Photochromism, which is induced by light irradiation;
- Chemochromism, which is induced by specific chemical analytes.

Due to their wide responsiveness, chromic smart materials are now applied as sensors [61][81][82][83][84], safety devices [85], information and imaging technology [86][87][88][89][90][91], optoelectronic systems [92][93][94][95], smart windows and optical switches [96][97][98], inkless and erasable printing [99], and catalysis [100].

The versatile group of CPs provides an infinite number of candidates for the new generation of chromic smart materials, with potential applications both in the bulk state and at the molecular level. Particularly relevant is the photoluminescence (PL) performance which benefits from the tunable hybrid structure and electronic properties of CPs [74]. The general mechanism for luminescence in Cps involves in all cases the absorption of a photon (raising an electron from the ground to an excited state) and the subsequent return to the ground state with the emission of a photon [101]. However, the PL active channels involved in CPs' emission can be complex and different for each case. Specifically, PL properties can be due to the organic part but also to host–guest interactions or interactions between interpenetrating frameworks. In addition, in CPs, the luminescence often originates from energy bands rather than from discrete energy levels. Finally, different metal cations can bring about radical changes in the PL pattern of the organic ligands.

PL properties may be critical to biological applications. A biosensor must include a biomolecular interaction able to give rise to an output signal. Biology and nanotechnology both inhabit the same length scale, so that nanosized probes are among the recent advanced tools for sensing of biological relevant entities and/or parameters in medical diagnostic. On the other hand, when materials are reduced to the nanoscale (5–200 nm), their properties can be dramatically altered respect to those observed in bulk. Miniaturization of CPs to the nanoscale offers a unique opportunity to assemble highly customizable functional materials. Responsive nanoscaled coordination polymers (NCPs) marry the tunability of the coordination complexes to the advantages of nanoprobe for an optimal use in sensing, recognition, and diagnosis processes. Specifically, MOF probes with nanosized cavities can meet the intrinsic theranostic properties of specific organic ligands with the biocompatibility and/or low cytotoxicity of the metal. Up to now, they have a unique impact in prospective of drug encapsulation and delivery.


As will be discussed, the tuneable and tailoring absorption and emission properties of the zinc-based CPs make them ideal candidates as both colorimetric and fluorophore smart materials. In the next section the unique role of the zinc (II) cation in the backdrop of the stimuli-responsive CPs will be underlined and discussed.

1.4. The Charming Peculiarity of Zinc Cation

The self-assembly of polydentate ligands and transition metal cations provides endless architectures and infinite behaviours. The construction of CPs with tailored properties and targeted applications is a seething research area. The interest is driven by the impact on the technology and the economy. Technicians and users are addressing the demand to the challenge of sustainability. Alternative cheap “green matter” is gaining traction over toxic and expensive products. The use of zinc cation in building of supramolecular CPs moves in this direction.

From a structural point of view, the d^{10} closed-shell metal ion Zn^{2+} is suited for the construction of varied coordination architectures [102]. Zinc (II) cation can adopt three coordination numbers, i.e., 4, 5, and 6. The energetic cost for hydrated ion to switch among the three coordination numbers is within $0.4 \text{ kcal mol}^{-1}$ in the

gaseous phase. Such ability contributes to the effectiveness of Zn (II) as a catalytic centre easily undergoing coordination–decoordination equilibria depending on the environmental conditions [103]. Due to its flexible coordination environment and geometries, zinc ion can accommodate different structural arrangements such as linear or zigzag chains, ladder, square, rhombic, brick-wall structures, and diamond networks (Scheme 1) [22].



Scheme 1. Relevant topological types of Zn-CPs.

Starting from the mono and bi-dimensional macro-sized CPs employed in sensing of metals, small organic molecules, and environmental pollutants to the highly engineered three-dimensional nano-architectures able to cell permeation, zinc (II) cation can realise limitless combinations of 1D, 2D and 3D polymeric structures [55][56][57][58]. Zinc-based MOFs and nanoprobe are now a significant group of versatile engineered tools for medical diagnostic. They are currently employed for the detection of bioanalytes, as drug carriers and as chemotherapeutics, and to monitor and/or mark specific cells and subcellular compartments and parameters. Both as macro and nano-sized tools, chromic zinc-based CPs can be rightly placed among the emerging fluorophores used as smart probes.

Luminescence in CPs (LCPs) arises from the characteristic of the organic ligands which are coordinated to the metal centres or clusters [43][104]. Guest molecules get entangled into the frameworks leading to the emission response (enhancement or quenching of luminescence). From a theoretical point of view, the origin of the luminescence processes in the hybrid polymers arises from one or several of the following electron transfer

mechanisms: ligand centered (LC) luminescence; metal centered (MC) luminescence; luminescence arising from charge transfer (CT) states, which includes ligand-to-ligand (LLCT), ligand-to-metal (LMCT), and metal-to-ligand (MLCT) charge transfers.

2. Zn-CPs Responsive toward Metal Cations, Oxyanions, and Small Molecules

The detection principle in sensing by CPs is the interaction of the probe with molecules/ions due to potential interacting sites present at the ligand or the metal. The interaction can alter the structural pattern and/or the orbital energy levels of the material. Specifically, in chromogenic LCPs, the emission position and/or intensity can be altered by the presence of an analyte able to change the ground- and/or the excited-state of the sensing probe [\[43\]](#) [\[104\]](#). In this section, particular attention has been paid to the luminescence properties of Zn-LCPs and their applications as chemical sensors.

Zn-CPs offer a suitable platform for a novel generation of colorimetric and/or luminescent smart sensors. The role of the zinc (II) ion is crucial in the turn-on/turn-off chromic response of the sensing material. Thanks to the varied structural ability and to the coordination–decoordination equilibria of the zinc (II) coordination core, limitless polymeric architectures can be dissolved and reformulated [\[105\]](#) [\[106\]](#). The interactions between ligands and zinc nodes can be destroyed and recovered by adding competitive analytes, resulting in a change of the natural colour or in a fluorescence quenching or enhancement, due to structural and/or electronic rearrangements. In some cases, also the dimensionality of the CP matrix can undergo a substantial change, turning 1D and/or 2D polymers into 3D networks. Finally, the sought-after selectivity and real-time response properties are often guaranteed by Zn-CPs probes.

In the last five years, Zn-CPs were successfully employed in the sensing of metals, small organic molecules, and ions [\[107\]](#) [\[108\]](#) [\[109\]](#) [\[110\]](#) [\[111\]](#). The sensing ability toward metals is a relevant property. Metals are essential to chemical, enzymatic, and biological processes; on the other hand, they may represent environmental pollutants. Other hazardous pollutants are small molecules/ions such as chromates and dichromates, azo compounds, nitroaromatic compounds, and volatile organic compounds (VOCs). Trapping and detection of such chemicals is a hot topic in the field of stimuli-responsive probes. In this section, some relevant articles will be summarized highlighting and discussing the relationship between structure (derived by X-ray diffraction analysis), dimensionality, and sensing ability.

Due to their unique crystalline structure and voids, high surface area, and functionalities, regular 3D CPs (mainly MOFs) are the ideal versatile candidates for selective sensing [\[112\]](#) [\[113\]](#) [\[114\]](#) [\[115\]](#). In designing a responsive luminescent MOFs (LMOFs), the electronic structure of the host frames and the host–guest interactions must be considered. The geometry of the voids and the interacting binding site lead to selective sensing properties in a single or multi-functional mode. Obviously, the nature of the metal ion affects the structural pattern, the chemo- and physical properties, and finally the sensing specificity and mechanism. Both a fluorescence enhancement or quenching can be the result of the interaction between the MOF cavities and the analyte, due to the molecular and

electronic changes of the guest–host system. If the target analyte interferes with the ligand's electronic structure reducing the energy transfer from the ligand to the metal, the sensing process results in a decrease of the fluorescence intensity. But if the analyte moves the activation of a novel emissive channel, a fluorescence enhancement can be obtained. Zn-LMOFs typically emerge as strong luminescent probes due to the CHEF effect imposed by zinc (II) ion. They can both retain or quench the fluorescence response of the linkers mainly related to LCT and/or LLCT transitions.

2.1. Mono or Multifunctional Metal Cations Sensing

Recent relevant examples of Zn-CPs metal sensing were presented in 2017–2019. In 2017 Jian-Ping Lang and coworkers [107] presented a deeply characterised series of a 1D and four 3D Zn-CPs obtained by ligands 1,4- bis(2-(pyridin-4-yl)vinyl)naphthalene and 1,3,5-benzene-tricarboxylic acid in different molar ratio. The structural pattern of the five CPs was explored, and their luminescent response toward Hg^{2+} was examined. Specifically, the more representative example resulted highly selective and sensitive for the detection of Hg^{2+} ion. A finely ground sample suspended in N, N dimethylformamide (DMF) solvent undergoes a fluorescence quenching and a change of fluorescence colour from blue to yellow naked eye perceivable under UV light. As an essential trace element in the human body, crucial in several biological processes, iron ion is a desirable metal target. In 2020, Zhong-Feng Shi and coworkers [116] published another prominent article on two Zn-CPs produced by hydrothermal reactions of ligands 5-sulfosalicylic acid and 1,4-bis(1H-imidazol-1-yl) benzene (1,4-bib) for different reaction time. After two days reacting, a 2D structure was obtained, while a 3D coordination polymer was obtained after the same mixture reacted for three days, each structural unit being linked by ten 1,4-bib ligands to form a 3D MOF. The 2D CP shows excellent fluorescence quenching response toward Fe^{3+} and the 3D CP toward Hg^{2+} . The quenching mechanism was explored in both cases and ascribed to the absorption of the emitted light for Fe^{3+} and to the electron transfer and weak interaction of Hg^{2+} . In 2018, two Fe (III) quenching responsive and highly selective Zn-MOFs were described. Specifically, Huan Yang and coworkers [117] (see **Figure 1**) produced a luminescent Tb^{3+} and Eu^{3+} encapsulated Zn-MOF based on 5-(5-norbornene-2,3-dicarboximide)isophthalic acid, and Guangshan Zhu and coworkers (see **Figure 1**) [118] obtained a mixed Li^+ and Zn^{2+} based MOF from the quadridentate carboxylate ligand 5-(bis(4-carboxybenzyl)amino)isophthalic acid.




Figure 1. Some representative structures of Zn-CPs for metal cation sensing. Figures readapted by using Mercury software [119].

The simultaneous detection of selectively trapped metal cation is a desirable property of some LMOFs. Many Zn-MOFs for simultaneous detection of iron and another metal cations are known, such as the Eu^{3+} encapsulated Zn-LMOF based on tetrakis(4-pyridyloxymethylene)methane and 2,6-naphthalenedicarboxylic acid able to detect Fe^{3+} and Cr^{4+} ions (Xin Liu and coworkers [120], 2017); the Zn-MOF responsive to Fe^{3+} and Al^{3+} ions (Xia Li and coworkers [121], 2018) assembled from 3,3'-diphenyldicarboxylate and 1,4-bis(1,2,4-triazol-1-yl)butane; the Zn-MOF named TMU-16 from a bipyridyl ligand with a bridging azine group (Vahid Safarifard and coworkers, 2019, see **Figure 1**, [122],) displaying a luminescence quenching response to Fe^{3+} and a luminescence enhancement response to Cd^{2+} ions.

2.2. Multi-Sensing of Metal Cations, Oxyanions, and Nitro Aromatic Compounds

Among the innumerable LCPs, several Zn-LCPs have drawn attention as highly selective multi-analytes probes. Simultaneous operativity is a sought-after property, and it enables the probe to be employed in an actual technological use. Multi-responsive Zn-CPs explored in the last years can detect simultaneously metal cations (mainly Fe^{3+}), anions, and small molecules. Specifically, common carcinogenic pollutants of aqueous solutions used in several industrial applications [123][124][125] such as NACs (nitro aromatic compounds) and chromium (VI) oxoanions ($\text{Cr}_2\text{O}_7^{2-}$, CrO_4^{2-}) are the target analytes of 3D Zn-CPs.

Recent examples are the work of Bao-Long Li and coworkers, which in 2018 [126] studied the crystalline pattern of five Zn-CPs based on the ligand 1,3-bis(1,2,4-triazol-4-ylmethyl)benzene with different co-ligands (btec = 1,2,4,5-benzenetetracarboxylate, Meip = 5-methylisophthalate, nip = 5-nitroisophthalate, hip = 5-hydroxyisophthalate, nbdc = 4-nitro-1,2-benzenedicarboxylate). The CPs display different structural patterns and dimensionality from 1D to 3D. The 3D CP shows a (4,4)-connected self-catenated 3D network of the 4,4T32 topological type and is a

highly sensitive and selective luminescence sensor for Fe^{3+} , $\text{Cr}_2\text{O}_7^{2-}$, and CrO_4^{2-} in aqueous solution, with detection limits of 6.28, 3.05, and 5.72 μM , respectively, and an assumed quenching mechanism. In the same year, Lin Dua, Qi-Hua Zhao, and coworkers (see **Figure 2**) [127] synthesised three novel LCPs from the flexible zwitterionic ligands 1,1',1''-(2,4,6-trimethylbenzene-1,3,5-triyl)-tris(methylene)tris-(4-carboxypyridinium)tribromide and 1,2,4,5-tetrakis-(4-carboxylatopyridinium-1-methylene)benzene and zinc (II) or cadmium (II) d^{10} cations. They compared the different structural pattern and dimensionality promoted by the metal and the related sensing ability toward Fe^{3+} , nitrobenzene (NB), and HSO_4^- anions.




Figure 2. Some representative structures of Zn-CPs for multi-sensing of metal cations, oxyanions, and NACs metal cation sensing. Figures readapted by using Mercury software [119].

In 2019, Hao Lei and coworkers [128] obtained a series of 2D Zn-CPs by ionothermal reaction a series of 2D Zn-CPs named $\{\text{Zn}_2 \times 2(\text{BDC})(\text{L})\}_n$ where $X = \text{Cl}$ (1 and 3) or Br (2 and 4), BDC = 1,4-benzenedicarboxylate, L = 4,4'-bipyridine (4,4'-bpy, 1 and 2) or 1,4-diazabicyclo [2.2.2]octane (dabco, 3 and 4). The polymer 1 (with chloride and 4,4'-bpy) displays strong luminescence in the solid state and selective luminescence quenching for Fe^{3+} ions and nitroaromatic compounds (NACs) in ethanol solutions, while the polymer 4 (with bromide and dabco) can selectively adsorb Congo red dye from other dye molecules. In 2020, Yajuan Zhang and coworkers [129] used copper (II) in a case and zinc (II) in another case as metal nodes to produce two CPs, namely $[\text{Cu}(\text{bib})_2 \cdot 2\text{NO}_3 \cdot \text{H}_2\text{O}]_n$ and $[\text{Zn}_3(\text{bib})_2.5(\text{C}_2\text{O}_4)_3(\text{H}_2\text{O})] \text{DMF} \cdot \text{H}_2\text{O}]_n$. By structural analysis, the polymeric arrangements were compared and both CPs were found to be 2D frameworks further expanded into 3D supramolecular structures through C–H $\cdots$ O hydrogen bonding. The sensing pathway was examined. The CPs were found to be quenching responsive to Fe^{3+} and NACs, through a PET (photoinduced electron transfer) and RET (resonance energy transfer) mechanism for NACs, and a RET mechanism for Fe^{3+} , respectively. Very recently, Baokuan Chen and coworkers [130] explored the influence of carboxylic acid substituents on the structural

and emissive pattern of three Zn-CPs built from isophthalic acid (1), 5-hydroxyisophthalic acid (2), and 5-nitroisophthalic acid (3), respectively, and the N-donor ligand N,N'-bis(4-methylenepyridin-4-yl)-1,4-naphthalene dicarboxamide. The CPs have similar 4,4-connected 2D structures exhibiting different structural details and show multi-functional fluorescence response towards metal ion (Fe^{3+}), anions (MnO_4^- , $\text{Cr}_2\text{O}_7^{2-}$, CrO_4^{2-}), and 2,6-dichloro-4-nitroaniline. The luminescence quenching effect was not ascribed to any skeleton collapse but to an energy competitive absorption mechanism, which leads to a RET effect.

Zn-CPs can be useful tools also for detection of rare earth metals. Jianing Xu and coworkers (see **Figure 3**) [131] in 2017 obtained two Zn-LCPs based on ligand 1- (triazol-1-yl)-2,4,6-benzene tricarboxylic acid and 1,2,4-triazole (1) and 1,10-phenanthroline (2), respectively. CP1 shows a 3D framework helical chain and CP2 shows a 2D layered network extending to 3D structure through π - π stacking interactions. Both CPs perform as hosts for the encapsulation of Ln^{3+} ions and serve as antennae to sensitize Tb^{3+} ions. In addition, CP2 exhibits highly luminescent sensing properties for acetone.




Figure 3. Other representative structures of Zn-CPs for multi-sensing of metal cations, oxyanions, and NACs metal cation sensing. Figures readapted by using Mercury software [119].

Recently, examples of 3D tools as Zn-LMOFs selectively detecting nitro derivatives were studied in depth both from the structural and functional point of view. In 2020, Ji-Young Zou, Sheng-Young You [\[132\]](#), and coworkers (see **Figure 2**); in 2017, Ming Hu and coworkers (see **Figure 3**) [\[133\]](#); and in 2019, Xiangyang Qin and coworkers [\[134\]](#) ascertained the quenching mechanism imposed by the presence of NACs in a series of Zn-LMOFs where a ruling FRET process affected the luminescence response of the probe. In other cases, multifunctional Zn-LMOFs was able to selectively detect NACs and/or $\text{Cr}_2\text{O}_7^{2-}$ and CrO_4^{2-} anions, and/or Fe^{3+} , and a series of selected examples are briefly reported below. As relevant examples, in the same year (2018), Suna Wang and coworkers [\[135\]](#) produced two Zn-LMOFs based on 2,2'-[benzene-1,3-diylbis(methanediylsulfanediyl)]dibenzoic acid, 1,3-bis(4-pyridyl)propane, 1,2-Bis(4-pyridyl)ethylene, and DMF (N,N-Dimethylformamide), and He-Gen Zheng and coworkers [\[136\]](#) produced three Zn-LMOFs, based on E,E-2,5-dihexyloxy-1,4-bis-(2-pyridin-vinyl)-benzene, 1,4-cyclohexanedicarboxylic acid, 4,4'-oxybisbenzoic acid, and 4,4'-sulfonyldibenzoic acid for selective detection of Fe^{3+} and $\text{Cr}_2\text{O}_7^{2-}$. The same couple of analytes were selectively detected by the MOF named $[\text{Zn}(\text{dptz})(\text{BDC})(\text{H}_2\text{O})]_n$ [1, dptz = 3,6-di(1H-pyrazol-4-yl)-1,2,4,5-tetrazine, H_2BDC = terephthalic acid] (Xian-He Bu and coworkers [\[137\]](#), 2020) and by the MOFs named $[\text{Zn}_2(\text{HL})(\text{phen})]_n$ and $[\text{Zn}_2(\text{HL})(2,2\text{-bipy})]_n$ obtained from the V-pattern multicarboxylic acid ligand H_5L = 3,5-di(2',5'-dicarboxylphenyl)benzoic acid (Tuoping Hu and coworkers 2019 [\[138\]](#)).

NACs and Fe^{3+} can be selectively detected by a Zn MOF with a 3-fold interpenetrating 3D framework based on tpt = 2,4,6-tri(pyridin-4-yl)-1,3,5-triazine and H_2tda = 2,5-thiophene dicarboxylic acid (Xiao Zhang and co-workers in 2019, see **Figure 3** [\[139\]](#)) and by the MOFs obtained by 4,4',4''-nitritotribenzoic acid (H_3NTB) and 1,10-phenanthroline (phen) (Lirong Yang and coworkers in 2021 [\[140\]](#)). In all cases, a quenching response was detected for both analytes. Multi-responsive probes for NACs, Fe^{3+} , and Cr (VI) oxo-anions were designed by Zhong-Feng Shi and coworkers in 2020 [\[141\]](#) based on 3-nitro-4,4'-biphenyl dicarboxylic acid and 11,4-bis(imidazole-1-ylmethyl)-benzene. Aniline, benzaldehyde in DMF and $\text{Cr}_2\text{O}_7^{2-}/\text{CrO}_4^{2-}$ anions in water can be selectively detected by the Zn-MOF based on a pentametallic clusters and thiophene-2,5-dicarboxylic acid (Shao-Wei Zhang and coworkers (see **Figure 3**) [\[142\]](#), 2018).

2.3. Multi-Sensing of Biologically Harmful Small Organic Molecules

Many 3D Zn-CPs have been designed to be highly selective toward specific small molecules. Zn- MOFs responsive towards environmental organic pollutants, such as VOCs and water-soluble organic dyes and pesticides, are highly required in water quality tests. In many cases, they are selective multifunctional probes. Very recently, a variety of Zn-LMOFs probes selectively responsive towards biologically harmful molecules generated as wastewater from industrial processes [\[143\]](#) have been produced.

Huai-Ming Hu in 2016 [\[144\]](#) prepared three Zn-CPs based on 40-(4-carboxyphenyl)-60-carboxycalte-2,20-bipyridine and glutaric acid. Depending on different pH values and auxiliary ligands, different 2D (hcb topological net and layer structure) or 3D (eight-membered rings self-penetrating MOF structure) CPs were obtained. The Zn-LMOF shows high-sensitivity sensing to metal cations (Fe^{3+} and Cu^{2+}) and harmful small organic molecules (as methanol and nitrobenzene). More recently, in 2020, Jianrong Li [\[145\]](#) and coworkers synthesised a 3D Zn-LCP by the reaction of $\text{Zn}(\text{NO}_3)_2$, N,N'- bis (3-pyridinecarboxamide)-1,4-butane and 4, 4'- oxidiphthalic acid. Besides the in-deep

structural analysis, the polymer demonstrated remarkable fluorescent properties and chemical stability under an acidic or alkaline environment. It was used as a multifunctional chemosensor for detection of metal cations (Fe^{3+} , Bi^{3+}), oxyanions (MnO_4^- , $\text{Cr}_2\text{O}_7^{2-}$), and toxic organic solvents such as NB, acetaldehyde, and acetylacetone. The mechanism of sensing process indicated that the synergistic effect of electron transfer by both luminescent ligands and the FRET mechanism leads to fluorescence quenching.

In some cases, Zn-LMOFs are designed to be highly selective toward highly specific small molecules. In 2018, Jian-Zhong Cui and coworkers [146] produced an anionic Zn-MOF from furan-2,5-dicarboxylic acid and 1H-benzotriazole working as a turn-off luminescent sensor toward a volatile and flammable analytical reagent, acetylacetone. The selective structural cavities of MOFs make them ideal candidates for detecting VOCs upon adsorption. Patima Nizamidin and coworkers in 2019 [147] proposed a series of Zn MOFs, derived from terephthalic acid and N,N'-di(4-pyridyl)-1,4,5,8-naphthalenediimide. Formed in thin glassy films, the MOFs membranes display a selective adsorption response to meta-xylene gas. In 2019, Bing-Hui Wanga and Bing Yan [148] designed a Zn-MOF based on a fluorescein dianion functionalized dye for the detection of the small trichloroacetic acid (TCA), a carcinogen metabolite in human urine.

Zn-MOFs responsive towards environmental organic pollutants, such as organic dyes and pesticides, are sensing tools in water quality tests. In 2017, Ruiping Deng and coworkers (see **Figure 4**) [149] reported a Zn-MOF built from bis(4-benzylimidazol-ylphenyl)sulfone and 4,4',4''-benzene-1,3,5-triyltribenzoic acid responsive to methylene blue. Wen-Li Guo and coworkers (see **Figure 4**) in 2018 [150] and Lun Zhao and coworkers (see **Figure 4**) in 2019 [151] studied two multifunctional systems for sensing of iron and a dye. Based on an 8-fold interpenetrating diamond network of N,N0-bis(4-carboxylbenzyl)-4-aminotoluene) ligand [151] and on one of bis-(3-carboxy-phenyl)furan-2,5-dicarboxamide [150], respectively, the first one selectively traps methylene blue and the second one methyl orange dye.




Figure 4. Some representative structures of Zn-CPs for multi-sensing of biologically harmful small organic molecules. Figures readapted by using Mercury software [\[119\]](#).

In 2020, three relevant articles were produced on multifunctional MOFs probes for environmental pollutants. Jarugu Narasimha Moorthy and coworkers [\[152\]](#) synthesised a Zn-MOF with ca. 27% solvent-accessible void volume based on a tetracarboxylic acid ligand with a twisted dibenzo[g,p]chrysene core (2,7,10,15-tetrakis [2,6-dimethyl-4-(α -carboxy)methoxyphenyl]-dibenzo[g,p]chrysene) highly specific in water toward hazardous “quat” dicationic herbicide with diquaterynyl bipyridyl motifs. Xiutang Zhang and coworkers [\[153\]](#) used a 3D self-penetrated framework based on 1,3-bis (imidazol-1-ylmethyl)benzene and π -conjugated aromatic *p*-terphenyl-2,2'',5'',5'''-tetracarboxylate acid for DCN (2,6- dichloro-4-nitroaniline) pesticide and for nitrofurantoin (NTF) and NTZ (nitazoxanide) antibiotics. Finally, Qinhe Pan and coworkers [\[154\]](#) designed a Zn MOF for the detection of U(VI) as a potential environmental pollutant.

References

1. Wise, D.L. *Electrical and Optical Polymer Systems: Fundamentals: Methods, and Applications*; CRC Press: Boca Raton, FL, USA, 1998.
2. Batten, S.R.; Neville, S.M.; Turner, D.R. *Coordination Polymers: Design, Analysis and Application*; Royal Society of Chemistry: London, UK, 2009.
3. Petrochenkova, N.; Mirochnik, A.; Kulikov, A.; Karasev, V. Structure and fluorescence properties of coordination polymers of europium (III) with pyromellitic acid. *Russ. J. Coord. Chem. C/C Koord.*

- Khimia 1997, 23, 817–819.
4. Vantomme, G.; Meijer, E.W. The construction of supramolecular systems. *Science* 2019, 363, 1396–1397.
 5. de Moraes, M.L.; Caseli, L. Supramolecular Systems. In *Nanostructures*; William Andrew Publishing: Norwich, NY, USA, 2017; pp. 33–52.
 6. Elacqua, E.; Ten Brummelhuis, N.; Weck, M. Supramolecular Polymers. In *Handbook of Metathesis*, 2nd ed.; Romanian Academy, Institute of Organic Chemistry: Bucharest, Romania, 2015; Volume 3-3, pp. 71–92.
 7. Sinha, N.; Hahn, F.E. Metallosupramolecular Architectures Obtained from Poly-N-heterocyclic Carbene Ligands. *Acc. Chem. Res.* 2017, 50, 2167–2184.
 8. Lescop, C. Coordination-Driven Syntheses of Compact Supramolecular Metallacycles toward Extended Metallo-organic Stacked Supramolecular Assemblies. *Acc. Chem. Res.* 2017, 50, 885–894.
 9. Tiekink, E.R.T. Supramolecular assembly based on “emerging” intermolecular interactions of particular interest to coordination chemists. *Coord. Chem. Rev.* 2017, 345, 209–228.
 10. Lusby, P.J. Supramolecular coordination chemistry. *Annu. Rep. Prog. Chem. Sec. A* 2013, 109, 254–276.
 11. Zhang, H.; Zou, R.; Zhao, Y. Macrocyclic-based metal-organic frameworks. *Coord. Chem. Rev.* 2015, 292, 74–90.
 12. Wei, M.; Wan, Y.; Zhang, X. Metal-organic framework-based stimuli-responsive polymers. *J. Compos. Sci.* 2021, 5, 101.
 13. Ariga, K.; Mori, T.; Kitao, T.; Uemura, T. Supramolecular Chiral Nanoarchitectonics. *Adv. Mater.* 2020, 32, 1905657.
 14. Giliopoulos, D.; Zamboulis, A.; Giannakoudakis, D.; Bikiaris, D.; Triantafyllidis, K. Polymer/metal organic framework (MOF) nanocomposites for biomedical applications. *Molecules* 2020, 25, 185.
 15. Yuan, S.; Feng, L.; Wang, K.; Pang, J.; Bosch, M.; Lollar, C.; Sun, Y.; Qin, J.; Yang, X.; Zhang, P.; et al. Stable Metal–Organic Frameworks: Design, Synthesis, and Applications. *Adv. Mater.* 2018, 30, e1704303.
 16. Chai, L.Q.; Zhang, X.F.; Tang, L.J. Crystallographic, spectroscopic, TD/DFT calculations and Hirshfeld surface analysis of cadmium(II) coordination polymer containing pyridine ring. *J. Mol. Struct.* 2021, 1245, 131028.
 17. Wang, W.Q.; Chen, J.; Wang, S.H.; Wu, S.F. Synthesis, crystal structure and fluorescence property of a Zinc(II) Coordination Polymer with a Theoretical Calculation. *Jiegou Huaxue* 2021,

40, 79–84.

18. Di Palma, G.; Kirtman, B.; Gentile, F.S.; Platonenko, A.; Ferrari, A.M.; Dovesi, R. The VN2 negatively charged defect in diamond. A quantum mechanical investigation of the EPR response. *Carbon* 2020, 159, 443–450.
19. Ahmed, F.; Ortega-Castro, J.; Frontera, A.; Mir, M.H. Semiconducting properties of pyridyl appended linear dicarboxylate based coordination polymers: Theoretical prediction: Via DFT study. *Dalton Trans.* 2021, 50, 270–278.
20. Gentile, F.S.; Salustro, S.; Desmarais, J.K.; Ferrari, A.M.; D'Arco, P.; Dovesi, R. Vibrational spectroscopy of hydrogens in diamond: A quantum mechanical treatment. *Phys. Chem. Chem. Phys.* 2018, 20, 11930–11940.
21. Zheng, J.; Lu, Z.; Wu, K.; Ning, G.H.; Li, D. Coinage-metal-based cyclic trinuclear complexes with metal-metal interactions: Theories to experiments and structures to functions. *Chem. Rev.* 2020, 120, 9675–9742.
22. Liu, J.Q.; Luo, Z.D.; Pan, Y.; Kumar Singh, A.; Trivedi, M.; Kumar, A. Recent developments in luminescent coordination polymers: Designing strategies, sensing application and theoretical evidences. *Coord. Chem. Rev.* 2020, 406, 213145.
23. Gentile, F.S.; Pannico, M.; Causà, M.; Mensitieri, G.; Di Palma, G.; Scherillo, G.; Musto, P. Metal defects in HKUST-1 MOF revealed by vibrational spectroscopy: A combined quantum mechanical and experimental study. *J. Mater. Chem. A* 2020, 8, 10796–10812.
24. Nagaoka, M.; Ohta, Y.; Hitomi, H. Theoretical characterization of coordination space: Adsorption state and behavior of small molecules in nanochanneled metal-organic frameworks via electronic state theory, molecular mechanical and Monte Carlo simulation. *Coord. Chem. Rev.* 2007, 251, 2522–2536.
25. Férey, G. Hybrid porous solids: Past, present, future. *Chem. Soc. Rev.* 2008, 37, 191–214.
26. Li, B.; Fan, H.T.; Zang, S.Q.; Li, H.Y.; Wang, L.Y. Metal-containing crystalline luminescent thermochromic materials. *Coord. Chem. Rev.* 2018, 377, 307–329.
27. Bünzli, J.C.G. On the design of highly luminescent lanthanide complexes. *Coord. Chem. Rev.* 2015, 293–294, 19–47.
28. Tu, D.; Zheng, W.; Liu, Y.; Zhu, H.; Chen, X. Luminescent biodetection based on lanthanide-doped inorganic nanoprobe. *Coord. Chem. Rev.* 2014, 273–274, 13–29.
29. Zhao, S.N.; Zhang, Y.; Song, S.Y.; Zhang, H.J. Design strategies and applications of charged metal organic frameworks. *Coord. Chem. Rev.* 2019, 398, 113007.
30. Ren, J.; Ledwaba, M.; Musyoka, N.M.; Langmi, H.W.; Mathe, M.; Liao, S.; Pang, W. Structural defects in metal–organic frameworks (MOFs): Formation, detection and control towards practices

- of interests. *Coord. Chem. Rev.* 2017, 349, 169–197.
31. Tu, D.; Zheng, W.; Huang, P.; Chen, X. Europium-activated luminescent nanoprobe: From fundamentals to bioapplications. *Coord. Chem. Rev.* 2019, 378, 104–120.
 32. Lustig, W.P.; Li, J. Luminescent metal–organic frameworks and coordination polymers as alternative phosphors for energy efficient lighting devices. *Coord. Chem. Rev.* 2018, 373, 116–147.
 33. McKeown, N.B.; Budd, P.M.; Book, D. Microporous polymers as potential hydrogen storage materials. *Macromol. Rapid Commun.* 2007, 28, 995–1002.
 34. Suh, M.P.; Park, H.J.; Prasad, T.K.; Lim, D.W. Hydrogen storage in metal-organic frameworks. *Chem. Rev.* 2012, 112, 782–835.
 35. Qiu, S.; Xue, M.; Zhu, G. Metal-organic framework membranes: From synthesis to separation application. *Chem. Soc. Rev.* 2014, 43, 6116–6140.
 36. Ma, L.; Abney, C.; Lin, W. Enantioselective catalysis with homochiral metal-organic frameworks. *Chem. Soc. Rev.* 2009, 38, 1248–1256.
 37. Li, J.R.; Kuppler, R.J.; Zhou, H.C. Selective gas adsorption and separation in metal-organic frameworks. *Chem. Soc. Rev.* 2009, 38, 1477–1504.
 38. Ren, Y.; Qin, J.; Liu, H.; Yao, X.; Liu, M. QSPR study on the melting points of a diverse set of potential ionic liquids by projection pursuit regression. *QSAR Comb. Sci.* 2009, 28, 1237–1244.
 39. Yang, X.; Ma, L.F.; Yan, D. Facile synthesis of 1D organic-inorganic perovskite micro-belts with high water stability for sensing and photonic applications. *Chem. Sci.* 2019, 10, 4567–4572.
 40. Feng, X.; Feng, Y.Q.; Liu, L.; Wang, L.Y.; Song, H.L.; Ng, S.W. A series of Zn-4f heterometallic coordination polymers and a zinc complex containing a flexible mixed donor dicarboxylate ligand. *Dalton Trans.* 2013, 42, 7741–7754.
 41. Banerjee, D.; Hu, Z.; Li, J. Luminescent metal-organic frameworks as explosive sensors. *Dalton Trans.* 2014, 43, 10668–10685.
 42. Hu, Z.; Deibert, B.J.; Li, J. Luminescent metal-organic frameworks for chemical sensing and explosive detection. *Chem. Soc. Rev.* 2014, 43, 5815–5840.
 43. Zhang, X.; Wang, W.; Hu, Z.; Wang, G.; Uvdal, K. Coordination polymers for energy transfer: Preparations, properties, sensing applications, and perspectives. *Coord. Chem. Rev.* 2015, 284, 206–235.
 44. Wang, L.; Han, Y.; Feng, X.; Zhou, J.; Qi, P.; Wang, B. Metal-organic frameworks for energy storage: Batteries and supercapacitors. *Coord. Chem. Rev.* 2016, 307, 361–381.

45. Yang, D.; Ma, P.; Hou, Z.; Cheng, Z.; Li, C.; Lin, J. Current advances in lanthanide ion (Ln³⁺)-based upconversion nanomaterials for drug delivery. *Chem. Soc. Rev.* 2015, 44, 1416–1448.
46. Landi, G.; Fahrner, W.R.; Concilio, S.; Sessa, L.; Neitzert, H.C. Electrical hole transport properties of an ambipolar organic compound with Zn-Atoms on a crystalline silicon heterostructure. *IEEE J. Electron Devices Soc.* 2014, 2, 179–181.
47. Liu, J.; Chen, L.; Cui, H.; Zhang, J.; Zhang, L.; Su, C.Y. Applications of metal-organic frameworks in heterogeneous supramolecular catalysis. *Chem. Soc. Rev.* 2014, 43, 6011–6061.
48. He, Y.; Li, B.; O’Keeffe, M.; Chen, B. Multifunctional metal-organic frameworks constructed from meta-benzenedicarboxylate units. *Chem. Soc. Rev.* 2014, 43, 5618–5656.
49. Zhao, Y.; Deng, D.S.; Ma, L.F.; Ji, B.M.; Wang, L.Y. A new copper-based metal-organic framework as a promising heterogeneous catalyst for chemo- and regio-selective enamination of β -ketoesters. *Chem. Commun.* 2013, 49, 10299–10301.
50. Xu, T.Y.; Nie, H.J.; Li, J.M.; Shi, Z.F. Highly selective sensing of Fe³⁺/Hg²⁺ and proton conduction using two fluorescent Zn(ii) coordination polymers. *Dalton Trans.* 2020, 49, 11129–11141.
51. Sarker, M.; An, H.J.; Yoo, D.K.; Jhung, S.H. Nitrogen-doped porous carbon from ionic framework: A prominent adsorbent for purification of both aqueous and non-aqueous solutions. *Chem. Eng. J.* 2018, 338, 107–116.
52. Lin, R.B.; Xiang, S.; Xing, H.; Zhou, W.; Chen, B. Exploration of porous metal–organic frameworks for gas separation and purification. *Coord. Chem. Rev.* 2019, 378, 87–103.
53. Horcajada, P.; Gref, R.; Baati, T.; Allan, P.K.; Maurin, G.; Couvreur, P.; Férey, G.; Morris, R.E.; Serre, C. Metal-organic frameworks in biomedicine. *Chem. Rev.* 2012, 112, 1232–1268.
54. Giménez-Marqués, M.; Hidalgo, T.; Serre, C.; Horcajada, P. Nanostructured metal-organic frameworks and their bio-related applications. *Coord. Chem. Rev.* 2016, 307, 342–360.
55. Della Rocca, J.; Liu, D.; Lin, W. Nanoscale metal-organic frameworks for biomedical imaging and drug delivery. *Acc. Chem. Res.* 2011, 44, 957–968.
56. Begum, S.; Hassan, Z.; Bräse, S.; Wöll, C.; Tsotsalas, M. Metal-Organic Framework-Templated Biomaterials: Recent Progress in Synthesis, Functionalization, and Applications. *Acc. Chem. Res.* 2019, 52, 1598–1610.
57. Zhou, J.; Liu, Z.; Li, F. Upconversion nanophosphors for small-animal imaging. *Chem. Soc. Rev.* 2012, 41, 1323–1349.
58. Allendorf, M.D.; Bauer, C.A.; Bhakta, R.K.; Houk, R.J.T. Luminescent metal-organic frameworks. *Chem. Soc. Rev.* 2009, 38, 1330–1352.

59. Wei, M.; Gao, Y.; Li, X.; Serpe, M.J. Stimuli-responsive polymers and their applications. *Polym. Chem.* 2017, 8, 127–143.
60. Han, T.; Wang, X.; Wang, D.; Tang, B.Z. Functional Polymer Systems with Aggregation-Induced Emission and Stimuli Responses. *Top. Curr. Chem.* 2021, 379, 7.
61. Roviello, A.; Borbone, F.; Carella, A.; Diana, R.; Roviello, G.; Panunzi, B.; Ambrosio, A.; Maddalena, P. High quantum yield photoluminescence of new polyamides containing oligo-PPV amino derivatives and related oligomers. *J. Polym. Sci. Part A Polym. Chem.* 2009, 47, 2677–2689.
62. Crapnell, R.D.; Hudson, A.; Foster, C.W.; Eersels, K.; van Grinsven, B.; Cleij, T.J.; Banks, C.E.; Peeters, M. Recent advances in electrosynthesized molecularly imprinted polymer sensing platforms for bioanalyte detection. *Sensors* 2019, 19, 1204.
63. De Girolamo Del Mauro, A.; Diana, R.; Grimaldi, I.A.; Loffredo, F.; Morvillo, P.; Villani, F.; Minarini, C. Polymer solar cells with inkjet-printed doped-PEDOT: PSS anode. *Polym. Compos.* 2013, 34, 1493–1499.
64. Hu, R.; Yang, X.; Qin, A.; Tang, B.Z. AIE polymers in sensing, imaging and theranostic applications. *Mater. Chem. Front.* 2021, 5, 4073–4088.
65. Morvillo, P.; Grimaldi, I.A.; Diana, R.; Loffredo, F.; Villani, F. Study of the microstructure of inkjet-printed P3HT:PCBM blend for photovoltaic applications. *J. Mater. Sci.* 2013, 48, 2920–2927.
66. Kanižaj, L.; Šenjug, P.; Pajic, D.; Pavic, L.; Molcanov, K.; Juric, M. Magnetic and electrical behaviors of the homo-and heterometallic 1d and 3d coordination polymers based on the partial decomposition of the 3– building block. *Materials* 2020, 13, 5341.
67. Panunzi, B.; Diana, R.; Concilio, S.; Sessa, L.; Shikler, R.; Nabha, S.; Tuzi, A.; Caruso, U.; Piotta, S. Solid-state highly efficient dr mono and poly-dicyano-phenylenevinylene fluorophores. *Molecules* 2018, 23, 1505.
68. Mrinalini, M.; Prasanthkumar, S. Recent Advances on Stimuli-Responsive Smart Materials and their Applications. *ChemPlusChem* 2019, 84, 1103–1121.
69. Bhattarai, D.P.; Pant, B.; Acharya, J.; Park, M.; Ojha, G.P. Recent Progress in Metal-Organic Framework-Derived Nanostructures in the Removal of Volatile Organic Compounds. *Molecules* 2021, 26, 4948.
70. Solórzano, R.; Suárez-García, S.; Novio, F.; Lorenzo, J.; Alibés, R.; Busqué, F.; Ruiz-Molina, D. Nanoscale coordination polymers for medicine and sensors. In *Advances in Inorganic Chemistry*; Academic Press Inc.: Cambridge, MA, USA, 2020; Volume 76, pp. 3–31.
71. Weng, W.; Benjamin Beck, J.; Jamieson, A.M.; Rowan, S.J. Understanding the mechanism of gelation and stimuli-responsive nature of a class of metallo-supramolecular gels. *J. Am. Chem.*

- Soc. 2006, 128, 11663–11672.
72. Li, X.N.; Tu, Z.M.; Li, L.; Wang, Z.H.; Zhang, H. A novel viologen-based coordination polymer with multi-stimuli responsive chromic properties: Photochromism, thermochromism, chemochromism and electrochromism. *Dalton Trans.* 2020, 49, 3228–3233.
73. Higuchi, M. Stimuli-responsive metallo-supramolecular polymer films: Design, synthesis and device fabrication. *J. Mater. Chem. C* 2014, 2, 9331–9341.
74. Shifrina, Z.B.; Matveeva, V.G.; Bronstein, L.M. Role of Polymer Structures in Catalysis by Transition Metal and Metal Oxide Nanoparticle Composites. *Chem. Rev.* 2020, 120, 1350–1396.
75. Ruan, C.; Zeng, K.; Grimes, C.A. A mass-sensitive pH sensor based on a stimuli-responsive polymer. *Anal. Chim. Acta* 2003, 497, 123–131.
76. Aida, T.; Meijer, E.W.; Stupp, S.I. Functional supramolecular polymers. *Science* 2012, 335, 813–817.
77. De Greef, T.F.A.; Meijer, E.W. Materials science: Supramolecular polymers. *Nature* 2008, 453, 171–173.
78. Diana, R.; Panunzi, B.; Shikler, R.; Nabha, S.; Caruso, U. Highly efficient dicyano-phenylenevinylene fluorophore as polymer dopant or zinc-driven self-assembling building block. *Inorg. Chem. Commun.* 2019, 104, 145–149.
79. Yang, L.; Tan, X.; Wang, Z.; Zhang, X. Supramolecular Polymers: Historical Development, Preparation, Characterization, and Functions. *Chem. Rev.* 2015, 115, 7196–7239.
80. Di Costanzo, L.; Panunzi, B. Visual pH sensors: From a chemical perspective to new bioengineered materials. *Molecules* 2021, 26, 2952.
81. Quintard, A.; Rodriguez, J. Iron cyclopentadienone complexes: Discovery, properties, and catalytic reactivity. *Angew. Chem. Int. Ed.* 2014, 53, 4044–4055.
82. Abu-Dief, A.M.; Mohamed, I.M. A review on versatile applications of transition metal complexes incorporating Schiff bases. *Beni-Suef Univ. J. Basic Appl. Sci.* 2015, 4, 119–133.
83. Caruso, U.; Panunzi, B.; Roviello, A.; Tuzi, A. Fluorescent metallopolymer with Zn(II) in a Schiff base/phenoxide coordination environment. *Inorg. Chem. Commun.* 2013, 29, 138–140.
84. Caruso, U.; Panunzi, B.; Roviello, A.; Tingoli, M.; Tuzi, A. Two aminobenzothiazole derivatives for Pd(II) and Zn(II) coordination: Synthesis, characterization and solid state fluorescence. *Inorg. Chem. Commun.* 2011, 14, 46–48.
85. Umezawa, K.; Citterio, D. New Trends in Near-Infrared Fluorophores for Bioimaging. Suzuki, K. *Anal. Sci.* 2014, 30, 1348–2246.

86. Ma, Y.; Zeng, Y.; Liang, H.; Ho, C.L.; Zhao, Q.; Huang, W.; Wong, W.Y. A water-soluble tetraphenylethene based probe for luminescent carbon dioxide detection and its biological application. *J. Mater. Chem. C* 2015, 3, 11850–11856.
87. Kowada, T.; Maeda, H.; Kikuchi, K. BODIPY-based probes for the fluorescence imaging of biomolecules in living cells. *Chem. Soc. Rev.* 2015, 44, 4953–4972.
88. Lu, H.; Zheng, Y.; Zhao, X.; Wang, L.; Ma, S.; Han, X.; Xu, B.; Tian, W.; Gao, H. Highly Efficient Far Red/Near-Infrared Solid Fluorophores: Aggregation-Induced Emission, Intramolecular Charge Transfer, Twisted Molecular Conformation, and Bioimaging Applications. *Angew. Chem. Int. Ed.* 2016, 55, 155–159.
89. Leng, S.; Qiao, Q.L.; Gao, Y.; Miao, L.; Deng, W.G.; Xu, Z.C. SNAP-tag fluorogenic probes for wash free protein labeling. *Chin. Chem. Lett.* 2017, 28, 1911–1915.
90. Xu, Z.; Chen, J.; Hu, L.L.; Tan, Y.; Liu, S.H.; Yin, J. Recent advances in formaldehyde-responsive fluorescent probes. *Chin. Chem. Lett.* 2017, 28, 1935–1942.
91. Chen, Y.; Wei, T.; Zhang, Z.; Zhang, W.; Lv, J.; Chen, T.; Chi, B.; Wang, F.; Chen, X. A mitochondria-targeted fluorescent probe for ratiometric detection of hypochlorite in living cells. *Chin. Chem. Lett.* 2017, 28, 1957–1960.
92. Sun, H.; Liu, S.; Lin, W.; Zhang, K.Y.; Lv, W.; Huang, X.; Huo, F.; Yang, H.; Jenkins, G.; Zhao, Q.; et al. Smart responsive phosphorescent materials for data recording and security protection. *Nat. Commun.* 2014, 5, 3601.
93. Bünzli, J.C.G.; Eliseeva, S.V. Intriguing aspects of lanthanide luminescence. *Chem. Sci.* 2013, 4, 1939–1949.
94. Diana, R.; Panunzi, B.; Shikler, R.; Nabha, S.; Caruso, U. A symmetrical azo-based fluorophore and the derived salen multipurpose framework for emissive layers. *Inorg. Chem. Commun.* 2019, 104, 186–189.
95. Diana, R.; Panunzi, B.; Tuzi, A.; Caruso, U. Two tridentate pyridinyl-hydrazone zinc(II) complexes as fluorophores for blue emitting layers. *J. Mol. Struct.* 2019, 1197, 672–680.
96. Ariga, K.; Nishikawa, M.; Mori, T.; Takeya, J.; Shrestha, L.K.; Hill, J.P. Self-assembly as a key player for materials nanoarchitectonics. *Sci. Technol. Adv. Mater.* 2019, 20, 51–95.
97. Roy, S.; Chakraborty, C. Interfacial Coordination Nanosheet Based on Nonconjugated Three-Arm Terpyridine: A Highly Color-Efficient Electrochromic Material to Converge Fast Switching with Long Optical Memory. *ACS Appl. Mater. Interfaces* 2020, 12, 35181–35192.
98. Zhang, S.Y.; Shu, X.; Zeng, Y.; Liu, Q.Y.; Du, Z.Y.; He, C.T.; Zhang, W.X.; Chen, X.M. Molecule-based nonlinear optical switch with highly tunable on-off temperature using a dual solid solution approach. *Nat. Commun.* 2020, 11, 2752.

99. Pointel, Y.; Daignebonne, C.; Suffren, Y.; Le Natur, F.; Freslon, S.; Calvez, G.; Bernot, K.; Jacob, D.; Guillou, O. Colloidal suspensions of highly luminescent lanthanide-based coordination polymer molecular alloys for ink-jet printing and tagging of technical liquids. *Inorg. Chem. Front.* 2021, 8, 2125–2135.
100. Mueller, U.; Schubert, M.; Teich, F.; Puetter, H.; Schierle-Arndt, K.; Pastré, J. Metal-organic frameworks—Prospective industrial applications. *J. Mater. Chem.* 2006, 16, 626–636.
101. Heine, J.; Müller-Buschbaum, K. Engineering metal-based luminescence in coordination polymers and metal-organic frameworks. *Chem. Soc. Rev.* 2013, 42, 9232–9242.
102. Diana, R.; Panunzi, B. The role of zinc(II) ion in fluorescence tuning of tridentate pincers: A review. *Molecules* 2020, 25, 4984.
103. Mu, T.; Chen, S.; Zhang, Y.; Meng, F.; Guo, P.; Chen, H.; Liu, X. Fluorescence polarization technique: A new method for vegetable oils classification. *Anal. Methods* 2015, 7, 5175–5179.
104. Liu, L.L.; Yu, C.X.; Sun, J.; Meng, P.P.; Ma, F.J.; Du, J.M.; Ma, L.F. Three coordination polymers constructed from various polynuclear clusters spaced by 2,2'-azodibenzoic acid: Syntheses and fluorescent properties. *Dalton Trans.* 2014, 43, 2915–2924.
105. Borbone, F.; Caruso, U.; Palma, S.D.; Fusco, S.; Nabha, S.; Panunzi, B.; Shikler, R. High solid state photoluminescence quantum yields and effective color tuning in polyvinylpyridine based zinc(II) metallopolymers. *Macromol. Chem. Phys.* 2015, 216, 1516–1522.
106. Parmar, B.; Bisht, K.K.; Rachuri, Y.; Suresh, E. Zn(ii)/Cd(ii) based mixed ligand coordination polymers as fluorosensors for aqueous phase detection of hazardous pollutants. *Inorg. Chem. Front.* 2020, 7, 1082–1107.
107. Park, M.K.; Lim, K.S.; Park, J.H.; Song, J.H.; Kang, D.W.; Lee, W.R.; Hong, C.S. Two- and three-dimensional Zn(II) coordination polymers constructed from mixed ligand systems: Interpenetration, structural transformation and sensing behavior. *CrystEngComm* 2016, 18, 4349–4358.
108. Gu, T.Y.; Dai, M.; Young, D.J.; Ren, Z.G.; Lang, J.P. Luminescent Zn(II) Coordination Polymers for Highly Selective Sensing of Cr(III) and Cr(VI) in Water. *Inorg. Chem.* 2017, 56, 4668–4678.
109. Jia, J.; Xu, J.; Wang, S.; Wang, P.; Gao, L.; Chai, J.; Shen, L.; Chen, X.; Fan, Y.; Wang, L. Layer-structured coordination polymers based on 5-(1H-tetrazol-5-yl)isophthalic acid: Structure, sensitization of lanthanide(III) cations and small-molecule sensing. *CrystEngComm* 2016, 18, 7126–7134.
110. Li, W.X.; Li, H.X.; Li, H.Y.; Chen, M.M.; Shi, Y.X.; Lang, J.P. 1,4-Bis(2-(pyridin-4-yl)vinyl)naphthalene and Its Zinc(II) Coordination Polymers: Synthesis, Structural Characterization, and Selective Luminescent Sensing of Mercury(II) Ion. *Cryst. Growth Des.* 2017, 17, 3948–3959.

111. Fan, C.; Wang, L.; Xu, C.; Wu, R.; Li, N.; Zhang, D.; Zhang, X.; Bi, S.; Fan, Y. Synthesis, structure diversity, and dye adsorption and luminescent sensing properties of Zinc (II) coordination polymers based on 1,3,5-tris(1-imidazolyl)benzene and 1,3-bis(1-imidazolyl)toluene. *J. Solid State Chem.* 2020, 288, 121445.
112. Roy, E.; Nagar, A.; Chaudhary, S.; Pal, S. Advanced Properties and Applications of AIEgens-Inspired Smart Materials. *Ind. Eng. Chem. Res.* 2020, 59, 10721–10736.
113. Fan, C.; Zhang, X.; Li, N.; Xu, C.; Wu, R.; Zhu, B.; Zhang, G.; Bi, S.; Fan, Y. Zn-MOFs based luminescent sensors for selective and highly sensitive detection of Fe³⁺ and tetracycline antibiotic. *J. Pharm. Biomed. Anal.* 2020, 188, 113444.
114. Li, X.; Xie, S.; Hu, Y.; Xiang, J.; Wang, L.; Li, R.; Chen, M.; Wang, F.; Liu, Q.; Chen, X. AIEgen modulated per-functionalized flower-like IRMOF-3 frameworks with tunable light emission and excellent sensing properties. *Chem. Commun.* 2021, 57, 2392–2395.
115. Lei, Z.; Zhou, J.; Liang, M.; Xiao, Y.; Liu, Z. Aggregation-Induced Emission of Au/Ag Alloy Nanoclusters for Fluorescence Detection of Inorganic Pyrophosphate and Pyrophosphatase Activity. *Front. Bioeng. Biotechnol.* 2021, 8, 628181.
116. Yang, S.L.; Liu, W.S.; Li, G.; Bu, R.; Li, P.; Gao, E.Q. A pH-Sensing Fluorescent Metal-Organic Framework: PH-Triggered Fluorescence Transition and Detection of Mycotoxin. *Inorg. Chem.* 2020, 59, 15421–15429.
117. Wang, Y.; Huang, R.; Zhang, J.; Cheng, G.; Yang, H. Lanthanide(Tb³⁺, Eu³⁺)-functionalized a new one dimensional Zn-MOF composite as luminescent probe for highly selectively sensing Fe³⁺. *Polyhedron* 2018, 148, 178–183.
118. Ren, G.; Li, Z.; Li, M.; Liang, Z.; Yang, W.; Qiu, P.; Pan, Q.; Zhu, G. A hexanuclear cluster based metal-organic framework for Fe³⁺ sensing. *Inorg. Chem. Commun.* 2018, 91, 108–111.
119. MacRae, C.F.; Sovago, I.; Cottrell, S.J.; Galek, P.T.A.; McCabe, P.; Pidcock, E.; Platings, M.; Shields, G.P.; Stevens, J.S.; Towler, M.; et al. Mercury 4.0: From visualization to analysis, design and prediction. *J. Appl. Crystallogr.* 2020, 53, 226–235.
120. Lv, R.; Li, H.; Su, J.; Fu, X.; Yang, B.; Gu, W.; Liu, X. Zinc Metal-Organic Framework for Selective Detection and Differentiation of Fe(III) and Cr(VI) Ions in Aqueous Solution. *Inorg. Chem.* 2017, 56, 12348–12356.
121. Zhang, M.N.; Fan, T.T.; Wang, Q.S.; Han, H.L.; Li, X. Zn/Cd/Cu- frameworks constructed by 3,3'-diphenyldicarboxylate and 1,4-bis(1,2,4-triazol-1-yl)butane: Syntheses, structure, luminescence and luminescence sensing for metal ion in aqueous medium. *J. Solid State Chem.* 2018, 258, 744–752.
122. Farahani, Y.D.; Safarifard, V. Highly selective detection of Fe³⁺, Cd²⁺ and CH₂Cl₂ based on a fluorescent Zn-MOF with azine-decorated pores. *J. Solid State Chem.* 2019, 275, 131–140.

123. Levina, A.; Lay, P.A. Mechanistic studies of relevance to the biological activities of chromium. *Coord. Chem. Rev.* 2005, 249, 281–298.
124. Ostrowski, S.R.; Wilbur, S.; Chou, C.H.S.J.; Pohl, H.R.; Stevens, Y.W.; Allred, P.M.; Roney, N.; Fay, M.; Tylanda, C.A. Agency for Toxic Substances and Disease Registry's 1997 priority list of hazardous substances. Latent effects—Carcinogenesis, neurotoxicology, and developmental deficits in humans and animals. *Toxicol. Ind. Health* 1999, 15, 602–644.
125. Zhitkovich, A. Chromium in drinking water: Sources, metabolism, and cancer risks. *Chem. Res. Toxicol.* 2011, 24, 1617–1629.
126. Zhang, Y.Q.; Blatov, V.A.; Lv, X.X.; Yang, C.H.; Qian, L.L.; Li, K.; Li, B.L.; Wu, B. Construction of five zinc coordination polymers with 4-substituted bis(trizole) and multicarboxylate ligands: Syntheses, structures and properties. *Polyhedron* 2018, 155, 223–231.
127. Wang, X.; Feng, J.; Zhao, Y.D.; Zhang, X.F.; Yan, T.; Wang, Q.; Du, L.; Zhao, Q.H. Flexible coordination polymers based on zwitterion ligands and d10 metal ions for selective sensing of nitrobenzene, Fe³⁺ and HSO₄[–]. *Inorg. Chem. Commun.* 2018, 98, 80–86.
128. Mai, Z.; Luo, X.; Lei, H. Ionothermal Synthesis of Zn(II) Coordination Polymers with Fluorescent Sensing and Selective Dye Adsorption Properties. *J. Inorg. Organomet. Polym. Mater.* 2019, 29, 1746–1754.
129. Wang, H.; Gao, T.; Zhang, Y. Synthesis of two 3D supramoleculars and their fluorescent sensing for nitroaromatic compounds/Fe³⁺ ions in aqueous medium. *Inorg. Chem. Commun.* 2020, 122, 108293.
130. Chi, J.; Zhong, B.; Li, Y.; Shao, P.; Liu, G.; Gao, Q.; Chen, B. Uncoordinated-substituents-induced zinc(II) coordination polymers exhibiting multifunctional fluorescent sensing activity for cations, anions and organochlorine pesticides. *Z. Anorg. Allg. Chem.* 2021, 647, 1284–1293.
131. Jia, J.; Wang, P.; Chai, J.; Ma, B.; Sun, J.; Chen, X.; Fan, Y.; Wang, L.; Xu, J. Construction of new zinc(II) coordination polymers by 1-(triazol-1-yl)-2,4,6-benzenetricarboxylate ligand for sensitizing lanthanide(III) ions and sensing small molecules. *J. Solid State Chem.* 2017, 253, 430–437.
132. Li, L.; Zou, J.Y.; You, S.Y. A luminescent pillar-layer Zn(II) metal–organic framework for the ultrasensitive detection of nitroaniline. *Inorg. Chim. Acta* 2020, 509, 119703.
133. Zhang, X.; Chen, C.; Liu, X.; Gao, P.; Hu, M. Series of chiral interpenetrating 3d–4f heterometallic MOFs: Luminescent sensors and magnetic properties. *J. Solid State Chem.* 2017, 253, 360–366.
134. Lu, L.; He, J.; Wang, J.; Wu, W.P.; Li, B.; Singh, A.; Kumar, A.; Qin, X. Luminescent sensing and photocatalytic degradation in a new 3D Zn(II)-based highly luminescent metal–organic framework. *J. Mol. Struct.* 2019, 1179, 612–617.

135. Chen, Z.; Mi, X.; Wang, S.; Lu, J.; Li, Y.; Li, D.; Dou, J. Two novel penetrating coordination polymers based on flexible S-containing dicarboxylate acid with sensing properties towards Fe^{3+} and $\text{Cr}_2\text{O}_7^{2-}$ ions. *J. Solid State Chem.* 2018, 261, 75–85.
136. Xiao, Z.Z.; Han, L.J.; Wang, Z.J.; Zheng, H.G. Three Zn(II)-based MOFs for luminescence sensing of Fe^{3+} and $\text{Cr}_2\text{O}_7^{2-}$ ions. *Dalton Trans.* 2018, 47, 3298–3302.
137. Yin, J.C.; Li, N.; Qian, B.B.; Yu, M.H.; Chang, Z.; Bu, X.H. Highly stable Zn-MOF with Lewis basic nitrogen sites for selective sensing of Fe^{3+} and $\text{Cr}_2\text{O}_7^{2-}$ ions in aqueous systems. *J. Coord. Chem.* 2020, 73, 2718–2727.
138. Gao, L.; Zhang, J.; Zhai, L.; Liang, J.; Liang, J.; Niu, X.; Hu, T. Fluorescent sensing properties of Cd (II)/Zn (II) metal–organic frameworks based on 3,5-di (2',5'-dicarboxylphenyl) benzoic acid. *Polyhedron* 2019, 164, 90–95.
139. Zhuang, X.; Zhang, X.; Zhang, N.; Wang, Y.; Zhao, L.; Yang, Q. Novel multifunctional Zn metal–organic framework fluorescent probe demonstrating unique sensitivity and selectivity for detection of PA and Fe^{3+} ions in water solution. *Cryst. Growth Des.* 2019, 19, 5729–5736.
140. Yang, H.; Qi, D.; Chen, Z.; Cao, M.; Deng, Y.; Liu, Z.; Shao, C.; Yang, L. A Zn-based metal–organic framework as bifunctional chemosensor for the detection of nitrobenzene and Fe^{3+} . *J. Solid State Chem.* 2021, 296, 121970.
141. Li, J.M.; Han, Y.H.; Wang, A.R.; He, K.H.; Shi, Z.F. A new 3D four-fold interpenetrated dia-like luminescent Zn(ii)-based metal-organic framework: The sensitive detection of Fe^{3+} , $\text{Cr}_2\text{O}_7^{2-}$, and CrO_4^{2-} in water, and nitrobenzene in ethanol _auth 1,2*Xu*T.-Y.*Tian-Yang. *New J.Chem.* 2020, 44, 4011–4022.
142. Zou, J.-Y.; Li, L.; You, S.-Y.; Cui, H.-M.; Liu, Y.-W.; Chen, K.-H.; Chen, Y.-H.; Cui, J.-Z.; Zhang, S.-W. Sensitive luminescent probes of aniline, benzaldehyde and Cr (VI) based on a zinc (II) metal-organic framework and its lanthanide (III) post-functionalizations. *Dye. Pigment.* 2018, 159, 429–438.
143. Gupta, V.K.; Suhas. Application of low-cost adsorbents for dye removal—A review. *J. Environ. Manag.* 2009, 90, 2313–2342.
144. Lv, B.; Wang, X.; Hu, H.M.; Zhao, Y.F.; Yang, M.L.; Xue, G. Synthesis, structure and luminescent sensor of zinc coordination polymers based on a new functionalized bipyridyl carboxylate ligand. *Inorganica Chim. Acta* 2016, 453, 771–778.
145. Ma, J.; Xu, N.; Liu, Y.; Wang, Y.; Li, H.; Liu, G.; Wang, X.; Li, J. A Stable 3D Zn-Coordination Polymer Sensor Based on Dual Luminescent Ligands for Efficient Detection of Multiple Analytes under Acid or Alkaline Environment. *Inorg. Chem.* 2020, 59, 15495–15503.
146. Cui, J.; Ren, S.; Sun, B.; Jia, S. Optimization protocols and improved strategies for metal-organic frameworks for immobilizing enzymes: Current development and future challenges. *Coord. Chem.*

Rev. 2018, 370, 22–41.

147. Tuerhong, M.; Nizamidin, P.; Yimit, A.; Simayi, R. In situ growth and optical gas adsorption performance of Zn (II) metal–organic framework membranes at room temperature. *Analyst* 2019, 144, 4887–4896.
148. Wang, B.H.; Yan, B. A crystalline probe serving as a platform for ratiometric sensing of trichloroacetic acid (TCA), a carcinogen metabolite in human urine. *CrystEngComm* 2019, 21, 4637–4643.
149. Guo, M.; Liu, S.; Guo, H.; Sun, Y.; Guo, X.; Deng, R. The mixed-ligand strategy to assemble a microporous anionic metal-organic framework: Ln³⁺ post-functionalization, sensors and selective adsorption of dyes. *Dalton Trans.* 2017, 46, 14988–14994.
150. Qu, T.-G.; Hao, X.-M.; Wang, H.; Cui, X.-G.; Chen, F.; Wu, Y.-B.; Yang, D.; Zhang, M.; Guo, W.-L. A luminescent 2D zinc (II) metal–organic framework for selective sensing of Fe (III) ions and adsorption of organic dyes. *Polyhedron* 2018, 156, 208–217.
151. Zhao, C.; Zhao, L.; Meng, L.; Liu, X. A Zn-MOF with 8-fold interpenetrating structure constructed with N,N'-bis (4-carboxylbenzyl)-4-aminotoluene ligands, sensors and selective adsorption of dyes. *J. Solid State Chem.* 2019, 274, 86–91.
152. Mukhopadhyay, A.; Jindal, S.; Savitha, G.; Moorthy, J.N. Temperature-Dependent Emission and Turn-Off Fluorescence Sensing of Hazardous “Quat” Herbicides in Water by a Zn-MOF Based on a Semi-Rigid Dibenzochrysene Tetraacetic Acid Linker. *Inorg. Chem.* 2020, 59, 6202–6213.
153. Fan, L.; Wang, F.; Zhao, D.; Peng, Y.; Deng, Y.; Luo, Y.; Zhang, X. A self-penetrating and chemically stable zinc (ii)-organic framework as multi-responsive chemo-sensor to detect pesticide and antibiotics in water. *Appl. Organomet. Chem.* 2020, 34, e5960.
154. Qin, X.; Yang, W.; Yang, Y.; Gu, D.; Guo, D.; Pan, Q. A zinc metal–organic framework for concurrent adsorption and detection of uranium. *Inorg. Chem.* 2020, 59, 9857–9865.

Retrieved from <https://www.encyclopedia.pub/entry/history/show/37420>